

Sealing for Appliance Inlets



6100 with sealing to appliance

Approvals and Compliances

**Description**

- Protects from ingressing fluids and dust into the appliance
- 1 Function

**Weblinks**

[pdf datasheet](#), [html-datasheet](#), [General Product Information](#), [Distributor-Stock-Check](#), [Accessories](#), [Detailed request for product](#)

**Approvals and Compliances**

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in [Details about Approvals](#)


**Application standards**

Application standards where the product can be used


Organization	Design	Standard	Description
	Designed for applications acc.	IEC/UL 60950	IEC 60950-1 includes the basic requirements for the safety of information technology equipment.

**Compliances**

The product complies with following Guide Lines


Identification	Details	Initiator	Description
	<a href="#">RoHS</a>	SCHURTER AG	EU Directive RoHS 2011/65/EU
	<a href="#">REACH</a>	SCHURTER AG	On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force.

**Assembly Instructions**



- Panel thickness max. 3 mm
- Tightening torque max 0.1 Nm
- 1 Chassis
- 2 Appliance inlet
- 3 Flat gasket (included in 0098.0103)
- 4 Screw with sealing (included in 0098.0103)
- 5 Lock washer (not part of kit)
- 6 Nut 0.8d (not part of kit)

1) Mounted from rear side



- Panel thickness max. 3 mm
- Tightening torque max 0.1 Nm

## All Variants

Suitable for	Degree of Protection	Mounting side	Mounting instruction	Mounting option	Order Number
<a href="#">6100-3, 6120-3</a>	IP 54	Front-/Rear-Side	1)	Screws included	<a href="#">0098.0103</a>

Most Popular.

Availability for all products can be searched real-time: <https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER>