




TORQUE SCREWDRIVERS  
 FEC ORDER CODE 108-433 TO 108-436, 108-438

Farnell  
 Technical  
 Data  
 Service

F/HEX QUICKSET MINOR  
 108-433



F/HEX QUICKSET  
 108-434


- Micrometer adjustment on all models allows easy, accurate setting.
- Expanded range includes SI metric and Imperial scales and new Quickset Minor models.
- Particularly suitable for use in electrical, electronic and instrument assembly work.
- Available with 1/4" female hexagon socket for use with screwdriver bits and blades.
- Adjustment ring automatically disengages when tool is in use, preventing accidental adjustment.

- Smooth 'slipping' action completely eliminates over-tightening.
- Bi-directional operation with consistent repeat accuracy.
- Precision radial ball clutch and cam design gives automatic re-setting.
- Removable tommy bar (except Minor models) provides extra grip where required.
- Colour coded anodised aluminium handles.
- Wide range of accessories available.
- Can also be used in boxed sets with various accessory combinations.

MODEL							
				gm oz	mm in		
QUICKSET MINOR METRIC F/HEX	016040	10 - 120 cN·m	1 cN·m	165 6	169 6.6	■	
QUICKSET 6 F/HEX	016500	1 - 6 N·m	0.1 N·m	335 11.8	184 7.2	▲	✓

■ Black Handles ▲ Red Handles


108-435



108-436



108438



- Ultra modern, high-tech range specially designed to ease correct tightening over a wide range of fasteners.
- Ideal for the electronics, electrical, domestic appliance and office equipment industries.
- Especially useful for Quality Control and Research and Development as well as assembly.
- Ranges 0-500 cN·m, 0 ozf·in – 40 lbf·in – all models have dual Imperial/SI scales.
- Accuracy  $\pm 5\%$  of reading.
- Clamp nut for variable dial friction.
- Integral maximum reading memory system.
- Stainless steel shafts, attractive coloured aluminium handles and 'Darvic' dials.
- Flat torsion spring to give best linear characteristics in both directions.
- All model ranges available with either  $\frac{1}{4}$ " male square drive or  $\frac{1}{4}$ " female hexagon drive. Larger models supplied with Tommy Bar.

MODEL	DIAL	ISO cN·m		IMPERIAL		DRIVE	LENGTH		WEIGHT		HANDLE
		mm	ins	mm	ins		gm	oz			
TT100F/H	017500	0-100	5	0-140 ozf·in	10 ozf·in		2.88	7.0	190	6.7	◆
TT500F/H	017700	0-500	20	0-40 lbf·in	2 lbf·in		250	9.86	465	16.4	●

◆ Blue Handle

● Green Handle