



WMS 4,8 (50X9)R

Order No.: 0817471

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0817471>

Shrink sleeve, Roll, white, Unlabeled, Can be labeled with:
Thermomark W, Thermomark R, Thermomark X, Perforated, Mounting
type: Slide on, Cable diameter: 1.6-4.8 mm

Commercial data

GTIN (EAN)	 4 046356 108478
Note	Made-to-order
sales group	B114
Pack	1 pcs.
Customs tariff	39173200
Catalog page information	Page 554 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
10/14/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	50 mm
Width (a)	9 mm
Color	white
Base element material	polyolefine
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-55 °C ... 125 °C

Components	Halogen-free
Material	Polyolefine
Number of individual labels	250

Accessories

Item	Designation	Description
General		
0827856	THERMOMARK-RIBBON 55-WMSHF	Ink ribbon, length: 300 m, width: 55 mm, print color: black (specifically for halogen-free shrink sleeves)
5145724	THERMOMARK-RIBBON 64-WMSE	Ink ribbon, Width: 64 mm, Color: black
5145737	THERMOMARK-RIBBON 64-WMSE BU	Ink ribbon, Width: 64 mm, Color: blue
5145740	THERMOMARK-RIBBON 64-WMSE RD	Ink ribbon, Width: 64 mm, Color: red

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2012 Phoenix Contact
Technical modifications reserved;