





NOTES:

1. MATERIAL: NYLON 6/6, 94V-2.
2. FINISH: SEE CRIMP TERMINAL DRAWING.
3. THIS PRODUCT CONFORMS TO PRODUCT SPECIFICATION PS-08-50.
4. PACKAGING: BULK PER PK-2574-001
5. CONNECTOR TO BE USED WITH CRIMP TERMINALS:
 2478- \times : 18-24 GAGE WIRE; .110/(2.79) MAX. INSULATION DIAMETER.
 2578- \times : 22-26 GAGE WIRE; .065/(1.65) MAX. INSULATION DIAMETER.
6. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN ONE HALF THE TOTAL TOLERANCE.
7. PARTS LESS THAN 7 CIRCUITS ARE TO INDICATE ONLY CIRCUIT NO. 1; ALL OTHERS ARE TO IDENTIFY BOTH THE FIRST AND LAST CIRCUITS.
8. PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002
9. SLOTS MAY OR MAY NOT BE PRESENT ON PART.



SECTION A-A




2574 - N * * *
 NO. OF CIRCUITS
 COLOR CODE
 BLANK=NATURAL
 BK=BLACK

OPTION CODE

CODE	MOUNTING EARS	CHAMFERED SLOT	PCB THK	MOUNTING HOLES
A	NO	NO	.062	NO
B	YES	NO	.062	NO
C	NO	YES	.062	NO
D	YES	YES	.062	NO
E	NO	NO	.032	NO
F	YES	NO	.062	YES



RIB LOCATION CODE (BETWEEN CKTS)
 1 = NONE
 2 = 2-3
 3 = 3-4
 4 = 5-6
 5 = 3-4, 5-6
 6 = 4-5, 7-8
 7 = 5-6, 8-9
 8 = 5-6, 10-11
 9 = 4-5, 7-8, 11-12
 10 = 5-6, 10-11, 14-15
 11 = 5-6, 10-11, 15-16
 12 = 5-6, 11-12, 16-17
 13 = 5-6, 11-12, 17-18
 14 = 4-5, 7-8, 11-12, 15-16
 15 = 4-5, 8-9, 12-13, 16-17, 20-21
 16 = 5-6, 11-12, 18-19

3 CIRCUIT ONLY




ADD 3 CKT VIEW EC NO: UCP2013-0485 DRWN:WMSSTROH 2012/08/03 CHKD:HKIPPER 2012/08/17 APPR:FSMITH 2012/08/13	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .015 1 PLACE ± 0.36 ± --- 0 PLACE ± --- ± ---	DIMENSION STYLE IN/MM DRAWN BY PEREZ-ARGUET 1988/03/02 CHECKED BY PATEL 1988/03/02 APPROVED BY FSMITH 2012/08/13	SCALE 4:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE EDGE CARD CONNECTOR .156/(3.96) CENTERS CRIMP TYPE-2574 SERIES molex	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-2574	SHEET NO. 1 OF 3
	ANGULAR ± 3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	REV D		SIZE C					

3 CIRCUIT ONLY




OPTION CODE F

SAME AS OPTION B EXCEPT AS SHOWN





NO. OF CKT'S	DIM. C	DIM. D	DIM. E	DIM. A
3	.632 (16.05)	1.143 (29.03)	.312±.002 (7.92±.05)	.618 (15.70)
4	.788 (20.02)	1.224 (31.09)	.468±.002 (11.89±.05)	.774 (19.66)
5	.944 (23.98)	1.380 (35.05)	.624±.003 (15.85±.08)	.922 (23.42)
6	1.100 (27.94)	1.536 (39.01)	.780±.003 (19.81±.08)	1.078 (27.38)
7	1.256 (31.90)	1.692 (42.98)	.936±.003 (23.77±.08)	1.232 (31.29)
8	1.412 (35.86)	1.848 (46.94)	1.092±.004 (27.74±.10)	1.388 (35.26)
9	1.568 (39.83)	2.004 (50.90)	1.248±.004 (31.70±.10)	1.544 (39.22)
10	1.724 (43.79)	2.160 (54.86)	1.404±.006 (35.66±.15)	1.700 (43.18)
11	1.880 (47.75)	2.316 (58.83)	1.560±.006 (39.62±.15)	1.854 (47.09)
12	2.036 (51.71)	2.472 (62.79)	1.716±.006 (43.59±.15)	2.010 (51.05)
13	2.192 (55.68)	2.628 (66.75)	1.872±.006 (47.55±.15)	2.164 (54.97)
14	2.348 (59.64)	2.784 (70.71)	2.028±.007 (51.51±.18)	2.318 (58.88)
15	2.504 (63.60)	2.940 (74.68)	2.184±.007 (55.47±.18)	2.474 (62.84)
16	2.660 (67.56)	3.096 (78.64)	2.340±.007 (59.44±.18)	2.631 (66.83)
17	2.816 (71.53)	3.252 (82.60)	2.496±.008 (63.40±.20)	2.784 (70.71)
18	2.972 (75.49)	3.408 (86.56)	2.652±.009 (67.36±.23)	2.954 (75.03)
19	3.128 (79.45)	3.564 (90.53)	2.808±.009 (71.32±.23)	3.095 (78.61)
20	3.284 (83.41)	3.720 (94.49)	2.964±.009 (75.29±.23)	3.251 (82.58)
21	3.440 (87.38)	3.876 (98.45)	3.120±.010 (79.25±.25)	3.407 (86.54)
22	3.596 (91.34)	4.032 (102.41)	3.276±.011 (83.21±.25)	3.562 (90.47)
23	3.752 (95.30)	4.188 (106.38)	3.432±.011 (87.17±.28)	3.716 (94.39)
24	3.908 (99.26)	4.344 (110.34)	3.588±.012 (91.14±.30)	3.871 (98.32)

OPTION CODE C




OPTION CODE E

FOR .032 THK PCB



OPTION CODE D

(SEE OPTIONS B & C FOR DIMENSIONS)



SEE SHEET 1 EC NO: UCP2013-0485 DRAWN: MSTR0H 2012/08/03 CHKD: KHP 2012/08/17 APPR: FSMITH 2012/08/13	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE IN/MM	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm INCH	DRAWN BY DATE PEREZ-ARGUET 1988/03/02	TITLE EDGE CARD CONNECTOR .156/(3.96) CENTERS CRIMP TYPE-2574 SERIES		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .015 1 PLACE ± 0.36 ± --- 0 PLACE ± --- ± ---	CHECKED BY DATE PATEL 1988/03/02	APPROVED BY DATE FSMITH 2012/08/13		
		ANGULAR ± 3° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-2574		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

2574-NA*			2574-NB*			2574-NC*			2574-ND*			2574-NE*			2574-NF*		
PART NO.	ENG. NO. (SUFFIX ONLY)		PART NO.	ENG. NO. (SUFFIX ONLY)		PART NO.	ENG. NO. (SUFFIX ONLY)		PART NO.	ENG. NO. (SUFFIX ONLY)		PART NO.	ENG. NO. (SUFFIX ONLY)		PART NO.	ENG. NO. (SUFFIX ONLY)	
09-01-6031	-3A1		09-01-7031	-3B1		09-01-6038	-3C1										
09-01-6041	-4A1		09-01-7041	-4B1		009-01-6048	-04C1		09-01-6082	-08D1					09-01-7065	-6F1-BK	
09-01-6051	-5A1		09-01-7051	-5B1		09-01-6088	-08C1								09-01-7087	-8F1-BK	
09-01-6064	-6A1		09-01-7064	-6B1													
09-01-6081	-8A1		09-01-7081	-8B1													
	-8A1D		09-01-7069	-6B1D													
09-01-6055	-5A2			-8B1D													
09-01-6061	-6A2		09-01-7061	-6B2													
09-01-6085	-8A2		09-01-7085	-8B2													
09-01-6095	-9A2		09-01-7095	-9B2													
09-01-6071	-7A3		09-01-7071	-7B3													
09-01-6086	-8A3		09-01-7086	-8B3													
09-01-6083	-8A4		09-01-7083	-8B4													
09-01-6094	-9A4		09-01-7094	-9B4													
09-01-6091	-9A5		09-01-7091	-9B5													
09-01-6101	-10A6		09-01-7101	-10B6													
09-01-6121	-12A7		09-01-7121	-12B7													
09-01-6129	-12A4		09-01-7129	-12B4													
09-01-6181	-18A8		09-01-7181	-18B8													
09-01-6151	-15A9		09-01-7151	-15B9													
09-01-6161	-16A9		09-01-7161	-16B9													
09-01-6171	-17A10		09-01-7171	-17B10													
09-01-6211	-21A11		09-01-7211	-21B11													
09-01-6224	-22A12		09-01-7224	-22B12													
09-01-6221	-22A13		09-01-7221	-22B13													
09-01-6191	-19A14		09-01-7191	-19B14													
09-01-6241	-24A15		09-01-7241	-24B15													
09-01-7222	-22A16			-6B1-BK													

SEE SHEET 1 EC NO: UCP2013-0485 DRAWN: MSTR0H 2012/08/03 CHKD: HKLIPPER 2012/08/17 APPR: FSMITH 2012/08/13	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
		4 PLACES ± --- ± ---	3 PLACES ± --- ± .010	2 PLACES ± 0.25 ± .015	1 PLACE ± 0.36 ± ---	0 PLACE ± --- ± ---	DRAWN BY PEREZ-ARGUET 1988/03/02	DATE 1988/03/02	TITLE EDGE CARD CONNECTOR .156/(3.96) CENTERS CRIMP TYPE-2574 SERIES		
		ANGULAR ± 3°					APPROVED BY FSMITH	DATE 2012/08/13	DOCUMENT NO. SD-2574		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					MATERIAL NO. SEE CHART		SHEET NO. 3 OF 3		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION