

Fuse plug - ST-SI - 0920229

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Fuse plug, Nominal current: 6.3 A, Length: 45.4 mm, Width: 9.9 mm, Color: black

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 017918 010164 |
| Weight per Piece (excluding packing) | 8.08 g |
| Custom tariff number | 85369010 |
| Country of origin | Poland |

Technical data

General

| | |
|--|-------|
| Color | black |
| Insulating material | PA |
| Flammability rating according to UL 94 | V0 |

Dimensions

| | |
|--------|---------|
| Width | 9.9 mm |
| Length | 45.4 mm |

General

| | |
|---------------------------|------------------------------|
| Fuse | G / 5 x 20 / 5 x 25 / 5 x 30 |
| Insulating material group | CTI 600 |
| Nominal current I_N | 6.3 A |
| Nominal voltage U_N | 400 V |

Connection data

| | |
|-------------------|-----------------|
| Connection method | Plug connection |
|-------------------|-----------------|

Standards and Regulations

Fuse plug - ST-SI - 0920229

Technical data

Standards and Regulations

| | |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27141199 |
| eCl@ss 4.1 | 27141199 |
| eCl@ss 5.0 | 27141145 |
| eCl@ss 5.1 | 27141145 |
| eCl@ss 6.0 | 27141149 |
| eCl@ss 7.0 | 27141149 |
| eCl@ss 8.0 | 27142001 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000897 |
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC002018 |
| ETIM 5.0 | EC000036 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211811 |
| UNSPSC 7.0901 | 39121409 |
| UNSPSC 11 | 39121409 |
| UNSPSC 12.01 | 39121409 |
| UNSPSC 13.2 | 39121409 |

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approvals submitted

Fuse plug - ST-SI - 0920229

Approvals

Approval details

| |
|-----|
| EAC |
|-----|

| |
|-----|
| EAC |
|-----|
