

**Product Details for 1057178 -1**

**N Series RF Connectors**

[RoHS Compliant](#) (Statement of Compliance)

**Product Highlights:**

- ? Connector
- ? Jack
- ? Coaxial Cable Termination Type = Solder
- ? Terminate To Coaxial Cable
- ? Coaxial Cable Type (RG/U or Mfg.) = 405 Semi -Rigid/2.16 [.085]

[View all Features](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling Product Feature Selector](#)
- [Contact Us About This Product](#)

No Image Available

**1057178 -1**

 [Active](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [OSN FLANGE MOUNT CABLE JACK -DIRECT SOLDER ATTACHMENT](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? [OSN Straight Cable Jack Direct Solder Attachment 105...](#) (PDF, English)

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features** (Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? [Product Type](#) = Connector
- ? [Gender](#) = Jack
- ? [Body Style](#) = Straight
- ? [Grade](#) = Commercial
- ? Lightning/EMP Protection = None
- ? [Dielectric Material](#) = TFE Fluorocarbon
- ? Weatherproof = No
- ? Body Material = Stainless Steel

**Mechanical Attachment:**

- ? [Panel Attachment](#) = With
- ? Panel Attachment Method = Square Flange
- ? [Panel Attachment Style](#) = Front Mount

**Electrical Characteristics:**

- ? Connector Impedance (?) = 50

**Termination Related Features:**

- ? Coaxial Cable Termination Type = Solder

**Body Related Features:**

- ? [Body Plating](#) = Gold

**Contact Related Features:**

- ? [Center Contact Plating](#) = Gold
- ? Center Contact Material = Beryllium Copper

**Housing Related Features:**

- ? Captured Center Contact = Without

**Configuration Related Features:**

- ? [Coaxial Cable Type \(RG/U or Mfg.\)](#) = 405 Semi - Rigid/2.16 [.085]

**Industry Standards:**

- ? Government/Industry Qualification = No
- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Always was RoHS compliant

**Conditions for Usage:**

- ? Terminate To = Coaxial Cable

**Other:**

- ? Brand = AMP