

RF CONNECTORS



✓ Active

TE CONNECTIVITY (TE)

N Str Plg Hex 50Ohm Silver Pltd RG9B/U,

Standard Coax | STA , U

1-1337415-0

TE Internal Number: 1-1337415-0

EU RoHS Compliant with Exemptions EU ELV Compliant with Exemptions

Connector Interface N Type

Connector Style Plug

Mated Outer Diameter (Approximate) 19.05 mm [.75 in]

Impedance (Ω) 50

Cable Type Raychem 5012A3422, Raychem 5012F3332, Raychem 5012F3832, Raychem 5012M3612, RG 214, RG 9B, URM 91



Product Type Features

Product Drawings TYPE-N STRAIGHT PLUG CRIMP 50 OHM RG9B/U, 214/U, URM 91, KX13, KX24 PDF (TIFF AVAILABLE) English FEATURES + Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Connector Interface N Type **Connector Style** Plug **Connector & Contact Terminates To** Wire & Cable **Electrical Characteristics** Impedance (Ω) 50 **Body Features Cable Connector Orientation** Straight **Body Material** Brass **Body Plating Material** Silver **Contact Features Crimp Type** Hex Ferrule Plating Material Silver **Center Contact Plating Material** Silver **Center Contact Material** Brass **RF Connector Contact Configuration** Captivated Contacts Ferrule Material Annealed Copper **Termination Features Termination Method to Wire & Cable Crimp Dimensions** Mated Outer Diameter (Approximate) 19.05 mm [.75 in] **Usage Conditions** Cable Type Raychem 5012A3422, Raychem 5012F3332, Raychem 5012F3832, Raychem 5012M3612, RG 214, RG 9B, URM 91 Operation/Application **Operating Frequency (GHz) 11 Packaging Features Packaging Method** Box Packaging Quantity 50 Other **Dielectric Material PTFE** Military Style Number UG-1682/U **Gasket Material** Silicone Rubber **Coupling Nut Material** Brass **Grade** Commercial **PRODUCT COMPLIANCE**

Statement of Compliance

Statement of Compliance

PDF