



CONNECTORS

AUTOMOTIVE CONNECTOR LOCKS & POSITION ASSURANCE



✓ Active

TE CONNECTIVITY (TE)

RETAINER 94P

AMP | MQS

1-1355134-1

TE Internal Number: 1-1355134-1

EU RoHS Compliant

EU ELV Compliant

Accessory Type TPA (Terminal Position Assurance)

Color Violet

Connector System Wire-to-Board

Material PA GF

Operating Temperature Range -40 – 120 °C [-40 – 248 °F]

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

DOCUMENTATION

Product Drawings

CONNECTOR HOUSING., 94POSN. Steckverbindergehaeuse., 94pol.,

PDF

English

RETAINER, 94POS. REC. HOUSING Kontaktsicherung, 94pol. Buchsengeh.

PDF (TIFF AVAILABLE)

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Accessory Type TPA (Terminal Position Assurance)

Connector System Wire-to-Board

Body Features

Color Violet

Material PA GF

Usage Conditions

Operating Temperature Range -40 – 120 °C [-40 – 248 °F]

Industry Standards

UL Flammability Rating UL 94-HB

Packaging Features

Packaging Method Carton

Other

Serviceable Yes

PRODUCT COMPLIANCE

Statement of Compliance

Statement of Compliance

PDF

