

**Cutting tools
KT 22**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Cutting tools for conductors up to 8 mm, 12 mm, 14 mm and 22 mm outside diameter. The special blade geometry allows pinch-free cutting of copper and aluminium conductors with minimum physical effort. The cutting tools also come with VDE and GS-tested protective insulation up to 1,000 V in accordance with EN/IEC 60900.

General ordering data

Type	KT 22
Order No.	1157830000
Version	Cutting tools ,Cutting tool for one-hand operation
GTIN (EAN)	4032248945528
Qty.	1 pc(s).

Creation date May 11, 2020 5:33:34 AM CEST

Data sheet

**Cutting tools
KT 22**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	245 mm	Width (inches)	9.646 inch
Height	71.5 mm	Height (inches)	2.815 inch
Depth	31 mm	Depth (inches)	1.22 inch
Weight	460 g	Net weight	471.68 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Technical data

Version One-hand mechanical

Cutting tools

Copper cable - flexible, max.	95 mm ²	Copper cable - flexible, max. (AWG)	3/0 AWG
Copper cable - solid, max.	25 mm ²	Copper cable - solid, max. (AWG)	3 AWG
Copper cable - stranded, max.	50 mm ²	Copper cable - stranded, max. (AWG)	1 AWG
Copper cable, max. diameter	22 mm	Data / telephone / control cable, max. Ø	22 mm
Single-core aluminium cable, max.(mm ²)	50 mm ²	Stranded aluminium cable, max (mm ²)	70 mm ²
Stranded aluminium cable, max. (AWG)	2/0 AWG	Stranded aluminium cable, max. diameter	22 mm

Classifications

ETIM 6.0	EC000142	ETIM 7.0	EC000142
eClass 9.0	21-04-47-01	eClass 9.1	21-04-37-06
eClass 10.0	21-04-47-01	UNSPSC	31-16-31-02

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity	Manufacturer's Declaration - Cable cutters
Brochure/Catalogue	CAT 6 TOOLS 15/16 EN


Data sheet


**Cutting tools
KT 22**


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

 max. 22 mm

 max. 25 mm²

 max. 50 mm²

 max. 95 mm²
