


Labels / Wire and Cable Labels / Wire and Cable Self-lams and Wraps /

BMP71 UltraTemp Flame Retardant Wire Wraps



BMP71 UltraTemp Flame Retardant Wire Wraps

Part Number:

M71-31-472

Label/Tape Size:

1 in H x 1.5 in W

Material:

Polyimide

Material Number:

B-472

For Use with Printer:

BMP®71 Label Printer

Color:

White

ADD TO CART

1



[Add To Favorites](#)

[Free sample pack](#)  [Download
guide](#) 

PEOPLE ALSO VIEWED



OVERVIEW


Flame Retardant Wire Wraps (B-472) are ideal for cable and wire bundle applications and label applications where self-extinguishing properties are required.

- Polyimide material specifically designed to self-extinguish and prevent flames from propagating
- Matte finish material with permanent acrylic adhesive can be thermal transfer printed or dot matrix printed
- RoHS compliant to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC
- Service temperature of -40°F to 212°F (-40°C to 100°C)

SPECIFICATIONS

Material Number	B-472
Dimensions	1 in H x 1.5 in W
UOM	Roll
Finish	Matte
Label/Tape Size	1 in H x 1.5 in W
Maximum Service Temperature °F	212 °F
Maximum Wire Gauge	10 gauge
Minimum Service Temperature °F	-94 °F
Minimum Wire Gauge	4 gauge
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.5 in H x 1 in W
Printable Area Height	0.5 in
Printable Area Width	1 in
Product Number	121627
UPC	662820987024
Quantity per Roll	250
Quantity per Row	1
Secondary Label Included	Secondary Label is Not Included
Thickness	0.0032 in
Adhesive Type	Acrylic
Applications	Cable & Wire Marking, Panel Labeling, Voice & Data ID
Color	White
For Use with Printer	BMP®71 Label Printer

Header	No Header
Label/Media Format	Roll
Language	No Text
Material	Polyimide
Material Properties	Flame-Retardant
Print Technology	Thermal Transfer
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, UV-Resistant
Shape	Rectangle
Suggested Ribbon Series	R4300



BMP71 Series R4300 Printer Ribbon

Part Number:

M71-R4300

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)
[Brand Protection Solutions](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Visual Workplace Services](#)
[Hazcom GHS Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE-RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)
[Interactive Facility Map](#)

Brady
[About Sites](#) [Press](#) [Releases](#)
[Careers](#) [Request a](#)
[Investors](#) [Distributors](#)
[Privacy Policy](#) [International Sites](#)
[Terms and Conditions](#) [Safety Services](#)
[Terms of Use](#) [Software and Solutions](#)
[ISO Certification](#)

6555 W. Good Hope Rd.
Milwaukee, WI 53223
Phone: 888-250-3082
Hours: 7am-6pm CT
Monday - Thursday;
Friday 7am-5pm CT

manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2018 Brady Worldwide, Inc.