

## Coding element - HC-CBU - 1676860

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Coding socket for coding up to 16 connectors



COMPLETE

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 129484
GTIN	4017918129484
Weight per Piece (excluding packing)	2.910 g
Custom tariff number	73181595
Country of origin	China

### Technical data

#### General

Material	Steel, galvanized
Color	silver
Note	Prevents most cases of the connector being inserted at an angle; Prescribed for contact inserts of series HC-D... and HC-DD...
Assembly instructions	Cannot be used for modular systems.


#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Drawings

## Coding element - HC-CBU - 1676860


Dimensional drawing



Dimensional drawing

# Coding element - HC-CBU - 1676860


Schematic diagram



Coding with HC-CBU and HC-CST, for housings with two contact inserts

# Coding element - HC-CBU - 1676860

Schematic diagram



Coding with HC-CBU and HC-CST, for housings with one contact insert

## Classifications

eCl@ss

eCl@ss 4.0	27140800
eCl@ss 4.1	27140800
eCl@ss 5.0	27143400
eCl@ss 5.1	27143400
eCl@ss 6.0	27269200
eCl@ss 7.0	27440203
eCl@ss 8.0	27440203
eCl@ss 9.0	27440203

ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002311
ETIM 6.0	EC002311
ETIM 7.0	EC002311

UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416

## Coding element - HC-CBU - 1676860

### Classifications

#### UNSPSC

UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	27112301

### Approvals

#### Approvals

---

Approvals


EAC

---

Ex Approvals

---

#### Approval details

EAC		RU C- DE.AI30.B.01102
-----	---	--------------------------

---