1734510-2 - ACTIVE

TE Internal #: 1734510-2 USB Connectors, B, 2.0, Mini Profile, Receptacle, 1 Port, Top, Right Angle, Tray, Flush, Through Hole - Solder, Straight Leg PCB Mount Retention Type

View on TE.com >



Connectors > Audio & Video Connectors > USB Connectors



USB Connector Type: B

USB Version: 2.0

Connector Profile: Mini

Connector & Housing Type: Receptacle

Number of Ports: 1

Features

Product Type Features

Integral Locking Latch	Without
USB Connector Type	В
USB Version	2.0
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Product Type	Connector
Configuration Features	
Number of Ports	1
Number of Positions	5
Body Features	
Offset	0 mm
Shell Plating Finish	Matte
Connector Profile	Mini

USB Connectors, B, 2.0, Mini Profile, Receptacle, 1 Port, Top, Right Angle, Tray, Flush, Through Hole - Solder, Straight Leg PCB Mount Retention Type



Shell Plating Material	Tin over Nickel
Contact Features	
Contact Current Rating (Max)	1 A
Contact Mating Area Plating Material	Gold Flash over Palladium Nickel
Contact Mating Area Plating Thickness	.76 μm[29.92 μin]
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Locking Feature	With
Locating Posts	Without
PCB Mount Location	Тор
PCB Connector Seating	Flush
PCB Mount Retention Type	Straight Leg
Connector Mounting Type	Board Mount
Housing Features	
Body Orientation	Right Angle
Centerline (Pitch)	.8 mm[.031 in]
Housing Material	PA 9T
Housing Color	Black
Dimensions	
Tail Length	2.85 mm[.113 in]
PCB Thickness (Recommended)	1.6 mm[.063 in]
Usage Conditions	
Soldering Temperature (Max)	265 °C[509 °F]
Mating Cycles (Max)	5000
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F][-40 – 185 °F]
Operation/Application	
Halogen Free	No
Circuit Application	Power & Signal
Industry Standards	
Moisture Sensitivity Level	1
Industry Standard	USB 2.0

C For support call+1 800 522 6752

USB Connectors, B, 2.0, Mini Profile, Receptacle, 1 Port, Top, Right Angle, Tray, Flush, Through Hole - Solder, Straight Leg PCB Mount Retention Type




UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tray
Packaging Quantity	95
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
EO EEV Directive 2000/33/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
China RoHS 2 Directive MIIT Order No 32, 2016	 No Restricted Materials Above Threshold Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold:

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



USB Connectors, B, 2.0, Mini Profile, Receptacle, 1 Port, Top, Right Angle, Tray, Flush, Through Hole - Solder, Straight Leg PCB Mount Retention Type



Customers Also Bought





TE Part #1-2301994-1

RJ45 JACK INT.MAG. 1GB LED 1X1 INV (LOW)

Documents

Product Drawings MINI USB, TYPE B, R/A, T/H

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1734510-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1734510-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1734510-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

S For support call+1 800 522 6752

09/03/2021 03:05AM | Page 4

USB Connectors, B, 2.0, Mini Profile, Receptacle, 1 Port, Top, Right Angle, Tray, Flush, Through Hole - Solder, Straight Leg PCB Mount Retention Type



Product Specifications Product Specification

English

Product Environmental Compliance TE Material Declaration

English