



Search by part # or keyword

[Products](#)

[Industries & Solutions](#)

[Resources](#)

[TE Store](#)


[Sign In](#)



[Harnessing](#) > [Heat Shrink Components](#) > [Heat Shrink Boots](#)

# 202D174-3-0

202D174-3-0



Raychem

TE Internal #: **814094-000**

TE Internal Description: **202D174-3-0**

Alias #: **5-1196335-3**

Molded Part Shape : **Straight**

Molded Part Shape Code : **202**

Lipped : **Yes**

Material Code : **3**

Material Systems Code : **10**

[Compatible Parts & Tooling](#)

### We are here to help!

Get in touch with our product experts.



[CHAT WITH US](#)



[EMAIL US](#)



[CALL US](#)

Feedback

#### Documents

#### Features

#### Product Compliance

Product Drawings

202D174-3-0

[202D174-3-0](#) English

Datasheets & Catalog Pages

1654025\_Sec4\_-3

[ENG\\_CS\\_1654025\\_Sec4\\_-3\\_0313.pdf](#) English

Product Specifications

Product Specification

[ENG\\_SS\\_RT-301\\_12.pdf](#) English

Product Environmental Compliance

Safety Datasheet

[FRE\\_MSDS\\_SDS0190-EC-FRE\\_2014-04-10.pdf](#)  
French

[ITA\\_MSDS\\_SDS0190-EC-ITA\\_2014-04-10.pdf](#)  
Italian

Safety Datasheet

[DUT\\_MSDS\\_SDS0190-EC-DUT\\_2014-04-10.pdf](#)  
Dutch

Safety Datasheet

[DAN\\_MSDS\\_SDS0190-EC-DAN\\_2014-04-10.pdf](#)  
Danish

Safety Datasheet

[ENG\\_MSDS\\_SDS0190-EC-ENG\\_2014-04-10.pdf](#)  
English

Safety Datasheet

[GER\\_MSDS\\_SDS0190-EC-GER\\_2014-04-10.pdf](#)  
German



Safety Datasheet

[↓ NOR\\_MSDS\\_SDS0190-EC-NOR\\_2014-04-10.pdf](#) Norwegian

Safety Datasheet

[↓ SPA\\_MSDS\\_SDS0190-EC-SPA\\_2014-04-10.pdf](#) Spanish

Safety Datasheet

[↓ SWE\\_MSDS\\_SDS0190-EC-SWE\\_2014-02-21\\_SDS190ECW.pdf](#) Swedish

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type  
Features

Molded Part Shape : **Straight**

Configuration  
Features

Lipped : **Yes**

Body Features

Material Code : **3**  
Material Systems Code : **10**  
Adhesive Pre-Coat : **No**  
Material : **Semi-Rigid Modified Polyolefin**

Dimensions

Connector or Backshell Outside Diameter :  
**1.5 in, 1.57 in, 1.69 in, 1.8 in, 1.93 in, 38 mm, 40 mm, 43 mm, 46 mm, 49 mm**  
Wire/Cable Outside Diameter :  
**.71 in, .79 in, .87 in, .94 in, 1.02 in, 1.1 in, 18 mm, 20 mm, 22 mm, 24 mm, 26 mm, 28 mm**

Usage Conditions

Operating Temperature Range : **-55 – 135 °C [-67 – 275 °F]**

Industry  
Standards

Approved Standards :  
**BS-G-198-5-DA, DEF Std 59-97 Issue 3 Type DA, SAE AS 85049/140, SAE AS I 81765/1, Type I, UL 224, File E85381**

Other

Molded Part Shape Code : **202**  
Fluid/Chemical Resistance : **Occasional exposure to fluids**  
Adhesive Options : **/42 Precoat**

Detailed product compliance is not available. Please [Contact Us](#)

Statement of  
Compliance

[Statement of Compliance pdf](#)

[ABOUT TE CONNECTIVITY](#)

[FOR PARTNERS](#)

[SUPPORT](#)

[CALL US](#)

[LIVE CHAT](#)

[UNITED STATES \(EN\)](#)