



Search by part # or keyword

[Products](#)

[Industries & Solutions](#)

[Resources](#)

[TE Store](#)


[Sign In](#)



[Harnessing](#) > [Heat Shrink Components](#) > [Heat Shrink Boots](#)

202D274-25/225-0

202D274-25/225-0



Raychem

TE Internal #: **712063-000**

TE Internal Description: **202D274-25/225-0**

Alias #: **8-1195577-2**

Molded Part Shape : **Straight**

Molded Part Shape Code : **202**

Lipped : **Yes**

Material Code : **25**

Material Systems Code : **25**

[Compatible Parts & Tooling](#)

We are here to help!

Get in touch with our product experts.



[CHAT WITH US](#)



[EMAIL US](#)



[CALL US](#)

Feedback

[Documents](#)

[Features](#)

[Product Compliance](#)

Product Drawings

202D274-25/225-0

[202D274-25/225-0](#) English

Datasheets & Catalog Pages

1654025_Sec4_-25

[ENG_CS_1654025_Sec4_-25_0313.pdf](#) English

Product Specifications

Product Specification

[ENG_SS_RW-2070_2.pdf](#) English

Product Environmental Compliance

Safety Datasheet

[ENG_MSDS_RAY3111-EC-ENG_2018-08-31.pdf](#)
English

[FRE_MSDS_RAY3111-EC-FRE_2018-08-28.pdf](#)
French

Safety Datasheet

[GER_MSDS_RAY3111-EC-GER_2018-08-28.pdf](#)
German

Safety Datasheet

[ITA_MSDS_RAY3111-EC-ITA_2018-08-28.pdf](#)
Italian

Safety Datasheet

[SPA_MSDS_RAY3111-EC-SPA_2018-08-28.pdf](#)
Spanish

Safety Datasheet

[SWE_MSDS_RAY3111-EC-SWE_2018-08-28.pdf](#)
Swedish



Safety Datasheet

[DUT_MSDS_RAY3111-EC-DUT_2018-08-28.pdf](#)
Dutch

Safety Datasheet

[DAN_MSDS_RAY3111-EC-DAN_2018-08-28.pdf](#)
Danish

Safety Datasheet

[ENG_MSDS_SDS0190-EC-ENG_2014-04-10.pdf](#)
English

Safety Datasheet

[FRE_MSDS_SDS0190-EC-FRE_2014-04-10.pdf](#)
French

Safety Datasheet

[GER_MSDS_SDS0190-EC-GER_2014-04-10.pdf](#)
German

Safety Datasheet

[ITA_MSDS_SDS0190-EC-ITA_2014-04-10.pdf](#)
Italian

Safety Datasheet

[NOR_MSDS_SDS0190-EC-NOR_2014-04-10.pdf](#) Norwegian

Safety Datasheet

[SPA_MSDS_SDS0190-EC-SPA_2014-04-10.pdf](#)
Spanish

Safety Datasheet

[SWE_MSDS_SDS0190-EC-SWE_2014-02-21_SDS190ECW.pdf](#) Swedish

Safety Datasheet

[DUT_MSDS_SDS0190-EC-DUT_2014-04-10.pdf](#)
Dutch

Safety Datasheet

[DAN_MSDS_SDS0190-EC-DAN_2014-04-10.pdf](#) Danish

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type
Features

Molded Part Shape : **Straight**

Configuration
Features

Lipped : **Yes**

Body Features

Material Code : **25**
Material Systems Code : **25**
Adhesive Pre-Coat : **Yes**
Material : **Fluid Resistant Modified Elastomer**

Dimensions

Cable Diameter Range : **14.2 – 31.5 mm [.559 – 1.24 in]**
Wire/Cable Outside Diameter :
.63 in, .7 in, .71 in, .787 in, .87 in, .9 in, .94 in, 1 in, 1.02 in, 16 mm, 18 mm, 20 mm, 22 mm, 24 mm, 26 mm

Usage Conditions

Operating Temperature Range : **-75 – 150 °C [-103 – 302 °F]**

Operation/Application Power Cable Accessory : **No**

Industry Standards

Approved Standards :

BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867

Government Qualified : **No**

Other

Molded Part Shape Code : **202**

Fluid/Chemical Resistance :

Long-Term Exposure at High Temperature

Detailed product compliance is not available. Please [Contact Us](#)

Statement of Compliance

[Statement of Compliance](#) pdf

[ABOUT TE CONNECTIVITY](#)

[FOR PARTNERS](#)

[SUPPORT](#)

[CALL US](#)

[LIVE CHAT](#)

[UNITED STATES \(EN\)](#)