


204A011-3-0 Product Details

[Share](#) | [Print](#) | [Email](#)


Active

Molded Parts

204A011-3-0

204A011-3-0

TE Internal Number: 814443N002

Product Highlights [View All](#)

- BS-G-198-5-DA, DEF Std 59-97 Issue 3 Type DA, SAE AS I 81765/1, Type I, UL 224, File E85381
- Molded Part Type = Molded Boot
- Connector or Backshell Outside Diameter = 9.00 mm
- Wire/Cable Outside Diameter = 2.30 mm, 2.50 mm, 3.00 mm, 3.50 mm, 4.00 mm, 4.50 mm, 5.00 mm, 6.00 mm
- Molded Part Shape = Straight

[Pricing & Availability](#)
[Request Sample](#)
[Add to My Part List](#)
[Buy Product through Distributor](#)
[Documents](#) | [Features](#) | [Compliance](#)

Please Note:
Use the Product Drawing for all design activity

Product Type Features

Molded Part Type	Molded Boot
Molded Part Shape	Straight
Molded Part Lip	Without Lip
Angle	Straight

Adhesive Description	Adhesive Purchased Separately
----------------------	-------------------------------

Mechanical Attachment

Adhesive Pre-Coating	Without
----------------------	---------

Dimensions

Connector or Backshell Outside Diameter (mm [in])	9.00 [0.350]
Wire/Cable Outside Diameter (mm [in])	2.30 [0.090], 2.50 [0.100], 3.00 [0.120], 3.50 [0.150], 4.00 [0.157], 4.50 [0.177], 5.00 [0.200], 6.00 [0.236]

Housing Features

Material Systems Code	10
-----------------------	----

Configuration Features

Material Code	3
---------------	---

Industry Standards

Government/Industry Qualification	No
-----------------------------------	----

Approved Standards	BS-G-198-5-DA, DEF Std 59-97 Issue 3 Type DA, SAE AS I 81765/1, Type I, UL 224, File E85381
--------------------	---

RoHS/ELV Compliance	RoHS compliant, ELV compliant
---------------------	-------------------------------

Lead Free Solder Processes	Not relevant for lead free process
----------------------------	------------------------------------

RoHS/ELV Compliance History	Always was RoHS compliant
-----------------------------	---------------------------

Environmental

Operating Temperature (°C)	-55 - +135
----------------------------	------------

Purchasing Information

Adhesive Code	S1006
---------------	-------

Other

Adhesive Options	S1006 Separate Adhesive, -55°C to +135°C (-67°F to + 275°F)
------------------	---

Brand	Raychem
-------	---------

Related Products

Not quite the product you're looking for?

[Find Similar Products](#)

[View Part in Product Feature Selector](#)

[Check for Tooling](#)

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms of Use of TE.com](#)
- [Privacy Policy](#)
- [Global Accessibility Statement](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)
- [Terms & Conditions of Sale](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed

