Data sheet | Item number: 210-658

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; angled; short; multicoloured

www.wago.com/210-658





Data Technical data

Operating tool
1-way
100 mm
multicoloured
10.2 g

Subject to changes. Please also observe the further product documentation!

WAGO Private LimitedDo you have any questions about our products?C-27, Sector-58, Phase-IIIDo you have any questions about our products?Noida-201 301 | Gautam Budh Nagar (U.P)We are always happy to take your call at +91-120-4388709.Tel.: +91-120-4369831 | Fax: +91-120-4388799Email: info.india@wago.com

24.06.2021 Page 1/3



Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	bag
Country of origin	DE
GTIN	4045454151133
Customs tariff number	82055980000

Downloa	ds	
-		

Documentation

210-658 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download
X81 - Datei		2.9 kB	
210-658	Feb 19, 2019	xml	Download
Bid Text			

CAD/CAE-Data

CAE data

EPLAN Data Portal 210-658	URL	Download
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 210-658	URL	Download
Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft; angled; short; multicoloured		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Private Limited C-27, Sector-58, Phase-III Noida-201 301 | Gautam Budh Nagar (U.P) Tel.: +91-120-4369831 | Fax: +91-120-4388799 Email: info.india@wago.com Do you have any questions about our products? We are always happy to take your call at +91-120-4388700.

Data sheet | Item number: 210-658

www.wago.com/210-658





The blade dimensions (DIN 5264) of the above-listed operating tools are ideal for operating 280 Series Front-Entry Sensor /Actuator Terminal Block.

Subject to changes. Please also observe the further product documentation!

WAGO Private Limited C-27, Sector-58, Phase-III Noida-201 301 | Gautam Budh Nagar (U.P) Tel.: +91-120-4369831 | Fax: +91-120-4388799 Email: info.india@wago.com

Do you have any questions about our products? We are always happy to take your call at +91-120-4388700.