

## Components of electronic housing - UM-PRO 108 COVER-L BK - 2200155

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Seitenelement (links) mit Montagefuß für die Tragschiene für UM-PRO-Profile der Leiterplattenbreite 108 mm



The figure shows the 122 mm wide version

### Product Features

- Item is from the UM-BASIC/UM-PRO product range
- PVC press-drawn section (UM-BASIC) or PA (UM-PRO)
- Available in individual lengths
- Available in the overall widths of 72 mm, 108 mm, and 122 mm
- Variety of connection technologies
- Can be mounted on the DIN rail



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	18.0 g
Custom tariff number	39269097
Country of origin	Germany

### Technical data

#### General

Housing type	Panel mounting base
Housing material	Polyamide
Color	black

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
---------------------------------	--

#### Dimensions

# Components of electronic housing - UM-PRO 108 COVER-L BK - 2200155

## Technical data

### Dimensions

Length	15.5 mm
Constructional height	40 mm
Width	127.8 mm

### Technical data

Inflammability class according to UL 94	V0
---	----

## Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27182003
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC000721

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

UL Recognized

---

# Components of electronic housing - UM-PRO 108 COVER-L BK - 2200155

## Approvals

Ex Approvals

---

Approvals submitted

---

## Approval details



## Drawings

Dimensional drawing

