

CA MINI IO TYPE I IND RJ45



✓ ACTIVE

TE Part # **2-2205133-1**
TE Internal #: **2-2205133-1**

Cable Assembly Type : **Mini I/O**
Equalized : **Yes**
Wire Size (AWG): **26**
Wire Size (mm²): **.129**
Overall Outside Cable Diameter : **.244 in, 6.2 mm**

[Add to List](#) | [Similar Products](#)

[ORDER SAMPLES](#)

[Compatible Parts & Tooling](#)

SHOP OUR DISTRIBUTORS

North America

Request pricing, availability and customization options

[CONTACT US](#)

We are here to help!

Get in touch with our product experts.

[CHAT WITH US](#)

[EMAIL US](#)

[CALL US](#)

DOCUMENTS

FEATURES

PRODUCT COMPLIANCE

Product Drawings [CA MINI IO TYPE I IND RJ45](#)
 [CA MINI IO TYPE I IND RJ45](#) English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Cable Assembly Category : **Industry Standard**

Cable Assembly Type : **Mini I/O**

Shielded : **Yes**

Connector Type (End A) : **RJ45 Plug**

Connector Type (End B) : **RJ45 Plug**

Product Designation : **Patch Cord**

Product Type : **Cable Assembly**

Performance Category : **Category 5E Performance for 10/100/1000BASE-T**

Twisted Pairs : **Yes**

Latching Style : **Slide Latch**



Configuration Features

Number of Positions : **8**
Number of Signal Positions :
8
Configuration : **Double-Ended**

Electrical Characteristics

Impedance (Ω): **100**

Signal Characteristics

Data Rate (Gb/s): **1**

Body Features

Jacket Material : **PUR**
Equalized : **Yes**
Color : **Black**
Shield Material : **Copper Alloy**

Contact Features

Contact Mating Area Plating Material :
Gold
Contact Mating Area Plating Thickness :
.5 μ m, 19.68 μ in

Mechanical Attachment

Jackscrew : **Without**

Housing Features

Housing Material : **Thermoplastic**

Dimensions

Wire Size (AWG): **26**
Wire Size (mm²): **.129**
Overall Outside Cable Diameter :
.244 in, 6.2 mm

Operation/Application

Halogen Free : **Yes**

Industry Standards

Flammability Rating : **UL 444**
IEEE 1394 : **No**

Other

Cable Assembly Length : **.5 m [1.64 ft]**
CLOUDSPLITTER : **No**

Statement of Compliance

[Statement of Compliance pdf](#)

Compatible Parts

[> Contact Product Support](#)


Customers Also Bought



TE Part # 5406295-1
**MJ ASSY, S/P, 8POS,
SH, RVPGT, CAT4**



TE Part # 1658607-1
**50 POS HDF PLUG,
MS, LEAD FREE**



TE Part # 770441-1
**04P .062 COMM P&S
RECPT**



TE Part # 5-102448-3
**10 AMPMODU MT
ASSY DR.100CL SN**

About TE Connectivity

For Partners

Customer Support

CALL US

LIVE CHAT

United States

Our Company

Events

TE News Center

Careers


Investors

Corporate Responsibility

Terms and Conditions of Sale

Distributors

Suppliers

 Email or Call Us

 Find Authorized Distributors

 What's New on TE.com

 Product FAQs

Select Country & Language

United States (EN)

Germany (DE)

China (中文)

Japan (日本語)

Find Your Country/Region ▾

[Terms of Use](#) | [Privacy](#) | [Cookie Policy](#) | [Accessibility](#) | [Site Map](#)



© 2018 TE Connectivity. All Rights Reserved.