
# 2325347-2 - ACTIVE

### Power Versa-Lock | Power Versa-Lock 5.0

TE Internal #: 2325347-2 Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Wire & Cable

#### View on TE.com >





Connector Seal Type: Interface Seal

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 5 mm [.197 in ]

Sealable: Yes

# Features

### **Product Type Features**

Accessory Color	Blue			
Product Type	Accessory			
Connector Seal Type	Interface Seal			
Connector System	Wire-to-Wire			
Sealable	Yes			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Number of Positions	2			
Body Features				
Material	Silicone Rubber			
Seal Color	Blue			
Seal Material	Silicone Rubber			
Housing Features				
Centerline (Pitch)	5 mm[.197 in]			
Usage Conditions				
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]			
Operation/Application				



Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Wire & Cable



For Use With	Power Versa-Lock Sealed Connectors
Circuit Application	Power & Signal
Other	
Comment	IP67

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Wire & Cable








# Also in the Series | Power Versa-Lock 5.0




Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Wire & Cable





# Customers Also Bought



187 HSG. PL MKII REC. NAT	Model 44000 Series	AMPSEAL 16 CONTACTS	CRIMPER, WIRE
TE Part #2-520102-2 ULTRA-FAST 250 ASSEMBLY TAB 22- 18 AWG BR	TE Part #2161670-1 KIT, CQM-II, 3K/5K TERM., EMEA		

# Documents

# CAD Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2325347-2\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2325347-2\_A.3d\_igs.zip

Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 2 Position, 5mm [.197in] Centerline, Sealable, Wire & Cable



English

Customer View Model ENG\_CVM\_CVM\_2325347-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Engineering Report

English

Instruction Sheets Instruction Sheet (U.S.)

English