SAJ405XHL0N30SNOLLQ VACTIVE

Alcoswitch

TE Internal #: 2351462-6 TE Internal Description: MINSA SW HLV 0.30N 0.5A AC NO Lg-L-Bnd

View on TE.com >

Relays, Contactors & Switches > Switches > Snap Action Switches



Configuration (Pole-Throw): Single Pole - Single Throw

Actuator Style: Lever

Contact Current Rating: .5 A

Voltage Rating: 30 VDC

Operating Force: 50 g [1.8 oz]

Features

Product Type Features



| Product Type | Switch |
|----------------------------|----------------------------|
| Switch Type | Snap Action |
| Actuator Style | Lever |
| Switch Style | Miniature |
| Configuration Features | |
| Operating Position | 6.7 mm |
| Configuration (Pole-Throw) | Single Pole - Single Throw |
| Electrical Characteristics | |
| Voltage Rating | 30 VDC |
| Body Features | |
| Movement Differential | .7 mm |
| Releasing Force | 3 g |
| Contact Features | |
| Contact Base Material | Ag Alloy |

SAJ405XHL0N30SNOLLQ

MINSA SW HLV 0.30N 0.5A AC NO Lg-L-Bnd



| Contact Current Rating | .5 A |
|---|----------------------------|
| | .5 ~ |
| Termination Features | |
| Termination Type | Printed Circuit Board Left |
| Mechanical Attachment | |
| Mounting Type | Printed Circuit Board |
| Mounting Angle | Right Angle |
| Dimensions | |
| Pre Travel | 1.8 mm |
| Operation/Application | |
| Operating Force | 50 g[1.8 oz] |
| Other | |
| Over Travel | .3 mm |
| | |
| Product Compliance | |
| For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |

| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
|---|---|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JAN 2019 (197) |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part

MINSA SW HLV 0.30N 0.5A AC NO Lg-L-Bnd



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Documents

Product Drawings MINSA SW HLV 0.30N 0.5A AC NO Lg-L-Bnd

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2351462-6_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2351462-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2351462-6_A.3d_stp.zip

English

Datasheets & Catalog Pages SAJ4 Series Snap Action Switches Data Sheet

English