

Honeywell Sensing and Control



Order Product and Get Support

- U.S. Authorized Distributors
- Global Sales & Service
- N. American Sales Reps
- Distributor Inventory
- Technical Assistance
- White Papers
- Literature Request
- RoHS Product List
- Customer Feedback

Home> Products > Thermostats > 2455RMG> Product Page

2455RMG 86210124



2455RMG Series Phenolic Manual Reset Thermostats

Potential Applications

Actual product appearance may vary.

Features

Cost effective
Rivet sleeve construction
Manually resetable
High temperature capability

table>

Description

The 2455RMG Series consists of a temperaturesensitive bimetal disc, electrically isolated from the switch, which actuates the normally closed contacts. The contacts open when the surface or ambient temperatures increase to the operating snap point of the calibrated disc. The circuit will stay open above room ambient temperature unt the manual reset button is pressed. Response to temperature changes is extremely rapid due to the inherently low mass of the disc and the small size of the product.

HVAC

Appliances

Office automation

Supporting Documentation

None Available

Product Specifications	
Functional Properties	Open on rise
Reset Type	Manual
Amperage	0.5 A
Voltage	250 Vac/50 Vdc
Operating Temperature Range	0 °C to 150 °C [32 °F to 302 °F]
Environmental Exposure Range	- 18 °C to 177 °C [0 °F to 350 °F]
Open Temperature	57.2 °C [135 °F]
Close Temperature	Manual
Open Tolerance	4.4 °C [8 °F]
Dielectric Strength	MIL - STD - 202, Method 301; 2000 Vac 60 Hz - Terminal to Case
Insulation Resistance	MIL - STD - 202, Method 302; Cond. B - 500 MOhm - 500 Vdc applied
Contact Resistance	MIL - STD - 202, Method 307; 0.050 Ohm
Housing Material	Phenolic
Contact Material	WE -1 gold alloy cross point
Approvals	UL, CSA, VDE
Mounting	B201 fixed bracket
Series Name	2455RMG

My Links

Login to iCOM
Login as Rep/AD
Login as Guest
Login to Digital
University

Keyword Search

Search for product and support information.

All Sensing and Contro

Product Search

Part number search:

Use (*) to expand search

Specification Search