


Item no.: 279-626  
 Product description: DOUBLE POTENTIAL TERMINAL BLOCK; with lateral marking level; LATERAL MARKING; for DIN 35 rail; FRONT-ENTRY; CAGE CLAMP®CONNECTION



Packing unit 200 pieces

Product group	1 (Rail Mounted Terminal Blocks)
Cross section from [mm <sup>2</sup> ]	0,08 mm <sup>2</sup>
Cross section to [mm <sup>2</sup> ]	1,5 mm <sup>2</sup>
Cross section from [AWG]	28 AWG
Cross section to [AWG]	16 AWG
Connection method	CAGE CLAMP®CONNECTION
Measured voltage EN	800 V
Measured shock voltage	8 kV
Pollution degree	3
Current intensity EN	18 A
Weight	5,556 g
Color	grey
Wiring type	Front-entry
No. of connection Points	4
No. of potentials	2
Height	27 mm
Height	1,06 in
Width	4 mm
Width	0,157 in
Depth	68 mm
Depth	2,68 in
Strip length from	8 mm
Strip length to	9 mm
Strip length	0,33 in
Attention!	Double potential terminal blocks cannot be commoned with adjacent jumpers!



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
279-626	ABS	05-HG476175/1-PDA	800	18	1,5
279-626	BBJ	B/12/700/03	800	18	1,5
279-626	BV	07436/Co	250	18	1,5
279-626	CCA	NL6098	800	18	1,5
279-626	CSA	154112-1327715	600	15	28-16
279-626	DEMKO	76763	750		1,5
279-626	Dep.MaE	CS4864N	600	15	1,5
279-626	DNV	E7570	800	18	1,5
279-626	GL	17295-00HH	800	18	1,5
279-626	KEMA	2105357.01	800	18	1,5
279-626	KR	HMB05880-EL001	800	19,5	1,5
279-626	LR	91/20112(E5)	800	18	1,5
279-626	NEMKO	M58458/02	500		1,5
279-626	PRS	TE/1718/880590/08	800	18	1,5
279-626	RMR	11130002	800	18	1,5
279-626	SEMKO	9410109	750		1,5
279-626	UL	E45172	600	10	28-16
279-626	UR	E45172	600	10	28-16

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected