

**Fuse plug with pull-tab; for miniature metric fuses 5 x 20 mm and 5 x 25 mm; with LED indicator; AC/DC 24 V; 6 mm wide**

Item No.: 281-512/281-501



Fuse plug with pull-tab; for miniature metric fuses 5 x 20 mm and 5 x 25 mm; with LED indicator; AC/DC 24 V; 6 mm wide

### Marking

RoHS ✓  
Compliant

### Business data

Supplier	WAGO
Item no.	281-512/281-501
GTIN / EAN	4050821276265
Content	1
Order amount	50
Customer item number	

### Notes

Safety information 1: Electrical ratings are given by the fuse and blown fuse indication.

### Technical data

#### Miscellaneous

Color	gray
Rated voltage EN (1) [V]	250 [V]
Nominal current [A]	6.3 [A]
Marking level	Center marking
Insulating material	Polyamide 66 (PA 66)
Fire load [MJ]	0.081 [MJ]
Weight [g]	6.679 [g]
Width	6 mm / 0.236 in

Printview: Fuse plug with pull-tab; for miniature metric fuses 5 x 20 mm and 5 x 25 mm; with LED indicator; AC/DC 24 V; 6 mm wide - Item No.: 281-512/281-501

---

**Technical data**

*Safety information 2*


*Leakage current in case of blown fuse: 5 ... 20mA*

Printview: Fuse plug with pull-tab; for miniature metric fuses 5 x 20 mm and 5 x 25 mm; with LED indicator; AC/DC 24 V; 6 mm wide - Item No.: 281-512/281-501

---

## Images & drawings





**Address**

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.