



Data

Electrical data

Ratings per IEC/EN

Rated current	150 A
---------------	-------

Material data

Color	gray
Fire load	0.089 MJ
Weight	25 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Packaging type	BOX

Subject to changes. Please also observe the further product documentation!


WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.


Country of origin	DE
GTIN	4045454549664
Customs tariff number	85366990990

Approvals / Certificates


Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	AEx Underwriters Laboratories Inc.	UL 60079	E185892 sec. 4

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CSA DEKRA Certification B.V.	C22.2	1151144

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc.	UL 1059	E45172

Downloads

Documentation

Bid Text

285-450 doc - Datei	2018 Jan 4	doc 22.5 kB	Download
285-450 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download

Additional Information

Technical explanations	2019 Apr 3	pdf	Download
------------------------	------------	-----	----------

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data

2D/3D Models 285-450	URL	Download
----------------------	---------------------	--------------------------

CAE data

WSCAD Universe 285-450	URL	Download
------------------------	---------------------	--------------------------

ZUKEN Portal 285-450	URL	Download
----------------------	---------------------	--------------------------

EPLAN Data Portal 285-450	URL	Download
---------------------------	---------------------	--------------------------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 285-450	URL	Download
--	---------------------	--------------------------


Jumper; insulated; gray

Installation Notes

Commoning



Commoning with an adjacent jumper: insert the jumper above the conductor entry hole – prior to conductor termination. The nominal cross-section remains unchanged.



Removing jumper via operating tool.

Product family

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 285-450

www.wago.com/285-450



POWER CAGE CLAMP

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.