

Interface module for ETHERNET RJ-45

Item No.: 289-175



Interface module for ETHERNET RJ-45

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	289-175
GTIN / EAN	4045454317522
Content	1
Order amount	1
Customer item number	

Notes


Technical data


Miscellaneous

Wire connection 1	WAGO 739 Series
Insulation resistance	> 500 M
Ambient operating temperature	-40 °C ... +85 °C (actuation: -35 °C ... +85 °C)
Connecting cable	min. CAT5
Max. transmission length [m]	100 [m]
Connector	RJ-45 shielded
Min. mating cycles	500
Current load [A]	1.5 [A]
Dielectric strength contact-contact [kVrms]	1 [kVrms]
Contact resistance [m]	typ. < 20 [m]

Technical data	
<i>WAGO shield (screen) clamping saddle</i>	<i>790-108 (11 mm wide; cable diameter up to 8 mm)</i>
<i>Connection technology (1)</i>	<i>CAGE CLAMP®</i>
<i>Solid sizes 1</i>	<i>0.08 ... 1.5 mm² / 28 ... 14 AWG</i>
<i>Strip length 1</i>	<i>5 ... 6 mm / 0.2 ... 0.24 in</i>
<i>Weight [g]</i>	<i>34.956 [g]</i>
<i>Width</i>	<i>24 mm / 0.945 in</i>
<i>Height from upper-edge of DIN-rail [mm]</i>	<i>40 [mm]</i>
<i>Height from upper-edge of DIN-rail</i>	<i>40 mm / 1.575 in</i>
<i>Length</i>	<i>85 mm / 3.346 in</i>
<i>Standards/specifications</i>	<i>ISO/IEC 11801: 2002-09; EN 55022</i>
<i>Type of mounting</i>	<i>DIN 35 rail</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.