



Extract from the online catalog

EMG 12-B2

Order No.: 2948306




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2948306>

Custom circuit module, consisting of housing, MKDS 3 connection terminal blocks and PCB

Commercial data	
EAN	4017918083250
sales group	F001
Pack	10 pcs.
Customs tariff	85369010
Weight/Piece	0.02853 KG
Catalog page information	Page 543 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
11/03/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Housing type	Component housing
Housing material	Polycarbonate fiber reinforced
Color	green

EMG 12-B2 Order No.: 2948306
http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2948306

Dimensions / positions

Length	75 mm
Width	12.5 mm
Number of positions	4
Pitch	5 mm

Technical data

Ambient temperature (operation)	-40 °C ... 125 °C
Inflammability class acc. to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	1.2 W 1.3 W 7.5 mm
	1.3 W 1.5 W 15 mm
	2 W 2.6 W 52 mm

Certificates / Approvals




Certification


GOST

Diagrams/Drawings

Dimensioned drawing



1 = Top edge of the PCB
B = Housing width



Pitch 5 mm
a = Area for mounting components, 38 mm in the hood
b = Area for mounting components, 45 mm in the housing

EMG 12-B2 Order No.: 2948306

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2948306>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com