

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0330013022](#)  
**Status:** **Active**  
**Overview:** [MX150 Sealed and Unsealed Connector System](#)  
**Description:** MX150 Female Terminal for Unsealed Connectors, Gold Plating, 18 and 20 AWG, Left Reel Payoff. Not suitable for MX150 Sealed Connectors.

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Packaging Specification 313025040-000 (PDF)</a>
<a href="#">Product Specification PS-33012-002-001 (PDF)</a>	<a href="#">Test Summary TS-33001-002-001 (PDF)</a>
<a href="#">Application Specification AS-33012-002-001 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Application Specification AS-33012-002-CH-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Application Specification AS-33012-002-FR-001 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	<a href="#">33001</a>
Application	Power, Wire-to-Board, Wire-to-Wire
Comments	Left Reel Payoff, Large Polarization Rib. Not to be used with MX150 Sealed Connectors
Crimp Quality Equipment Overview	Yes
Product Name	<a href="#">MX150 Sealed and Unsealed Connector System</a>
UPC	MX150 822350084208

**Physical**

Gender	Female
Grip Code	18
Material - Metal	High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Unplated
Net Weight	0.435/g
Packaging Type	Reel
Plating min - Mating	0.762µm
Plating min - Termination	2.540µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.54mm max.
Wire Size AWG	18, 20
Wire Size mm <sup>2</sup>	0.75-1.00

**Electrical**

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	14V DC

**Solder Process Data**

Lead-free Process Capability	N/A
------------------------------	-----

**Material Info**

**Reference - Drawing Numbers**

Application Specification	AS-33012-002-001, AS-33012-002-CH-001, AS-33012-002-FR-001
Packaging Specification	313025040-000
Product Specification	PS-33012-002-001
Sales Drawing	SD-33012-002-001
Test Summary	TS-33001-002-001



Series image - Reference only

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)9139-DC (19 Jan 2021)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

**China ROHS**

ELV

RoHS Phthalates

**China RoHS**

Not Relevant

Compliant

Not Contained

**Search Parts in this Series**

[33001](#) Series

**Use With**

[33472](#) Dual Row Housing. [33476](#) Hybrid Housing. [33471](#) Single Row Housing

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Extraction Toolkit for MX150 Connectors	<a href="#">2002220700</a>
FA2 Mechanical Feed Applicator for MX150 18 Grip Receptacle Terminals, 20 AWG and 0.75mm <sup>2</sup> Wire	<a href="#">638082600</a>
FA2 Mechanical Feed Applicator	<a href="#">638082800</a>

for MX150 18 Grip Female Terminals, 18 AWG and 1.00mm <sup>2</sup> Wire PremiumGrade	<u>638116000</u>
Hand Crimp Tool for MX150 Female Terminals, 18-22 AWG PremiumGrade	<u>638116100</u>
Hand Crimp Tool for MX150 Female Terminals for 1.00mm <sup>2</sup> and 1.50mm <sup>2</sup> Metric Wires Hand Crimp Tool	<u>638116200</u>
Metric 0.5 and 0.75 Extraction Tool for	<u>638131500</u>
MX150L, MX150, PT Bulb Socket, iGrid, SPOX, and Wire-to- Motor Terminals ServiceGrade	<u>640160133</u>
Hand Crimp Tool for MX150 Crimp Terminals, 14-22 AWG	

This document was generated on 02/19/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**