

FUSES

Approved to MIL-F-15160

F01A FUSES		MIL-F-15160/1 (Commercial Equivalent — 361 Series)	
MIL Type Designation	Nickel-Plated Caps	Silver-Plated Caps	
F01A 250V 1/200A	364.005	366.005	
F01A 250V 1/100A	364.010	366.010	
F01A 250V 1/32A	364.031	366.031	
F01A 250V 1/16A	364.062	366.062	
F01A 250V 1/10A	364.100	*	
F01A 250V 1/8A	364.125	366.125	
F01A 250V 3/16A	*	*	
F01A 250V 2/10A	*	*	
F01A 250V 1/4A	364.250	366.250	
F01A 250V 3/8A	364.375	366.375	
F01A 250V 4/10A	*	*	
F01A 250V 1/2A	364.500	366.500	
F01A 125V 6/10A	364.600	*	
F01A 125V 3/4A	364.750	366.750	
F01A 125V 8/10A	*	*	
F01A 125V 1A	364 001	366 001	
F01A 125V 1-1/4A	*	*	
F01A 125V 1-1/2A	364 01.5	366 01.5	
F01A 125V 1-6/10A	*	*	
F01A 125V 2A	364 002	366 002	
F01A 125V 2-1/2A	*	*	
F01A 125V 3A	364 003	366 003	
F01A 125V 3-2/10A	*	*	
F01A 125V 4A	364 004	*	
F01A 125V 5A	364 005	*	

F02A FUSES		MIL-F-15160/2 (Commercial Equivalent — 311, 312 Series)	
MIL Type Designation	Nickel-Plated Caps	Silver-Plated Caps	
F02A 250V 1/100A	392.010	397.010	
F02A 250V 1/32A	392.031	397.031	
F02A 250V 1/16A	392.062	397.062	
F02A 250V 1/8A	392.125	397.125	
F02A 250V 15/100A	392.150	*	
F02A 250V 175/1000A	392.175	*	
F02A 250V 3/16A	392.187	397.187	
F02A 250V 2/10A	392.200	397.200	
F02A 250V 1/4A	392.250	397.250	
F02A 250V 3/10A	392.300	397.300	
F02A 250V 3/8A	392.375	397.375	
F02A 250V 1/2A	392.500	397.500	
F02A 250V 6/10A	392.600	397.600	
F02A 250V 3/4A	392.750	397.750	
F02A 250V 1A	392 001	397 001	
F02A 250V 1-1/4A	392 1.25	*	
F02A 250V 1-1/2A	392 01.5	397 01.5	
F02A 250V 1-6/10A	392 01.6	*	
F02A 250V 2A	392 002	397 002	
F02A 250V 2-1/2A	392 02.5	397 02.5	
F02A 250V 3A	392 003	397 003	
F02A 250V 4A	392 004	397 004	
F02A 250V 5A	392 005	397 005	
F02A 250V 6A	392 006	397 006	
F02A 125V 8A	392 008	397 008	
F02A 125V 10A	392 010	397 010	
F02A 32V 15A	392 015	397 015	
F02A 32V 20A	392 020	397 020	
F02A 32V 25A	392 025	397 025	

F02B FUSES		MIL-F-15160/2 (Commercial Equivalent — 313 Series)	
MIL Type Designation	Nickel-Plated Caps	Silver-Plated Caps	
F02B 250V 1/100A	393.010	398.010	
F02B 250V 1/32A	393.031	398.031	
F02B 250V 1/25A	393.040	398.040	
F02B 250V 1/16A	393.062	398.062	
F02B 250V 1/10A	393.100	398.100	
F02B 250V 1/8A	393.125	398.125	
F02B 250V 15/100A	393.150	398.150	
F02B 250V 175/1000A	393.175	398.175	
F02B 250V 3/16A	393.187	398.187	
F02B 250V 2/10A	393.200	398.200	
F02B 250V 1/4A	393.250	398.250	
F02B 250V 3/10A	393.300	398.300	
F02B 250V 3/8A	393.375	398.375	
F02B 250V 4/10A	393.400	398.400	
F02B 250V 1/2A	393.500	398.500	
F02B 250V 6/10A	393.600	398.600	
F02B 250V 7/10A	393.700	398.700	
F02B 250V 3/4A	393.750	398.750	
F02B 250V 8/10A	393.800	398.800	
F02B 250V 1A	393 001	398 001	
F02B 250V 1-1/4A	393 1.25	398 1.25	
F02B 250V 1-1/2A	393 01.5	398 01.5	
F02B 250V 1-6/10A	393 01.6	398 01.6	
F02B 250V 1-8/10A	393 01.8	398 01.8	
F02B 250V 2A	393 002	398 002	
F02B 250V 2-1/4A	393 2.25	398 2.25	
F02B 250V 2-1/2A	393 02.5	398 02.5	
F02B 250V 2-8/10A	393 02.8	398 02.8	
F02B 250V 3A	393 003	398 003	
F02B 250V 3-2/10A	393 03.2	398 03.2	

F03A FUSES		MIL-F-15160/3 (Commercial Equivalent — 314 Series)	
MIL Type Designation	Nickel-Plated Caps	Silver-Plated Caps	
F03A 250V 1/4A	394.250	399.250	
F03A 250V 1/2A	394.500	399.500	
F03A 250V 1A	394 001	399 001	
F03A 250V 1-1/4A	*	*	
F03A 250V 1-1/2A	394 01.5	399 01.5	
F03A 250V 2A	394 002	399 002	
F03A 250V 3A	394 003	399 003	
F03A 250V 4A	394 004	399 004	
F03A 250V 5A	394 005	399 005	
F03A 250V 6A	394 006	399 006	
F03A 250V 8A	394 008	399 008	
F03A 250V 10A	394 010	399 010	
F03A 250V 12A	394 012	399 012	
F03A 250V 15A	394 015	399 015	
F03A 125V 20A	394 020	399 020	
F03A 125V 25A	394 025	399 025	
F03A 125V 30A	394 030	399 030	

NOTES: 1. The suffix letter "S" added to the type designation indicates that silver-plated fuse caps are required. For example: F02A 250V 3/4A S.
 2. * Contact factory.
 3. Boldface numbers indicate series; light type numbers indicate ampere value.