






3TX71 plug-in relays

Selection and ordering data


AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------

Premium line, miniature relays

	Single modules for self-assembly with LED, Push to Test with Lock-Down Door and mechanical indicator	24 V AC	SPDT	20 A	3TX7109-5JC13	11.00	
		120 V AC	SPDT	20 A	3TX7109-5JF13	11.00	
		220/230 V AC	SPDT	20 A	3TX7109-5JG13	11.00	
		12 V DC	SPDT	20 A	3TX7109-5JB03	11.00	
		24 V DC	SPDT	20 A	3TX7109-5JC03	11.00	
		24 V AC	SPDT	15 A	3TX7110-5JC13	10.00	
		120 V AC	SPDT	15 A	3TX7110-5JF13	10.00	
		220/230 V AC	SPDT	15 A	3TX7110-5JG13	10.00	
		12 V DC	SPDT	15 A	3TX7110-5JB03	10.00	
		24 V DC	SPDT	15 A	3TX7110-5JC03	10.00	
		24 V AC	DPDT	10 A	3TX7111-3LC13	11.00	
		120 V AC	DPDT	10 A	3TX7111-3LF13	11.00	
		24 V DC	DPDT	10 A	3TX7111-3LC03	11.00	
		12 V AC	4PDT	10 A	3TX7111-3PB13	11.50	
		24 V AC	4PDT	10 A	3TX7111-3PC13	11.50	
		120 V AC	4PDT	10 A	3TX7111-3PF13	11.50	
		230 V AC	4PDT	10 A	3TX7111-3PG13	11.50	
		6 V DC	4PDT	10 A	3TX7111-3PA03	11.50	
		12 V DC	4PDT	10 A	3TX7111-3PB03	11.50	
		24 V DC	4PDT	10 A	3TX7111-3PC03	11.50	
		24 V AC	DPDT	15 A	3TX7114-5LC13	11.50	
		120 V AC	DPDT	15 A	3TX7114-5LF13	11.50	
		240 V AC	DPDT	15 A	3TX7114-5LG13	11.50	
		12 V DC	DPDT	15 A	3TX7114-5LB03	11.50	
		24 V DC	DPDT	15 A	3TX7114-5LC03	11.50	
		110 V DC	DPDT	15 A	3TX7114-5LF03	11.50	
		24 V AC	3PDT	15 A	3TX7116-5NC13	11.50	
		120 V AC	3PDT	15 A	3TX7116-5NF13	11.50	
		240 V AC	3PDT	15 A	3TX7116-5NG13	12.25	
		24 V DC	3PDT	15 A	3TX7116-5NC03	11.50	
110 V DC	3PDT	15 A	3TX7116-5NF03	12.25			
		24 V AC	4PDT	15 A	3TX7117-5PC13	14.50	
		120 V AC	4PDT	15 A	3TX7117-5PF13	17.00	
		240 V AC	4PDT	15 A	3TX7117-5PG13	16.00	
		24 V DC	4PDT	15 A	3TX7117-5PC03	17.00	
		110 V DC	4PDT	15 A	3TX7117-5PF03	16.00	
		Socket for 3TX7110	-	-	3TX7144-1E7	8.00	
		Socket for 3TX7111	-	-	3TX7144-1E5	12.50	
		Socket for 3TX7109/7114	-	-	3TX7144-1E6	9.00	
		Socket for 3TX7116	-	-	3TX7144-1E8	11.00	
		Socket for 3TX7117	-	-	3TX7144-1E9	11.00	
Touchsafe socket for 3TX7109/7114	-	-	3TX7144-4E6	7.00			

Accessories









	Flange adapter for 3TX7110	3TX7144-3L5	0.75
	DIN adapter for 3TX7110	3TX7144-3L4	1.25
	Hold/eject clip for 3TX7111 and 3TX7114	3TX7144-1L1	0.75
	Flange adapter for 3TX7111 and 3TX7114	3TX7144-3L5	0.75
	DIN adapter for 3TX7111 and 3TX7114	3TX7144-3L4	1.25
	Flange adapter for 3TX7116	3TX7144-1M3	0.75
	DIN adapter for 3TX7116	3TX7144-1M4	1.25
	Flange adapter for 3TX7117	3TX7144-1M35	0.75
	DIN adapter for 3TX7117	3TX7144-1M6	1.25
	Accessories for 3TX7144-4E6 only		
	MOV suppressor 24 VAC/VDC	3TX7144-H9	3.00
	MOV suppressor 120 VAC/VDC	3TX7144-H10	3.00
	MOV suppressor 240 VAC/VDC	3TX7144-H11	3.00
	Protection diode 6-250 VDC	3TX7144-H12	2.00
	LED, green 24 VAC/VDC	3TX7144-H13	1.00
LED, green 120/240 VAC/VDC	3TX7144-H14	1.00	
Jumper bar	3TX7144-H15	1.00	

Selection and ordering data


AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------

Basic line, miniature relays

	Single modules with mechanical flag only	24 V AC	SPDT	20 A	3TX7109-5BC13C	8.00	
		120 V AC	SPDT	20 A	3TX7109-5BF13C	8.00	
		220/230 V AC	SPDT	20 A	3TX7109-5BG13C	8.00	
		12 V DC	SPDT	20 A	3TX7109-5BB03C	8.00	
		24 V DC	SPDT	20 A	3TX7109-5BC03C	8.00	
		24 V AC	SPDT	15 A	3TX7110-5BC13C	7.00	
		120 V AC	SPDT	15 A	3TX7110-5BF13C	7.00	
		220/230 V AC	SPDT	15 A	3TX7110-5BG13C	7.00	
		12 V DC	SPDT	15 A	3TX7110-5BB03C	7.00	
		24 V DC	SPDT	15 A	3TX7110-5BC03C	7.00	
		24 V AC	DPDT	10 A	3TX7111-3DC13C	8.00	
		120 V AC	DPDT	10 A	3TX7111-3DF13C	8.00	
		24 V DC	DPDT	10 A	3TX7111-5DC03C	8.00	
		12 V AC	4PDT	10 A	3TX7111-3HB13C	8.50	
		24 V AC	4PDT	10 A	3TX7111-3HC13C	8.50	
		120 V AC	4PDT	10 A	3TX7111-3HF13C	8.50	
		230 V AC	4PDT	10 A	3TX7111-3HG13C	8.50	
		6 V DC	4PDT	10 A	3TX7111-3HA03C	8.50	
		12 V DC	4PDT	10 A	3TX7111-3HB03C	8.50	
		24 V DC	4PDT	10 A	3TX7111-3HC03C	8.50	
		24 V AC	DPDT	15 A	3TX7114-5DC13C	8.50	
		120 V AC	DPDT	15 A	3TX7114-5DF13C	8.50	
		240 V AC	DPDT	15 A	3TX7114-5DG13C	8.50	
		12 V DC	DPDT	15 A	3TX7114-5DB03C	8.50	
		24 V DC	DPDT	15 A	3TX7114-5DC03C	8.50	
		110 V DC	DPDT	15 A	3TX7114-5DF03C	8.50	
		24 V AC	3PDT	15 A	3TX7116-5FC13C	8.50	
		120 V AC	3PDT	15 A	3TX7116-5FF13C	8.50	
		240 V AC	3PDT	15 A	3TX7116-5FG13C	8.50	
		24 V DC	3PDT	15 A	3TX7116-5FC03C	8.50	
		110 V DC	3PDT	15 A	3TX7116-5FF03C	8.50	
		24 V AC	4PDT	15 A	3TX7117-5HC13C	11.00	
		120 V AC	4PDT	15 A	3TX7117-5HF13C	11.00	
		240 V AC	4PDT	15 A	3TX7117-5HG13C	11.00	
		24 V DC	4PDT	15 A	3TX7117-5HC03C	11.00	
		110 V DC	4PDT	15 A	3TX7117-5HF03C	11.00	
					3TX7144-1E7	8.00	
					3TX7144-1E5	12.50	
					3TX7144-1E6	11.00	
					3TX7144-1E8	11.00	
			3TX7144-1E9	11.00			
			3TX7144-4E6	7.00			






Accessories

	Flange adapter for 3TX7110	3TX7144-3L5	0.75
	DIN adapter for 3TX7110	3TX7144-3L4	1.25
	Hold/eject clip for 3TX7111 and 3TX7114	3TX7144-1L1	0.75
	Flange adapter for 3TX7111 and 3TX7114	3TX7144-3L5	0.75
	DIN adapter for 3TX7111 and 3TX7114	3TX7144-3L4	1.25
	Flange adapter for 3TX7116	3TX7144-1M3	0.75
	DIN adapter for 3TX7116	3TX7144-1M4	1.25
	Flange adapter for 3TX7117	3TX7144-1M5	0.75
	DIN adapter for 3TX7117	3TX7144-1M6	1.25
	Accessories for 3TX7144-4E6 only		
	MOV suppressor 24 VAC/VDC	3TX7144-H9	3.00
	MOV suppressor 120 VAC/VDC	3TX7144-H10	3.00
MOV suppressor 240 VAC/VDC	3TX7144-H11	3.00	
Protection diode 6-250 VDC	3TX7144-H12	2.00	
LED, green 24 VAC/VDC	3TX7144-H13	1.00	
LED, green 120/240 VAC/VDC	3TX7144-H14	1.00	
Jumper bar	3TX7144-H15	1.00	

3TX71 plug-in relays

Selection and ordering data

AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
Basic line, miniature relays							
3TX7126-3HF10 	Single modules for self-assembly without LED, with flag	12 V AC	4PDT	3 A	3TX7126-3HB10	9.00	
		24 V AC	4PDT	3 A	3TX7126-3HC10	9.00	
		120 V AC	4PDT	3 A	3TX7126-3HF10	9.00	
		12 V DC	4PDT	3 A	3TX7126-3HB00	9.00	
		24 V DC	4PDT	3 A	3TX7126-3HC00	9.00	
		110 V DC	4PDT	3 A	3TX7126-3HF00	9.00	
	LED, No Flag	24 V AC	4PDT	5 A	3TX7126-3HC13	9.00	
		120 V AC	4PDT	5 A	3TX7126-3HF13	9.00	
		12 V DC	4PDT	5 A	3TX7126-3HB03	9.00	
		24 V DC	4PDT	5 A	3TX7126-3HC03	9.00	
		110 V DC	4PDT	5 A	3TX7126-3HF03	9.00	
		120 V AC	4PDT	3 A	3TX7126-3PF10	9.00	
	LED, No Flag	120 V AC	4PDT	5 A	3TX7126-3PF13	9.00	
	Hermetically sealed						
3TX7127-3HF10 	24 V AC	4PDT	3 A	3TX7127-3HC10	60.00		
	120 V AC	4PDT	3 A	3TX7127-3HF10	60.00		
	12 V DC	4PDT	3 A	3TX7127-3HB00	55.00		
	24 V DC	4PDT	3 A	3TX7127-3HC00	55.00		
	110 V DC	4PDT	3 A	3TX7127-3HF00	55.00		
	120 V AC	4PDT	5 A	3TX7127-3HF13	60.00		
	12 V DC	4PDT	5 A	3TX7127-3HB03	55.00		
	24 V DC	4PDT	5 A	3TX7127-3HC03	55.00		
3TX7123-5DC13 	Single modules for self-assembly No LED, No Flag	12 V AC	DPDT	15 A	3TX7123-5DB13	9.50	
		24 V AC	DPDT	15 A	3TX7123-5DC13	9.50	
		120 V AC	DPDT	15 A	3TX7123-5DF13	9.50	
		12 V DC	DPDT	15 A	3TX7123-5DB03	9.50	
		24 V DC	DPDT	15 A	3TX7123-5DC03	9.50	
		110 V DC	DPDT	15 A	3TX7123-5DF03	9.50	
		PC termination		12 V DC	DPDT	15 A	3TX7123-2DB03
24 V DC	DPDT	15 A	3TX7123-2DC03	9.50			
110 V DC	DPDT	15 A	3TX7123-2DF03	9.50			
3TX7144-1E7 	Flange mount	120 V AC	DPDT	15 A	3TX7123-6DF13	9.50	
		12 V DC	DPDT	15 A	3TX7123-6DB03	9.50	
		24 V DC	DPDT	15 A	3TX7123-6DC03	9.50	
3TX7144-1E6 	Socket for 3TX7126 and 3TX7127	–			3TX7144-1E5	12.50	
	Socket for 3TX7123				3TX7144-1E6	9.00	

Accessories

AC and DC operation

Version	Order no.	List Price \$	Weight approx. kg	Pack units
For basic line, miniature relays				
Hold/eject clip for 3TX7126 and 3TX7123	3TX7144-1L4	0.75		
Hold/eject clip for 3TX7127	3TX7144-1L3	0.75		

Selection and ordering data

AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
Premium line, 8 and 11 pin octal base relays							
	8 pin single modules for self-assembly with mechanical indicator only	12 V AC	DPDT	16 A	3TX7112-1LB13	17.00	
		24 V AC	DPDT	16 A	3TX7112-1LC13	17.00	
		120 V AC	DPDT	16 A	3TX7112-1LF13	17.00	
		220/230 V AC	DPDT	16 A	3TX7112-1LG13	17.00	
		12 V DC	DPDT	16 A	3TX7112-1LB03	17.00	
		24 V DC	DPDT	16 A	3TX7112-1LC03	17.00	
	11 pin single modules for self-assembly with LED and mechanical indicator	110 V DC	DPDT	16 A	3TX7112-1LF03	17.00	
		12 V AC	3PDT	16 A	3TX7112-1NB13	17.50	
		24 V AC	3PDT	16 A	3TX7112-1NC13	17.50	
		120 V AC	3PDT	16 A	3TX7112-1NF13	17.50	
		220/230 V AC	3PDT	16 A	3TX7112-1NG13	17.50	
		12 V DC	3PDT	16 A	3TX7112-1NB03	17.50	
		24 V DC	3PDT	16 A	3TX7112-1NC03	17.50	
		110 V DC	3PDT	16 A	3TX7112-1NF03	17.50	
Basic line, 8 and 11 pin octal base relays							
	8 pin single modules for self-assembly without LED	12 V AC	DPDT	16 A	3TX7120-1DB13	14.00	
		24 V AC	DPDT	16 A	3TX7120-1DC13	14.00	
		120 V AC	DPDT	16 A	3TX7120-1DF13	14.00	
		240 V AC	DPDT	16 A	3TX7120-1DG13	14.00	
		12 V DC	DPDT	16 A	3TX7120-1DB03	14.00	
		24 V DC	DPDT	16 A	3TX7120-1DC03	14.00	
	11 pin single modules for self-assembly without LED	110 V DC	DPDT	16 A	3TX7120-1DF03	14.00	
		12 V AC	3PDT	16 A	3TX7120-1FB13	14.50	
		24 V AC	3PDT	16 A	3TX7120-1FC13	14.50	
		120 V AC	3PDT	16 A	3TX7120-1FF13	14.50	
		240 V AC	3PDT	16 A	3TX7120-1FG13	14.50	
		12 V DC	3PDT	16 A	3TX7120-1FB03	14.50	
		24 V DC	3PDT	16 A	3TX7120-1FC03	14.50	
		110 V DC	3PDT	16 A	3TX7120-1FF03	14.50	
Accessories							
	3TX7144-1E2	8 pin socket for 3TX7112 and 3TX7120 (DPDT)		3TX7144-1E2	4.75		
		11 pin socket for 3TX7112 and 3TX7120 (3PDT)		3TX7144-1E3	10.00		
		8 pin Touchsafe socket for 3TX7112 and 3TX7120		3TX7144-4E2	7.00		
		11 pin Touchsafe socket for 3TX7112 and 3TX7120		3TX7144-4E3	7.00		
	3TX7144-1E3	Accessories for 3TX7144-4E2 and 4E3		3TX7144-H1	3.00		
		MOV suppressor 24 VAC/VDC		3TX7144-H2	3.00		
		MOV suppressor 120 VAC/VDC		3TX7144-H3	3.00		
		MOV suppressor 240 VAC/VDC		3TX7144-H4	2.00		
		RC suppressor 6-24 VAC/VDC		3TX7144-H5	2.00		
		RC suppressor 110-240 VAC/VDC		3TX7144-H6	2.00		
		Protection diode 6-250 VDC		3TX7144-H7	1.00		
		LED, green 24 VAC/VDC		3TX7144-H8	1.00		
		LED, green 120/240 VAC/VDC		3TX7144-H9	1.00		
		Jumper bar		3TX7144-H15	1.00		


3TX71 plug-in relays

Selection and ordering data


AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------


Original line, 8 and 11 pin On delay/Off delay octal timing relays

	8 pin single modules on delay octal base	24 V DC	DPDT	10 A	0ND-0110-24D	95.00	
		24 V AC	DPDT	10 A	0ND-0110-24A	95.00	
		24 V AC	DPDT	10 A	0ND-1180-24A	95.00	
		120 V AC	DPDT	10 A	0ND-0110-120A	95.00	
		120 V AC	DPDT	10 A	0ND-1180-120A	95.00	
	11 pin single modules off delay octal base	24 V DC	DPDT	10 A	0FD-0110-24D	103.00	
		24 V AC	DPDT	10 A	0FD-0110-24A	103.00	
		120 V AC	DPDT	10 A	0FD-0110-120A	103.00	
		120 V AC	DPDT	10 A	0FD-1180-120A	103.00	
		12 V DC	DPDT	10 A			
		24 V DC	DPDT	10 A			
		110 V DC	DPDT	10 A			



Enhanced line, 8 and 11 pin multifunctional octal base relays

	8 pin single modules on delay/int octal base sel. time base	12 V AC	DPDT	12 A	0ND-DFOB-12	70.00	
		24 V AC	DPDT	12 A	0ND-DFOB-24	70.00	
		120 V AC	DPDT	12 A	0ND-DFOB-120	70.00	
		240 V AC	DPDT	12 A	0ND-DFOB-240	70.00	
		12 V DC	DPDT	12 A			
		24 V DC	DPDT	12 A			
		110 V DC	DPDT	12 A			
	11 pin single modules off delay/os octal base sel. time base	12 V AC	DPDT	12 A	0FD-DFOB-12	70.00	
		24 V AC	DPDT	12 A	0FD-DFOB-24	70.00	
		120 V AC	DPDT	12 A	0FD-DFOB-120	70.00	
		240 V AC	DPDT	12 A	0FD-DFOB-240	70.00	
		12 V DC	DPDT	12 A			
		24 V DC	DPDT	12 A			
		110 V DC	DPDT	12 A			

Enhanced line, multifunctional square base time delay relays

	8 pin on delay square base		DPDT		0ND-DFSB-12	70.00		
			DPDT		0ND-DFSB-24	70.00		
			DPDP		0ND-DFSB-120	70.00		
			DPDP		0ND-DFSB-240	70.00		
	11 pin off delay square base			DPDT		0FD-DFSB-12	70.00	
				DPDT		0FD-DFSB-24	70.00	
				DPDP		0FD-DFSB-120	70.00	
				DPDP		0FD-DFSB-240	70.00	

Accessories


	3TX7144-1E2	8 pin socket for OND			3TX7144-1E2	4.75	
		11 pin socket for OFD			3TX7144-1E3	10.00	
		8 pin Touchsafe socket for OND			3TX7144-4E2	7.00	
		11 pin Touchsafe socket for OFD			3TX7144-4E3	7.00	
	3TX7144-1E3	Accessories for 3TX7144-4E2 and 4E3					
		MOV suppressor 24 VAC/VDC			3TX7144-H1	3.00	
		MOV suppressor 120 VAC/VDC			3TX7144-H2	3.00	
		MOV suppressor 240 VAC/VDC			3TX7144-H3	3.00	
		RC suppressor 6-24 VAC/VDC			3TX7144-H4	2.00	
		RC suppressor 110-240 VAC/VDC			3TX7144-H5	2.00	
		Protection diode 6-250 VDC			3TX7144-H6	2.00	
		LED, green 24 VAC/VDC			3TX7144-H7	1.00	
		LED, green 120/240 VAC/VDC			3TX7144-H8	1.00	
		Jumper bar			3TX7144-H15	1.00	

Selection and ordering data



AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------

Premium line, square base relays

	Single modules for self-assembly with LED, push to test with lock-down door, and mechanical indicator	24 V AC	DPDT	12 A	3TX7115-5LC13	17.00		
		120 V AC	DPDT	12 A	3TX7115-5LF13	17.00		
		240 V AC	DPDT	12 A	3TX7115-5LH13	17.00		
		12 V DC	DPDT	12 A	3TX7115-5LB03	17.00		
		24 V DC	DPDT	12 A	3TX7115-5LC03	17.00		
		110 V DC	DPDT	12 A	3TX7115-5LF03	17.00		
		Single modules for self-assembly without LED	24 V AC	3PDT	12 A	3TX7115-5NC13	17.50	
			120 V AC	3PDT	12 A	3TX7115-5NF13	17.50	
			220/230 V AC	3PDT	12 A	3TX7115-5NH13	17.50	
			12 V DC	3PDT	12 A	3TX7115-5NB03	17.50	
			24 V DC	3PDT	12 A	3TX7115-5NC03	17.50	
			110 V DC	3PDT	12 A	3TX7115-5NF03	17.50	

Basic line, square base relays

	Single modules for self-assembly without LED	12 V AC	DPDT	15 A	3TX7121-5DB13	13.50		
		24 V AC	DPDT	15 A	3TX7121-5DC13	13.50		
		120 V AC	DPDT	15 A	3TX7121-5DF13	13.50		
		240 V AC	DPDT	15 A	3TX7121-5DH13	13.50		
		12 V DC	DPDT	15 A	3TX7121-5DB03	13.50		
		24 V DC	DPDT	15 A	3TX7121-5DC03	13.50		
		Single modules for self-assembly without LED	110 V DC	DPDT	15 A	3TX7121-5DF03	13.50	
			12 V AC	3PDT	15 A	3TX7121-5FB13	14.50	
			24 V AC	3PDT	15 A	3TX7121-5FC13	14.50	
			120 V AC	3PDT	15 A	3TX7121-5FF13	14.50	
			240 V AC	3PDT	15 A	3TX7121-5FH13	14.50	
			12 V DC	3PDT	15 A	3TX7121-5FB03	14.50	
			24 V DC	3PDT	15 A	3TX7121-5FC03	14.50	
			110 V DC	3PDT	15 A	3TX7121-5FF03	14.50	
	Single modules for self-assembly without LED	24 V AC	DPDT	20 A ¹⁾	3TX7122-5DC13	15.50		
		120 V AC	DPDT	20 A ¹⁾	3TX7122-5DF13	15.50		
		240 V AC	DPDT	20 A ¹⁾	3TX7122-5DH13	15.50		
		12 V DC	DPDT	20 A ¹⁾	3TX7122-5DB03	15.50		
		24 V DC	DPDT	20 A ¹⁾	3TX7122-5DC03	15.50		
		110 V DC	DPDT	20 A ¹⁾	3TX7122-5DF03	15.50		
	Flange mount modules (require 0.187 quick connect)	Flange mount modules (require 0.187 quick connect)	24 V AC	DPDT	15 A	3TX7121-6DC13	14.00	
			120 V AC	DPDT	15 A	3TX7121-6DF13	14.00	
			240 V AC	DPDT	15 A	3TX7121-6DH13	14.00	
			12 V DC	DPDT	15 A	3TX7121-6DB03	14.00	
Flange mount modules (require 0.187 quick connect)	Flange mount modules (require 0.187 quick connect)	24 V DC	DPDT	15 A	3TX7121-6DC03	14.00		
		110 V DC	DPDT	15 A	3TX7121-6DF03	14.00		
		24 V AC	3PDT	15 A	3TX7121-6FC13	14.50		
		120 V AC	3PDT	15 A	3TX7121-6FF13	14.50		
		240 V AC	3PDT	15 A	3TX7121-6FH13	14.50		
		12 V DC	3PDT	15 A	3TX7121-6FB03	14.50		
		24 V DC	3PDT	15 A	3TX7121-6FC03	14.50		
		110 V DC	3PDT	15 A	3TX7121-6FF03	14.50		
Socket for 3TX7115, 3TX7121 and 3TX7122				3TX7144-1E4	11.00			

1) Applications above 15 amps must use quick connect terminals and not 3TX7144-1E4 sockets.

Accessories

Version	Order no.	List Price \$
---------	-----------	---------------

For premium line, miniature relays

Hold/eject clip for 3TX7115	3TX7144-1L2	0.75
11 Pin chassis mount socket	3TX7144-3D0	5.40
Hold/eject clip for 3TX7121 and 3TX7122	3TX7144-1L5	0.75

3TX71 plug-in relays


Selection and ordering data

AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------

DIN Mount Power Relay relays


3TX7131-4CC13



24 V AC	DPST-NO	30 A	3TX7131-4CC13	11.90		
120 V AC	DPST-NO	30 A	3TX7131-4CF13	11.90		
240 V AC	DPST-NO	30 A	3TX7131-4CH13	13.50		

12 V DC	DPDT	30 A	3TX7131-4DB03	14.00		
24 V DC	DPDT	30 A	3TX7131-4DC03	14.00		
24 V AC	DPDT	30 A	3TX7131-4DC13	14.00		
120 V AC	DPDT	30 A	3TX7131-4DF13	14.00		
240 V AC	DPDT	30 A	3TX7131-4DH13	14.00		




3TX7132-6BA03



5 V DC	SPDT	30 A	3TX7132-6BA03	6.00		
12 V DC	SPDT	30 A	3TX7132-6BB03	6.00		
24 V DC	SPDT	30 A	3TX7132-6BC03	6.00		
120 V AC	SPDT	30 A	3TX7132-6BF13	6.00		

Selection and ordering data

AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
Basic line, square base relays							
3TX7113-5DF13 	Single modules for self-assembly with mechanical indicator, without LED	24 V AC	DPDT	16 A	3TX7113-5DC13	16.00	
		120 V AC	DPDT	16 A	3TX7113-5DF13	16.00	
		240 V AC	DPDT	16 A	3TX7113-5DH13	16.00	
		12 V DC	DPDT	16 A	3TX7113-5DB03	16.00	
		24 V DC	DPDT	16 A	3TX7113-5DC03	16.00	
		24 V AC	3PDT	16 A	3TX7113-5FC13	16.00	
		120 V AC	3PDT	16 A	3TX7113-5FF13	16.00	
		240 V AC	3PDT	16 A	3TX7113-5FG13	16.00	
		12 V DC	3PDT	16 A	3TX7113-5FB03	16.00	
		24 V DC	3PDT	16 A	3TX7113-5FC03	16.00	
		24 V AC	3PST	16 A	3TX7113-5EC13	16.00	
		120 V AC	3PST	16 A	3TX7113-5EF13	16.00	
	240 V AC	3PST	16 A	3TX7113-5EG13	16.00		
	24 V DC	3PST	16 A	3TX7113-5EC03	16.00		
3TX7136-5LF13 	Flange mount modules (require 0.187 quick connect)	24 V AC	DPDT	16 A	3TX7113-6DC13	16.00	
		120 V AC	DPDT	16 A	3TX7113-6DF13	7.50	
		240 V AC	DPDT	16 A	3TX7113-6DH13	16.00	
		12 V DC	DPDT	16 A	3TX7113-6DB03	16.00	
		24 V DC	DPDT	16 A	3TX7113-6DC03	16.00	
	Flange mount modules (require 0.187 quick connect)	24 V AC	3PDT	16 A	3TX7113-6FC13	16.00	
		120 V AC	3PDT	16 A	3TX7113-6FF13	16.00	
		240 V AC	3PDT	16 A	3TX7113-6FG13	16.00	
	24 V DC	3PDT	16 A	3TX7113-6FC03	16.00		
3TX7144-1E4 	Flange mount modules (require 0.250 quick connect)	24 V AC	DPDT	25 A	3TX7113-4DC13	16.50	
		120 V AC	DPDT	25 A	3TX7113-4DF13	16.50	
		240 V AC	DPDT	25 A	3TX7113-4DH13	16.50	
		12 V DC	DPDT	25 A	3TX7113-4DB03	16.50	
		24 V DC	DPDT	25 A	3TX7113-4DC03	16.50	
	Latching Relay (for self-assembly without LED)	24 V AC	DPDT	10 A	3TX7125-5DC13	16.00	
		120 V AC	DPDT	10 A	3TX7125-5DF13	16.00	
		12 V DC	DPDT	10 A	3TX7125-5DB03	16.00	
		24 V DC	DPDT	10 A	3TX7125-5DC03	16.00	
	Alternating Relay (for self-assembly with status LED)	24 V AC	DPDT	12 A	3TX7136-5LC13	95.00	
	120 V AC	DPDT	12 A	3TX7136-5LF13	95.00		
	24 V DC	DPDT	12 A	3TX7136-5LC03	95.00		
Socket for 3TX7113, 3TX7125 and 3TX7136				3TX7144-1E4	11.00		

Accessories

AC and DC operation

Version	Order no.	List Price \$	Weight approx. kg	Pack units
For Basic line square base relays				
11 Pin chassis mount socket	3TX7144-3D0	5.40		
Hold/eject clip for 3TX7125	3TX7144-1L5	0.75		

Function Relays, Interfaces and Converters

Coupling Relays and Interfaces

SIMIREL

3TX71 plug-in relays

Selection and ordering data

AC and DC operation

Version	Rated control supply voltage	Contact configuration	Contact rating	Order no.	List Price \$	Weight approx. kg	Pack units
---------	------------------------------	-----------------------	----------------	-----------	---------------	-------------------	------------

Heavy duty power relays

3TX7130-0DF13



	24 V AC	SPST - NO	30 A	3TX7130-0AC13	22.00		
	120 V AC	SPST - NO	30 A	3TX7130-0AF13	22.00		
	240 V AC	SPST - NO	30 A	3TX7130-0AH13	22.00		
	120 V AC	SPST - NC	30 A	3TX7130-0QF13	22.00		
	24 V DC	SPST - NC	30 A	3TX7130-0AC03	22.00		
	24 V AC	SPDT	30 A	3TX7130-0BC13	24.00		
	120 V AC	SPDT	30 A	3TX7130-0BF13	24.00		
	240 V AC	SPDT	30 A	3TX7130-0BH13	24.00		
	277 V DC	SPDT	30 A	3TX7130-0BS13	24.00		
	24 V AC	DPDT	30 A	3TX7130-0DC13	26.00		
	120 V AC	DPDT	30 A	3TX7130-0DF13	26.00		
	240 V AC	DPDT	30 A	3TX7130-0DH13	26.00		
	277 V DC	DPDT	30 A	3TX7130-0DS13	26.00		
	12 V DC	DPDT	30 A	3TX7130-0DB03	26.00		
	24 V DC	DPDT	30 A	3TX7130-0DC03	26.00		
	48 V DC	DPDT	30 A	3TX7130-0DD03	26.00		
	24 V AC	DPST - NO	30 A	3TX7130-0CC13	24.00		
	120 V AC	DPST - NO	30 A	3TX7130-0CF13	24.00		
	240 V AC	DPST - NO	30 A	3TX7130-0CH13	24.00		
	277 V DC	DPST - NO	30 A	3TX7130-0CS13	24.00		
	12 V DC	DPST - NO	30 A	3TX7130-0CB03	24.00		
	24 V DC	DPST - NO	30 A	3TX7130-0CC03	24.00		
Relays with magnetic blowout	120 V AC	DPDT	30 A	3TX7130-0RF13	31.00		
	12 V DC	DPDT	30 A	3TX7130-0RB03	31.00		
	24 V DC	DPDT	30 A	3TX7130-0RC03	31.00		
	48 V DC	DPDT	30 A	3TX7130-0RD03	31.00		
	110 V DC	DPDT	30 A	3TX7130-0RF03	31.00		

Accessories

AC and DC operation

Version	Order no.	List Price \$	Weight approx. kg	Pack units
---------	-----------	---------------	-------------------	------------

For heavy duty power relays

Heavy duty power relay dust cover	3TX7144-1M0	19.00		
-----------------------------------	--------------------	--------------	--	--