



Representative

**Location:** Phoenix

**Rexel USA, Inc.**  
2601 S. 37th Street  
Suite 100

**Catalog Number:** 54805  
**Product ID:** 7TAH007510R0001  
**UPC Number:** 78621054805  
**EAN Number:** 05414363110729  
**Status:** A

Copper Two-Way Splice, Long Barrel, Max 35kV, Wire Size #6 AWG, Length 1.75 Inches, Diameter 0.31 Inches, Tin Plated, Die Code 24, Die Color Code Blue

- Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost.

### North American Specifications (UNSPSC)

UNSPSC	39121449 Wire or cable compression splice
IGCC	4669 Wire or cable compression splice
Type	Splice Connector
Special Features	Two-way connectors provide high pullout values, are easy to insulate and provide a low-resistance connection of high quality and low installed cost.
Standard	UL E9809
Material	Copper
Finish	Tin Plated
Color	Blue
Voltage Rating	600 V
Insulation	None

### European Specifications (ETIM)

ETIM	EC001059 Crimp splices for copper conductor
AWG-range	6-6
Sleeve form	Long
Material	Copper
Surface protection	Tinned
Insulation	None
Voltage row	Up to 35kV
Type of connection	End connector

### Packaging

Inner Quantity	50
Inner Dimensions (inches)	3.3x2.8x2.3
Outer Quantity	500
Outer Dimensions (inches)	12.4x6.4x4
Weight Uom	2 lbs. per 100

### Documents / Support Tools

Technical Drawing / Data Sheet US	Available on Website
Instruction Sheet	TA00674-TB2

**For further technical assistance, please contact us...**

Memphis, TN 38120  
www.tnb.com

860 Ridge Lake Blvd.  
Memphis, TN 38120

Phone: (888) 862-3289  
Fax: (901) 252-1321  
Email:techsupport@tnb.com