


Datasheet

Item No. 56.704.9155.0

Earth terminal WKFN 4 D2/2/SL/35

Ground DIN rail terminal block with spring clamp connection for mounting on TS 35, nominal cross section 4 mm², width 6 mm, color green/yellow



| | |
|------------|---------------|
| Item No. | 56.704.9155.0 |
| EAN | 4015573767188 |
| order unit | 100 Piece(s) |

Approvals



Technical data

General

| | |
|--|-----------------------------------|
| Nominal cross section | 4 mm ² |
| Colour | Green/yellow |
| Number of levels | 1 |
| Number of clamp positions per level | 4 |
| Width/grid dimension | 6 mm |
| Insulating housing | PA666 |
| Inflammability class of insulation material acc. with UL94 | V0 |
| Mounting method | DIN rail (top hat rail) 35/7.5 mm |
| Terminal blocks for electrical installations | Yes |

Technical data

| | |
|-----------------------------|---------------|
| Rated impulse voltage | 8 kV |
| Pollution degree | 3 |
| Closing plate required | Yes |
| Length | 82.2 mm |
| Type of insulation material | Thermoplastic |

Connection Data

| | |
|-------------------------------------|--------------------------|
| Connection type 1 | Tension clamp connection |
| Connection type 2 | Tension clamp connection |
| Minimum cross section solid | 0.13 mm ² |
| Maximum cross section solid | 6 mm ² |
| Minimum cross section fine stranded | 0.13 mm ² |

| | |
|-------------------------------------|-------------------|
| Maximum cross section fine stranded | 4 mm ² |
| Wire strip length | 11 mm |

Technical Data UL/CSA

| | |
|-------------------|-----------|
| Cross section CSA | 24-10 AWG |
|-------------------|-----------|

Accessories

| Item. No. | Typ: | Description: |
|---------------|---------------------------------------|--|
| 04.343.6153.8 | Warning cover ADF 4/4 YELLOW | Cover with warning symbol for DIN rail terminal blocks type WKF ... |
| 98.300.0000.0 | Mounting rail 35x27x7,5EN60715 2000MM | Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.300.1000.0 | Mounting rail 35x27x7,5EN60715 2000MM | Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.300.1900.0 | Mounting rail 35x27x7,5EN60715 2000MM | Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.360.0000.0 | Mounting rail 35x24x15 EN60715 2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.360.0004.0 | Mounting rail 35x24x15 EN60715 2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized |
| 98.370.0000.0 | Mounting rail 35x27x15(EN60715)2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.370.1000.0 | Mounting rail 35x27x15(EN60715)2000MM | Mounting rail TS 35, slotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.380.0000.0 | Mounting rail 35x24x15 EN60715 2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper |
| Z5.553.2921.0 | Test plug ST 2 / 2.3 RED | Test plug 2,3 mm color red |

Drawings

4
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
M1
M2
M3
L
G
-
-
1.1
1.1

Hutschiene EN60715-35x7,5
mounting rail EN60715-35x7,5

Hutschiene EN60715-35x15
mounting rail EN60715-35x15

Weitere Daten siehe Katalog
further data see catalog

| | | | | | | | |
|--------------------------|---------|--|---|--------|---|-------------------|-------|
| Freitoleranz nach | Maßstab | Werkstoff und Oberfläche: | CAD - Zeichnung, keine manuellen Änderungen | | 1. Verwendung: | Bl. 1 | von 1 |
| / | 2:1 | Farbe: grün/gelb colour: green/yellow | 2003 | Tag | Menge | Zeichnung Nr. | |
| / | | | Erweitert | 15.03. | Bauer F. | 56.704.9155.0 01K | |
| / | | | Geprüft | | | Ersatz für: - | |
| / | | | Nenngr. | - | - | | |
| | | | Typ WKFV 4 | | Bezeichnung DUO_SCHUTZLEITERKLEMME Isis Pro Federkraftansführung 4mm ² duo-earth terminal with spring clamp connection | | |
| Elektrische Verbindungen | | | 02/2/SL/35 | | | | |