

**Tool Online Catalog** 

WHERE TO BUY

Select a Category



GO

## **INSULATED HIGH-LEVERAGE CABLE CUTTER**

Product Index > Insulated Tools > Insulated Crimping & Cutting Tools > Insulated High-Leverage Cable Cutter > 63050-

## **Insulated High-Leverage Cable Cutter**

- Individually tested to exceed standards.
- Special, high-leverage design for exceptional cutting capability.
- Cable-gripping shear-type jaws.
- Precision, one-hand shearing action.
- Perfect for working in confined spaces.



**Buy Now!** 



Pictured: 63050-INS

Cat. No. Handle Color Maximum Cable Cutting Capacity Overall Length Weight (lbs.)

4/0 aluminum, 2/0 soft

63050-INS orange copper, 100-pair 24 AWG communications wire 9-5/8" (245)

All dimensions are in inches and (millimeters) except where indicated.

Download High-Resolution .jpg photo

Download High-Resolution .jpg lineart



## Download High-Resolution .eps photo

Download High-Resolution .eps lineart

The downloadable files are compressed in .zip format to save on downloading times.

Decompressing .zip files requires applications such as <u>WinZip</u> for the PC and <u>Stuffit Expander</u> for the Macintosh.

A WARNINGS:	Only use tools that are marked with the official international 1000-volt rating symbol shown above, if there is any chance that the tools will make contact with an energized source.
	Whenever possible, always de-energize lines and equipment prior to working on or around them. Klein insulated
A WARNINGS:	tools are designed only to reduce the chance of injury where the tool may make contact with an energized source.
A WARNINGS:	Do NOT touch uninsulated portion of the tool or any conductive object when either might contact an energized source.
A WARNINGS:	Wear approved eye protection. Always inspect your tools before use. Do not use if orange coating cracks, breaks or becomes damaged. Destroy tool if white layer shows through orange layer.
A WARNINGS:	Because moisture, films, or other surface contaminants are conductive, Klein insulated tools must be kept clean, dry, and free of any surface contaminants.
A WARNINGS:	Do NOT use to cut steel or ACSR.

For questions regarding Klein Tools, please use the <u>Contact Klein Tools</u> page. For questions regarding Klein Tools' policy regarding the use of this site, please see our <u>Legal Notice/Privacy Statement</u>.