

MINIATURE & AUTOMOTIVE LAMPS

| Ordering Abbreviation | Product Number | Bulb | Base | Avg Rated Life (hrs) | Approx Lumens | Amps | Design Voltage (V) | Pkg Qty | MOL (in) | Footnotes |
|-----------------------|----------------|--------------|-----------------|----------------------|-----------------|-------------|--------------------|---------|----------|-----------|
| 1076 | 36183 | S8 | DC Bayonet | 200 | 402.12 | 1.8 | 13 | 1000 | 2 | |
| 1130 | 36237 | S8 | DC Bayonet | 200 | 263.89 | 2.63 | 6 | 1000 | 2 | |
| 1141 | 36377 | S8 | SC Bayonet | 1000 | 263.89 | 1.44 | 13 | 1000 | 2 | |
| 1156 | 36521 | S8 | SC Bayonet | 1200 | 402.00 | 2.1 | 13 | 1000 | 2 | |
| 1156 | 36521 | S8 | SC Bayonet | 1200 | 402.00 | 2.1 | 13 | 1000 | 2 | |
| 1157 | 36561 | S8 | DC Index | 1200 5000 | 402.00 38.00 | 2.1 0.6 | 13 14 | 1000 | 2 | |
| 120MB | 34503 | T2.5 | Mini Bayonet | 10000 | 4.52 | 0.025 | 120 | 1000 | 1.19 | |
| 120MB | 34503 | T2.5 | Mini Bayonet | 10000 | 4.52 | 0.025 | 120 | 1000 | 1.19 | |
| 120MB 6W | 34513 | T2.5 | Mini Bayonet | 3000 | 18.00 | 0.052 | 120 | 1000 | 1.19 | |
| 120PC | 34519 | T2 | Bipin | 7500 | | 0.025 | 120 | 1000 | 1.125 | 1 |
| 120PSB | 34557 | T2 | Slide Base # 5 | 10000 | | 0.025 | 120 | 1000 | 1.11 | |
| 120PSB | 34557 | T2 | Slide Base # 5 | 10000 | | 0.025 | 120 | 1000 | 1.11 | |
| 12PSB | 32983 | T2 | Slide Base # 5 | 12000 | | 0.17 | 12 | 1000 | 1.11 | |
| 161 | 34691 | T3.25 | W2.1x9.2D | 4000 | 12.57 | 0.19 | 14 | 1000 | 1.054 | |
| 168 | 34711 | T3.25 | W2.1x9.2D | 1500 | 37.70 | 0.35 | 14 | 1000 | 1.054 | |
| 17 | 33061 | T1.75 | W2.1x4.9D | 5000 | 8.17 | 0.065 | 28 | 1000 | 0.8 | |
| 1815 | 37329 | T3.25 | Mini Bayonet | 3000 | 17.59 | 0.2 | 14 | 1000 | 1.19 | |
| 1816 | 37333 | T3.25 | Mini Bayonet | 1000 | 37.70 | 0.33 | 13 | 1000 | 1.19 | |
| 1819 | 37351 | T3.25 | Mini Bayonet | 2500 | 4.27 | 0.04 | 28 | 1000 | 1.19 | |
| 1820 | 37355 | T3.25 | Mini Bayonet | 1000 | 20.11 | 0.1 | 28 | 1000 | 1.19 | |
| 1822 | 37367 | T3.25 | Mini Bayonet | 1000 | 26.39 | 0.1 | 36 | 1000 | 1.19 | |
| 1829 | 37377 | T3.25 | Mini Bayonet | 1000 | 12.57 | 0.07 | 28 | 1000 | 1.19 | |
| 1835 | 37387 | T3.25 | Mini Bayonet | 5000 | 13.82 | 0.05 | 55 | 1000 | 1.19 | |
| 1847 | 37391 | T3.25 | Mini Bayonet | 5000 | 4.78 | 0.15 | 6 | 1000 | 1.19 | |
| 1864 | 37413 | T3.25 | Mini Bayonet | 1500 | 37.70 | 0.17 | 28 | 1000 | 1.19 | |
| 1893 | 37505 | T3.25 | Mini Bayonet | 2500 | 25.13 | 0.33 | 14 | 1000 | 1.19 | |
| 1895 | 37531 | G4.5 | Mini Bayonet | 2000 | 25.13 | 0.27 | 14 | 1000 | 1.06 | |
| 194 | 34761 | T3.25 | W2.1x9.2D | 2500 | 25.13 | 0.27 | 14 | 1000 | 1.054 | |
| 1992 ERD | 30215 | T3.25 | Wedge | 150 | 804.00 | 2.5 | 14 | 24 | 1 | |
| 214-2 BU | 34942 | T3 | End Caps | 1000 | 50.27 | 0.52 | 14 | 1000 | 1.72 | |
| 2187 | 37747 | T1.75 | 5/8" Wire Term | 7000 | 3.70 | 0.04 | 28 | 1000 | 0.52 | |
| 222 | 34967 | TL3 | Mini Screw | 5 | | 0.22 | 2 | 1000 | 0.94 | |
| 2342 24:30V30MA | 39307 | T5 | W2x4.6D | 1000 | | 0.3 | 24 | 200 | 0.78 | |
| 24E | 33181 | T2 | Slide Base # 3 | 7000 | | 0.035 | 24 | 1000 | 1.69 | |
| 24ESB | 33189 | T2 | Slide Base # 5 | 8000 | | 0.04 | 24 | 1000 | 1.11 | |
| 24MB | 33213 | T2.5 | Mini Bayonet | 10000 | 6.28 | 0.07 | 24 | 1000 | 1.19 | |
| 24PSB | 33229 | T2 | Slide Base # 5 | 10000 | | 0.072 | 24 | 1000 | 1.11 | |
| 24X | 33257 | T2 | Slide Base # 3 | 8000 | | 0.035 | 24 | 1000 | 1.69 | |
| 259 | 35027 | T3.25 | W2.1x9.2D | 5000 | 8.17 | 0.25 | 6 | 1000 | 1.054 | |
| 28ESB | 33285 | T2 | Slide Base # 5 | 6000 | | 0.04 | 28 | 1000 | 1.11 | |
| 28MB | 33311 | T2.5 | Mini Bayonet | 5000 | 3.64 | 0.04 | 28 | 1000 | 1.19 | |
| 28PSB | 33327 | T2 | Slide Base # 5 | 5000 | | 0.04 | 28 | 1000 | 1.11 | |
| 30099 PLH | 32169 | T2 | Socket | | | | | 100 | 0.91 | 2,3,4 |
| 30110 PILOT TPLR | 32161 | T2 | Dome Trans | | | | | 1000 | 0.38 | 5 |
| 30112 PILOT TPLG | 32159 | T2 | Dome Trans | | | | | 1000 | 0.38 | 5 |
| 30120 PILOT FLR | 32119 | T2 | Dome Fluted | | | | | 1000 | 0.38 | 5 |
| 31099 PLH BAY | 32173 | T2.5 & T3.25 | Socket | | | | | 100 | 1.68 | 2,4,6 |
| 313 | 35133 | T3.25 | Mini Bayonet | 500 | 43.92 | 0.17 | 28 | 1000 | 1.06 | |
| 3157WL | 59894 | S8 | Wedge | 1200 5000 | 402.12 37.69 | 2.1 0.59 | 13 14 | 1000 | 1.7 | |
| 327 | 35155 | T1.75 | SC Midg Flanged | 4000 | 4.27 | 0.04 | 28 | 1000 | 0.63 | |
| 328 | 35169 | T1.75 | SC Midg Flanged | 1000 | 4.27 | 0.2 | 6 | 1000 | 0.63 | |

MINIATURE & AUTOMOTIVE LAMPS

| Ordering Abbreviation | Product Number | Bulb | Base | Avg Rated Life (hrs) | Approx Lumens | Amps | Design Voltage (V) | Pkg Qty | MOL (in) | Footnotes |
|-----------------------|----------------|-------|------------------|----------------------|---------------|-------|--------------------|---------|----------|-----------|
| 330 | 35183 | T1.75 | SC Midg Flanged | 1500 | 6.28 | 0.08 | 14 | 1000 | 0.63 | |
| 334 | 35205 | T1.75 | Midget Groove | 4000 | 4.27 | 0.04 | 28 | 1000 | 0.63 | |
| 3797 24V2W | 39375 | T2.75 | BA9S | 200 | 16.96 | 0.083 | 24 | 200 | 0.932 | |
| 382 | 35311 | T1.75 | SC Midg Flanged | 15000 | 3.76 | 0.08 | 14 | 1000 | 0.63 | |
| 385 | 35321 | T1.75 | SC Midg Flanged | 10000 | 1.88 | 0.04 | 28 | 1000 | 0.36 | |
| 387 | 35327 | T1.75 | SC Midg Flanged | 7000 | 3.76 | 0.04 | 28 | 1000 | 0.63 | |
| 388 | 35349 | T1.75 | Midget Groove | 7000 | 3.76 | 0.04 | 28 | 1000 | 0.63 | |
| 44 | 33459 | T3.25 | Mini Bayonet | 3000 | 11.28 | 0.25 | 6 | 1000 | 0.94 | |
| 4414 PAR 36 | 30965 | PAR36 | 2 Screw Terminal | 300 | | 1.41 | 13 | 12 | 2 3/4 | |
| 464 | 35413 | T3.25 | W2.1x9.2D | 1500 | 37.70 | 0.17 | 28 | 1000 | 1.054 | |
| 47 | 33479 | T3.25 | Mini Bayonet | 3000 | 6.28 | 0.15 | 6 | 1000 | 0.94 | |
| 48C | 33507 | T2 | Slide Base # 3 | 7000 | | 0.035 | 48 | 1000 | 1.69 | |
| 48PSB | 33599 | T2 | Slide Base # 5 | 10000 | | 0.05 | 48 | 1000 | 1.69 | |
| 502 | 35417 | G4.5 | Mini Screw | 100 | 7.53 | 0.15 | 5 | 1000 | 1.06 | |
| 516/2PK/RP 12V | 35920 | T5 | W2.1x9.2D | 300 | 43.98 | 0.312 | 13 | 12 | 1.49 | |
| 52A TB OBS | 33711 | T2 | Slide Base # 6 | 8000 | | 0.03 | 24 | 1000 | 0.92 | |
| 53 | 33719 | G3.5 | Mini Bayonet | 1000 | 12.57 | 0.12 | 14 | 1000 | 0.6 | |
| 55 | 33785 | G4.5 | Mini Bayonet | 500 | 25.13 | 0.41 | 7 | 1000 | 0.84 | |
| 56 | 33831 | T1.75 | W2.1x4.9D | 20000 | 1.88 | 0.115 | 5 | 1000 | 0.8 | |
| 57 | 33871 | G4.5 | Mini Bayonet | 500 | 25.13 | 0.24 | 14 | 1000 | 0.84 | |
| 60MB | 33927 | T2.5 | Mini Bayonet | 7500 | 9.17 | 0.05 | 60 | 1000 | 1.19 | |
| 60PSB | 33945 | T2 | Slide Base # 5 | 7500 | | 0.05 | 60 | 1000 | 1.11 | |
| 6411 12V10W | 39407 | T3.25 | SV8.5-8 | 200 | 100.53 | 0.83 | 12 | 200 | 1.61 | |
| 64111 12V5W | 39431 | T2.75 | Mini Bayonet | 240 | 80.42 | | 12 | 200 | 1.29 | 7 |
| 6413 12V5W | 39405 | T3.25 | SV8.5-8 | 200 | 100.53 | 0.4 | 12 | 200 | 1.61 | |
| 64150 H1 12V55W | 31393 | T2.5 | P14.5S | 225 | 1621.06 | | 12 | 100 | 2.43 | |
| 64151 H3 12V55W | 31397 | T3.25 | PK22S | 225 | 1520.53 | | 12 | 100 | 1.65 | 8,9 |
| 64156 H3 24V70W | 31415 | T3.25 | PK22S | 225 | 1834.69 | | 24 | 100 | 1.65 | 8,9 |
| 6421 24V3W | 39376 | T3.25 | SV8.5-8 | 1000 | 17.59 | 0.125 | 24 | 200 | 1.61 | |
| 6424 24V5W | 39411 | T3.25 | SV8.5-8 | 200 | 61.95 | 0.2 | 24 | 200 | 1.61 | |
| 6429 24V10W | 39397 | T3.25 | SV8.5-8 | 200 | 105.55 | 0.42 | 24 | 200 | 1.61 | |
| 656 | 35561 | T3.25 | W2.1x9.2D | 2500 | 7.79 | 0.06 | 28 | 1000 | 1.054 | |
| 657 | 35565 | T3.25 | W2.1x9.2D | 15000 | 7.79 | 0.08 | 28 | 1000 | 1.054 | |
| 657 | 35565 | T3.25 | W2.1x9.2D | 15000 | 7.79 | 0.08 | 28 | 1000 | 1.054 | |
| 67 | 34021 | G6 | SC Bayonet | 5000 | 50.27 | 0.69 | 14 | 1000 | 1.44 | |
| 68 | 34067 | G6 | DC Bayonet | 5000 | 50.27 | 0.59 | 14 | 1000 | 1.44 | |
| 6PSB | 32803 | T2 | Slide Base # 5 | 20000 | | 0.14 | 6 | 1000 | 1.11 | |
| 73 | 34091 | T1.75 | W2.1x4.9D | 15000 | 3.77 | 0.08 | 14 | 1000 | 0.8 | |
| 7327 BIPIN T1 3/4 | 38289 | T1.75 | Bipin | 4000 | 4.27 | 0.04 | 28 | 1000 | 0.63 | 10 |
| 7371 | 38379 | T1.75 | Bipin | 20000 | 1.25 | 0.04 | 12 | 1000 | 0.63 | |
| 7382 | 38417 | T1.75 | Bipin | 15000 | 3.76 | 0.08 | 14 | 1000 | 0.63 | |
| 7511 P21W 24V21W | 39361 | S8 | BAY15S | 150 | 464.95 | 0.88 | 24 | 200 | 2.095 | |
| 755 | 35763 | T3.25 | Mini Bayonet | 20000 | 4.15 | 0.15 | 6 | 1000 | 0.94 | |
| 755 | 35763 | T3.25 | Mini Bayonet | 20000 | 4.15 | 0.15 | 6 | 1000 | 0.94 | |
| 756 | 35771 | T3.25 | Mini Bayonet | 15000 | 3.90 | 0.08 | 14 | 1000 | 1.06 | |
| 757 | 35781 | T3.25 | Mini Bayonet | 7500 | 7.79 | 0.08 | 28 | 1000 | 1.06 | |
| 85 | 34179 | T1.75 | W2.1x4.9D | 7000 | 3.77 | 0.04 | 28 | 1000 | 0.8 | |
| 86 | 34201 | T1.75 | W2.1x4.9D | 20000 | 5.03 | 0.2 | 6 | 1000 | 0.8 | |
| 88 | 34219 | S8 | DC Bayonet | 300 | 188.50 | 1.91 | 7 | 1000 | 2 | |
| 89 | 34233 | G6 | SC Bayonet | 750 | 75.40 | 0.58 | 13 | 1000 | 1.44 | |
| 90 | 34271 | G6 | DC Bayonet | 750 | 75.40 | 0.58 | 13 | 1000 | 1.44 | |
| 90MB | 34299 | T2.5 | Mini Bayonet | 5000 | 4.67 | 0.03 | 90 | 1000 | 1.19 | |

MINIATURE & AUTOMOTIVE LAMPS

| Ordering Abbreviation | Product Number | Bulb | Base | Avg Rated Life (hrs) | Approx Lumens | Amps | Design Voltage (V) | Pkg Qty | MOL (in) | Footnotes |
|-----------------------|----------------|-------|-----------------|----------------------|---------------|------|--------------------|---------|----------|-----------|
| 912 | 35869 | T5 | W2.1x9.2D | 1000 | 150.80 | 1 | 13 | 500 | 1.49 | |
| 918 | 35923 | T5 | W2.1x9.2D | 500 | 81.62 | 0.54 | 13 | 500 | 1.49 | |
| 918/2PK/RP 13V | 35921 | T5 | W2.1x9.2D | 500 | 81.68 | 0.54 | 13 | 12 | 1.49 | |
| 93 | 34311 | S8 | SC Bayonet | 700 | 188.50 | 1.04 | 13 | 1000 | 2 | |
| 93BL2PK 13V | 16810 | S8 | SC Bayonet | 700 | 188.49 | 1.04 | 13 | 24 | 1.8 | |
| 94 | 34337 | S8 | DC Bayonet | 700 | 187.87 | 1.04 | 13 | 1000 | 2 | |
| NE51 B1A | 32427 | T3.25 | Mini Bayonet | 25000 | | 0.3 | 105 | 1000 | | 11 |
| NE51H B2A | 32429 | T3.25 | Mini Bayonet | 25000 | | 1.2 | 105 | 1000 | | 11 |
| PR12 | 38931 | B3.5 | SC Mini Flanged | 15 | 37.69 | 0.5 | 6 | 1000 | 1 1/4 | |
| PR13 | 38939 | B3.5 | SC Mini Flanged | 15 | 25.13 | 0.5 | 5 | 1000 | 1 1/4 | |
| PR2 | 38891 | B3.5 | SC Mini Flanged | 15 | 10.05 | 0.5 | 2 | 1000 | 1 1/4 | |
| PR3 | 38901 | B3.5 | SC Mini Flanged | 15 | 18.84 | 0.5 | 4 | 1000 | 1 1/4 | |
| PR4 | 38911 | B3.5 | SC Mini Flanged | 10 | 5.02 | 0.27 | 2 | 1000 | 1 1/4 | |
| PR6 | 38917 | B3.5 | SC Mini Flanged | 30 | 5.65 | 0.3 | 2 | 1000 | 1 1/4 | |
| SM2A PCS 30096 | 32249 | T2 | Solder Lugs | | | | | 500 | 1.2 | 2,12,13 |