



CONNECTORS

BARRIER STRIPS



✓ Active

TE CONNECTIVITY (TE)

6PCV-06-007=6PCV ASSY

Buchanan | 6 Series

6PCV-06-007

TE Internal Number: 9-1437652-6

[EU RoHS Compliant](#)

[EU ELV Compliant](#)

Barrier Style Tri-Barrier

Bottom Termination Style Printed Circuit Pin

Current Rating (A) 5, 25

Number of Positions 6

Centerline (Pitch) 9.53 mm [.375 in]

[↓ PRODUCT DRAWING](#)
English

DOCUMENTATION

Product Drawings

6PCV-XX-007 ASSEMBLY

PDF

English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector & Contact Terminates To Printed Circuit Board

Block Style Open Bottom with Standoffs

Product Type Barrier Strip

Configuration Features

Number of Positions 6

Number of Rows 1

Number of Levels 1

Electrical Characteristics

Current Rating (Max) (A) 25

Current Rating (A) 5, 25

Voltage (V) 300, 600

Body Features

Barrier Style Tri-Barrier

Color Black

Contact Features

Terminal Plating Finish Bright

Terminal Material Copper Alloy

Terminal Plating Material Tin

Termination Features

Bottom Termination Style Printed Circuit Pin

Mechanical Attachment

Screw Size 6-32

Mounting Ears Without

Mounting Options None

Screw Material Steel

Screw Plating Finish Bright

Screw Plating Material Zinc Chromate

Top Hardware Binding Combo Head

Mounting Insert Without

Screw Head Type Combo Phil-Slot

Mounting Angle Vertical

Housing Features

Centerline (Pitch) 9.53 mm [.375 in]

Housing Material Thermoplastic

Dimensions

Wire Range 22 – 12 AWG [.3 – 3 mm²]

Length 58.7 mm [2.311 in]

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Quantity 180

Other

Comment Other options available upon request, consult our Product Information Center.

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
