



3M™ Scotchlok™ Pin Non-Insulated, 100/bottle, MU14-47PX-A

Part Number MU14-47PX-A, 3M ID 80611465222, UPC 00051128588765

- Overview
- Specifications
- Details
- Resources



- Non-insulated, butted-seam barrel ensures a secure fit and offers reliable performance
- Beveled mouth offers easy insertion of wires
- Provides quick connection for set screws or clamps that are used to make electrical contact
- Accommodates wire sizes 16 to 14 AWG

[View all details](#)

[View Images](#)

Specifications

| | |
|---------------------------|--------------------------------------------------------------------------------------------|
| Agency Approvals | UL |
| Barrel Length | 0.25 Inch |
| Barrel Style | Butted |
| Brand | Scotchlok |
| Conductor Size | 16 - 14 AWG |
| Insulation Material | Non-Insulated |
| Length | 0.73 Inch |
| Packaging | 100 per bottle |
| RoHS 2011/65/EU Compliant | Yes |
| RoHS EU Comments | RoHS 2011/65/EU compliant without exemption *Important RoHS information |
| Solution for | Wireless Network: Infrastructure Accessories |
| Terminal Type | Pin |
| Trademark | Scotchlok |

Details

- Non-insulated, butted-seam barrel ensures a secure fit and offers reliable performance
- Beveled mouth offers easy insertion of wires
- Provides quick connection for set screws or clamps that are used to make electrical contact
- Accommodates wire sizes 16 to 14 AWG
- Made of copper for good conductivity and has tin plating for corrosion resistance
- Withstands a maximum temperature of 347 degrees F (175 degrees C) for bare terminals
- 600V-rated for building wire and 1000V for signs, fixtures or luminaires
- UL Listed, CSA Certified and RoHS 2011/65/EU Compliant
- 100/carton, 500/case

3M™ Scotchlok™ Pin Terminal ensures an ideal fit while offering reliable and safe performance. The non-insulated, butted-seam barrel with a beveled mouth that guides the wire into position and withstands a maximum temperature of 347 degrees F (175 degrees C). Copper construction offers good conductivity and a tin-plated finish resists corrosion.

3M™ Scotchlok™ Pin Terminal has a non-insulated, butted-seam barrel with a beveled mouth to guide the wire into position easily. UL Listed, CSA Certified and RoHS 2011/65/EU Compliant.

Resources

Catalog

[3M™ Wire Terminals, 2013 Product Catalog \(PDF, 17.1MB\)](#)

Info

[General Rules for Shelf Life Statements \(VND.MS-EXCEL, 21.5KB\)](#)

Data Sheets

[3M™ Scotchlok™ Terminals MU18-47P-A, MU14-47P-A, MU10-55P-A \(PDF, 31.0KB\)](#)

RDS

[3M™ Scotchlok™ Non-Insulated Butted Seam Pin Terminal, MU10-55P-A, MU14-47P-A & MU18-47P-A \(PDF\)](#)

3M United States

PRODUCTS

[Abrasives](#)
[Adhesives & Tapes](#)
[Advanced Materials](#)
[Films](#)
[Filtration](#)
[View All Products](#)

INDUSTRIES

[Automotive](#)
[Commercial Solutions](#)
[Communications](#)
[Consumer](#)
[Design & Construction](#)
[Electronics](#)
[Energy](#)
[Health Care](#)
[Manufacturing](#)
[Mining, Oil & Gas](#)
[Safety](#)

BRANDS

[Post-it](#)
[Scotch](#)
[Scotch-Brite](#)
[Command](#)
[Filtrete](#)
[Nexcare](#)
[ScotchBlue](#)

HELP

[Help Center](#)
[Site Map](#)

REGULATORY

[SDS Search](#)
[Transport Information Search](#)
[RoHS & REACH Information Search](#)
[California Supply Chains Act Disclosure \(PDF, 84KB\)](#)

NEWS

[News Center](#)
[Particles by 3M](#)
[Press Releases](#)

ABOUT US

[About 3M](#)
[3M Careers](#)
[Investor Relations](#)
[Partners & Suppliers](#)
[Government Customers](#)
[Sustainability](#)

[Transportation](#)

[UK Modern Slavery Act Statement \(PDF, 169KB\)](#)

[3Mgives](#)

[More Regulatory & Compliance Information](#)

SEARCH 3M

 

FOLLOW US



[United States](#) [English](#)

3M [Legal](#) | [Privacy](#) | [DMCA](#)
© 3M 2018. All Rights Reserved.

The brands listed above are trademarks of 3M.