

TIME DELAY RELAYS



✓ Active

TE CONNECTIVITY
7022WBI=96VDC 0.5-5.0SEC

7022WBI
 TE Internal Number: 1-1437490-7

Not EU RoHS or ELV Compliant
[Find Compliant Alternatives](#)

Type of Control **Knob**

Input Voltage(VDC) **96**

Contact Current Rating(A) **10A@240VAC**

Mode of Operation **Off-Delay**

Delay Time **.5 – 5 seconds**

[> See All Features](#)

North America ▼

Contact us to request pricing, availability and customization options.

[REQUEST ADDITIONAL INFORMATION](#)

- [SAVE TO LIST](#)
- [CHECK FOR TOOLING](#)
- [FIND SIMILAR PRODUCTS](#)

DOCUMENTATION FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features	Relay Type	Time Delay
	Product Category	Electromechanical Relays
	Product Type	Relay
Configuration Features	Multiple Timing Ranges	Without
Electrical Characteristics	Input Voltage(VDC)	96
Contact Features	Type of Control	Knob
	Contact Current Rating(A)	10A@240VAC
	Delay Time	.5 – 5 seconds
	Contact Arrangement	2 Form C, DPDT, 2 C/O
Termination Features	Termination Type	Screw Terminal
Mechanical Attachment	Mounting Type	Mounting Bracket
Dimensions	Dimensions (L x W x H) (Approximate)	114.8 x 65.3 x 71.9mm[4.523 x 2.572 x 2.832in]
Usage Conditions	Operating Temperature Range(°C)	-30 – 75
Operation/Application	Mode of Operation	Off-Delay
Other	Repeatability (Max)	±5%
	Option	Tamper-Proof Cap - Transparent
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

COMPATIBLE

No compatible products found for 7022WBI