


SD

756-18-9



STAMP: 91836 756-18-9
YRWK (DATE CODE)

NOTES:

1. FOR USE WITH BOEING S280W503-3 AND ADAMS RUSSELL FC20Z CABLES.
2. FOR CABLING INSTRUCTIONS SEE 3-546-1.
3. FOR CRIMPING USE DIE KTH-2216.
4. INTERFACE PER MIL-STD-348, FIG. 301-1.
5. CENTER CONTACT (1-504-46MA9) TO BE SUPPLIED UNASSEMBLED.
6. MARK PACKAGE: HS5939-2
756-18-9
91836
YRWK DATE CODE
7. MATERIALS:
INSULATORS: TEFLON, ASTM-D-4894
GASKET: SILICONE RUBBER, ZZ-R-765
SPRING WASHER }
CENTER CONTACT } BER. COP., ASTM-B-196
OUTER CONTACT }
ALL OTHER METAL PARTS: BRASS, ASTM-B16
8. FINISHES:
CENTER CONTACTS: GOLD PLATE PER MIL-G-45204
SPRING WASHER: SILVER PLATE PER QQ-S-365
9. ELECTRICAL CHARACTERISTICS:
NOMINAL IMPEDANCE: 50~W
FREQUENCY RANGE: DC TO 4 GHZ
WORKING VOLTAGE: 500 VOLTS RMS
K-GRIP SLEEVE: COM'L BRONZE, ASTM-B135
ALL OTHER METAL PARTS: KINGS TARNISH RESISTANT NICKEL FINISH (TR-5)

REVISIONS

ISSUE	CHANGES
0	ER 36353 ME 06/01/95
1	CN 36957 D KH 05/10/96
2	CN 37513 C KH 12/19/97

756189S

SCALE	4:1	
APPROX SURFACE AREA		
WAS:	E-18853	
USED ON		
REF:	Mc D. DOUGLAS #HS5939-2 REV. -	
PLUG, ANGLE, BNC		
DRAWN	ME	DATE 06/01/95
DESIGN	AR	DATE 06/01/95
APPR.		DATE

KINGS
ELECTRONICS CO., INC.
TUCKAHOE, NEW YORK 10707

756-18-9

SD