Wiha SYSTEM 6.

A Real Multi-tasker.



Are you looking for a versatile and compact tool system for your toolcase or for on the road?
Then our SYSTEM 6 system with its 6 mm reversible blades and corresponding handles is the right solution for you. The broad product range provides every user with the right tool. Just choose under the large selection of handles and reversible blades for the relevant tool or for one of the SYSTEM 6 sets.


- The Starter Sets in the practical canvas pouches are equipped with the most commonly used slotted, Phillips and hex reversible blades. Max. 11 additional blades can be added. Therefore you receive an individual and variable tool system that you can expand.
- The Professional Sets are the perfect solution if you are looking for a professional, high-quality universal-set in a rugged metalbox.
- The practical sets in roll-up pouches made of artificial leather are especially handy and compact, therefore ideal for traveling.

The Wiha SYSTEM 6 reversible blade systems are high-quality industrial products, made with state-of-the-art materials and finished to the highest standard of workmanship. The 150 mm long reversible blades are made of high-quality chrome-vanadium-molybdenum steel, and are through hardened and chrome-plated. The handles, made for different applications are especially, ergonomically designed and guarantee optimal force-transmission.


The Wiha SYSTEM 6 system provides the right tool for every application – ideal for industry, trade and the ambitious handy man.



The Wiha SYSTEM 6 range is the compact allrounder for different applications.



- Flexible & versatile tools in industrial quality
- Expandable individual tool system
- Ergonomic handles for almost every application
- Colour-coded blades made of high-quality, tough-but-flexible chrome-vanadium-molybdenum steel, through-hardened, chrome-plated
- Wiha ChromTop® tips ensure a perfect fit every time



The new SoftFinish® telescopic handle with click-stop ball clamping for a secure hold and rapid blade change.



SYSTEM 6 Handles.



NEW

SYSTEM 6 SoftFinish®-telescopic Handle.

Ergonomic Multi-component Handle with Roll-off Protection.

Handle: With 6 mm hex retainer for all SYSTEM 6 reversible blades and adapters.

Enables adjustable blade length from 42-114 mm.

Click-stop ball clamp guarantees a secure hold and rapid blade exchange.

Application: Versatile for general applications in the workshop and factory.

Order-No.	0	.			£
30372 3	6.0	115	36	1	9.60



NEW

SB 284 SYSTEM 6 SoftFinish®-telescopic Handle.

Blister Packed.

Order-No.	0	=	<u></u>		£
30404 1	6.0	122	36	1	10.45



281ESD SYSTEM 6 SoftFinish® ESD Handle.

Dissipative Handle, ESD-safe.

Handle: Ergonomic multi-component handle with roll-off protection.

Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Use in combination with SYSTEM 6 reversible blades.

Standards: DIN EN 61340-5-1/61340-5-2.

Application: For working on electrostatically sensitive components.

Order-No.	0	=	÷		£
27624 9	6.0	122	36	5	8.10

SYSTEM 6 Handles



481 M01 SYSTEM 6 Magnetic Handle.

With Integrated Magnetising/Demagnetising Zone.

Handle: With built-in magnetiser/ demagnetiser. With hex bolster for additional torque.

Use in combination with SYSTEM 6 reversible blades.

Application: For magnetising/ demagnetising SYSTEM 6 reversible blades.

Order-No.	0	=	<u></u>		£
27625 6	6.0	110	33	5	8.90



82 SYSTEM 6 Topra Ratchet.

For all SYSTEM 6 Reversible Blades and 1/4" Bits.

Handle: With anti-clockwise rotation, clockwise rotation and locked position.

Application: For best user comfort and high torque transfer.

Safety Notice:

Wiha ESD screwdrivers are non-insulated, therefore not suitable for working on live parts.

Wiha SYSTEM 6.

A Real Multi-tasker.

SYSTEM 6 Reversible Blades.



Blade:

Blade



SYSTEM 6 Slotted Reversible Blade.

High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.


Order-No.	1	①	\ominus ;	\ominus ;	\Longrightarrow	● ‡		£
27627 0	3.5	4.5	0.6	0.8	150	6.0	5	4.35
00629 7	4.0	6.0	0.8	1.0	150	6.0	5	4.35
00630 3	5.5	6.5	1.0	1.2	150	6.0	5	4.35



High quality chrome-vanadium-molybdenum steel, through hardened, Blade chrome-plated.

Colour-coded Wiha ChromTop® tips

Order-No.	1	⊕	\ominus :	\Longrightarrow	● I		£
00665 5	4.0	PH1	0.8	150	6.0	5	4.35
00666 2	6.0	PH2	1.0	150	6.0	5	4.35
00667 9	6.5	PH3	1.2	150	6.0	5	4.35





SYSTEM 6 Phillips Reversible Blade.

High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	1	①		1		£
00631 0	PH1	PH2	150	6.0	5	4.35
27628 7	PH2	PH3	150	6.0	5	4.35






High quality chrome-vanadium-molybdenum steel, through hardened, Blade: chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	₩	₩	\Longrightarrow	• 1		£
00632 7	PZ1	PZ2	150	6.0	5	4.35
27629 4	P72	P73	150	6.0	5	4.35





Blade High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.	•	•	=	• 1		£
00635 8	2.5	2.5	150	6.0	5	4.35
00636 5	3	3	150	6.0	5	4.35
00637 2	4	4	150	6.0	5	4.35
00638 9	5	5	150	6.0	5	4.35
00639 6	6	6	150	6.0	5	4.35

SYSTEM 6 Reversible Blades.



SYSTEM 6 TORX® Reversible Blade.

High quality chrome-vanadium-molybdenum steel, through hardened, Blade:

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.			\Longrightarrow	● i		£
00654 9	T6	T8	150	6.0	5	4.80
00655 6	T7	Т9	150	6.0	5	4.80
00656 3	T10	T15	150	6.0	5	4.80
00657 0	T20	T25	150	6.0	5	4.80
00658 7	T30	T40	150	6.0	5	4.80



SYSTEM 6 TORX® Tamper Resistant Reversible Blade. For TORX® Screws with Locking Pin.

High quality chrome-vanadium-molybdenum steel, through hardened, Blade: chrome-plated.

Colour-coded Wiha ChromTop® tips. With borehole in the blade tip.

Order-No.	*		\Longrightarrow	• ‡		£
27630 0	T6H	T8H	150	6.0	5	5.20
27631 7	T7H	T9H	150	6.0	5	5.20
27632 4	T10H	T15H	150	6.0	5	5.20
27633 1	T20H	T25H	150	6.0	5	5.20
27634 8	T30H	T40H	150	6.0	5	5.20





SYSTEM 6 Tri-Wing® Reversible Blade.

For Tri-Wing® Security Screws.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	&	&	\Longrightarrow	1		£
27637 9	TW0	TW1	150	6.0	5	5.20
27638 6	TW2	TW3	150	6.0	5	5.20
27639 3	TW4	TW5	150	6.0	5	5.20







For Torq-Set® Security Screws.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Order-No.	•	⊕	\Longrightarrow	1		£
27635 5	TS2	TS4	150	6.0	5	5.20
27636 2	TS6	TS8	150	6.0	5	5.20

SYSTEM 6 Bit Holder, Adapter.



Chrome-vanadium steel, through hardened, chrome-plated. Blade:

Bit retainer made of stainless steel with integrated permanent magnet.

Order-No.	0	=	● I		£
03882 3	1/4	164	6.0	5	10.00



Suitable for 1/4" Square Nuts. Chrome-vanadium steel, through hardened, chrome-plated. Blade:

1/4" square drive with ball retainer.


Order-No.		=	•1		£
03883 0	1/4	164	6.0	5	8.90



Suitable for Blades.

Blade: Chrome-vanadium steel, through hardened, chrome-plated. Extends all SYSTEM 6 reversible blades up to 100 mm.

Order-No.	0	● 1	===		£
08921 4	6.0	6.0	166	5	7.20



Suitable for every use: the blades can be quickly combined, extended and interchanged.

Wiha Info

Did you already know?

TORX® Tamper Resistant screwdrivers can also be used for TORX® screws, but not vice versa.

SYSTEM 6 Starter Sets.



NEW 281 T6

SYSTEM 6 Reversible Blades Set, 6 pcs. Slotted/ Phillips/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated

Colour-coded Wiha ChromTop® tips. SYSTEM 6 SoftFinish®-telescopic Handle. Handle: For adjustable blade lengths from 42-114 mm.

Application: Especially for dry and general applications. In durable canvas storage pouch. Extra:

Order-No.	Series					£
27715 4	281 T6				1	30.60
	284	SYSTEM 6 S	oftFinish®-tele	scopic handle		
D U	284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
⊕ ⊕	284	PH1 - PH2				
• •	284	5 - 5				







281ESD T6

SYSTEM 6 Reversible Blades Set, 6 pcs. Slotted/ Phillips/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

SYSTEM 6 SoftFinish® ESD Handle. Handle:

Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.

Extra: In durable canvas storage pouch.

Order-No.	Series					£
27716 1	281ESD T6				1	29.90
	281ESD	SYSTEM 6 So	oftFinish® ESD	handle		
1 1	284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
+ +	284	PH1 - PH2				
• •	284	5 - 5				

Wiha SYSTEM 6.

A Real Multi-tasker.

SYSTEM 6 Magnetic Set.





Extra

SYSTEM 6 Reversible Blades Set, 6 pcs. Slotted/ Phillips/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 6 Magnetic Handle.

With built-in magnetiser/ demagnetiser. In durable canvas storage pouch.

Order-No.	Series					£
27717 8	481 T6				1	31.50
	481 M01	SYSTEM 6 N	lagnetic handle			
D U	284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
⊕ ⊕	284	PH1 - PH2				
• •	284	5 - 5				

SYSTEM 6 Professional Sets.



N E W 281 B11

SYSTEM 6 Reversible Blades Set, 11 pcs.

Slotted/ Phillips/ Pozidriv/ TORX®/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 6 SoftFinish®-telescopic Handle.

For adjustable blade lengths from 42-114 mm. Application: Especially for dry and general applications.

Extra: Supplied in a robust metal box.

Order-No.	Series			í		£
00623 5	281 B11				1	63.00
	284	SYSTEM 6 S	oftFinish®-teles	copic handle		
0 1	284	4.0 - 6.0	5.5 - 6.5			
⊕ 4	284	PH1 - PH2				
₩ 4	284	PZ1 - PZ2				
	284	T10 - T15	T20 - T25	T30 - T40		
•	284	4 - 4	5 - 5	6 - 6		

SYSTEM 6 Magnetic. The ideal set for magnetising or demagnetising screwdriver blades and similar tools made of steel. Magnetising





SYSTEM 6 Reversible Blades Set, 11 pcs.

Slotted/ Phillips/ Pozidriv/ TORX®/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips.

Handle: SYSTEM 6 Topra Ratchet.

With anti-clockwise rotation, clockwise rotation and locked position. \\

Application: For best user comfort and high torque transfer.

Extra: Supplied in a robust metal box.

Order-No.	Series			4		£
03773 4	282 B11-1				1	72.60
	282	SYSTEM 6 To	pra ratchet			
1 1	284	4.0 - 6.0	5.5 - 6.5			
⊕ ⊕	284	PH1 - PH2				
₩ ₩	284	PZ1 - PZ2				
● ●	284	T10 - T15	T20 - T25	T30 - T40		
• •	284	4 - 4	5 - 5	6 - 6		

Demagnetising

SYSTEM 6 Security and Topra Set.



NEW

281 B11 01 SYSTEM 6 Reversible Blades Set, 11 pcs.

Tri-Wing®/Torq-Set®/TORX® Security Screws.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips. SYSTEM 6 SoftFinish®-telescopic Handle.

Handle: For adjustable blade lengths from 42-114 mm.

Application: Especially for dry and general applications.

Supplied in a robust metal box. Extra:

Order-No.	Series			_	£
27714 7	281 B11 01			1	10.00
	284	SYSTEM 6 So	ftFinish®-telesco	opic handle	
& &	284	TW0 - TW1	TW2 - TW3	TW4 - TW5	
€ €	284	TS2 - TS4	TS6 - TS8		
◆ ◆	284	T6H - T8H	T7H - T9H	T10H - T15H	
		T20H - T25H	T30H - T40H		








SB 282 S12-2 SYSTEM 6 Topra Set, 12 pcs.

With 1/4" Bit Holder and 10 Bits.

Handle: SYSTEM 6 Topra Ratchet.

For best user comfort and high torque transfer.

Extra: Blister Packed.



SYSTEM 6 Sets in Pouches.



281 T11 SYSTEM 6 Reversible Blades Set, 11 pcs.

Slotted/ Phillips/ Pozidriv/ TORX®/ Hex/ Ballpoint Hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened,

chrome-plated.

Colour-coded Wiha ChromTop® tips. Handle: SYSTEM 6 SoftFinish®-telescopic Handle.

For adjustable blade lengths from 42-114 mm. Application: Especially for dry and general applications.

Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series			6		£
03591 4	281 T11				1	57.00
	284	SYSTEM 6 Sc	oftFinish®-telesc	copic handle		
Φ (D 284	4.0 - 6.0	5.5 - 6.5			
⊕ €	D 284	PH1 - PH2				
₩ €	D 284	PZ1 - PZ2				
•	284	4 - 4	5 - 5	6 - 6		
(26)	201	T10 T15	T20 T25	T30 T40		





SYSTEM 6 Nut Driver Set, 8 pcs.

Nut Driver

Blade: Chrome-vanadium steel, through hardened, electro-plated.

Handle: SYSTEM 6 SoftFinish® Handle.

Extra:	in roll-up pouch made of black artificial leather, extra tough.										
Order-No.										£	
27712 3	U106 ⁻	Г8	1	48.30							
	281	281 SYSTEM 6 SoftFinish® handle									
0		5.0	5.5	6.0	7.0	8.0	10.0	13.0			







SYSTEM 6 Nut Driver Set, 12 pcs.

Nut Driver.

Blade: Chrome-vanadium steel, through hardened, electro-plated.

Handle: SYSTEM 6 SoftFinish® Handle.

Extra: In roll-up pouch made of black artificial leather, extra tough.

Order-No.											£
27713 0	U106 T	U106 T12									69.90
	281 SYSTEM 6 SoftFinish® handle										
0		4.0	4.5	5.0	5.5	6.0	7.0	8.0	9.0	10.0	11.0 13.0