



FEMALE PLUG M12 STRAIGHT



NOTES:
RATED VOLTAGE: 3, 4 contacts 250V
5 contacts 60V
8 contacts 30V
RATED CURRENT: 3, 4, 5 contacts 4A
8 contacts 2A
PROTECTION CLASS: IP 67
TEMPERATURE: -25°C / +85°C



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY	5	GREY
						6	PINK
						7	BLUE
						8	RED
CODING REQUIRED TO IEC 61076-2-101							

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

8	SEE MATRIX	ID CARRIER	PVC	TRANSPARENT
7	1	LABEL YELLOW	VINYL	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING	TPU	SEE PART LIST
4	1	COUPLING NUT FEMALE	SEE PART LIST	SEE PART LIST
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5	CONTACT M12 FEMALE	BRONZE	SELECTIVE Au OVER Ni
	8		BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

FUNCTIONAL SYMBOLS

0

mm

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

0

mm

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIVISIONAL SYMBOLS

0

mm

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

0

mm

2:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 703046
DRWN: APAWLAK01
CHK'D: RSILLER
APPR: RSILLER

2022/04/12
2022/04/14
2022/04/14

INITIAL REVISION:
DRWN: JMARSZALEK
APPR: RSILLER

2016/01/11
2016/04/08

1200651978

PSD

000

A10

1 OF 4

DOCUMENT NUMBER

1200651978

DOC TYPE

PSD

DOC PART

000

REVISION

A10

120065

A3-SIZE

120065

SEE SHEET 3-4

GENERAL MARKET

1 OF 4

DOCUMENT STATUS	P1	RELEASE DATE	2022/04/14	06:15:29
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: 11
DATE: 2021/05/01

987654321

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS

8 0 X 0 0 0 X X X X X X X X X

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
000=Plug Female Straight

Cable type: See Table

Units:
M=Meter







Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

Overmold color:
Blank (Standard)=Black
A=Grey / G=Black / Y=Yellow

Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
9=Knurled / Hexagonal Brass Ni Plated

H= 2 pcs. of I/D Carrier PVC Transparent

COUPLING NUTS




CABLE INFORMATION (for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
E02	3 / 4 / 5 / 8	0.25mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
H08	3 / 4 / 5 / 8	0.25mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
P02	3 / 4 / 5 / 8	0.25mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length



SCALE 1:1


FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex									
FA = 0	mm		1:1														
FE = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 703046			CSE M12 XP AC FE STR XM SE UNSH									
FF = 0	ANGULAR TOL ± 1.0 °																
DIVISIONAL SYMBOLS	4 PLACES		±		DRWN: APAWLAK01			2022/04/12									
	3 PLACES		±		CHK'D: RSILLER			2022/04/14									
	2 PLACES		± 0.05		APPR: RSILLER			2022/04/14									
	1 PLACE		± 0.3		INITIAL REVISION:			PRODUCT CUSTOMER DRAWING									
	0 PLACES		± 0.5		DRWN: JMARSZALEK						2016/01/11						
				APPR: RSILLER				2016/04/08									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
						A3-SIZE		120065		1200651978		PSD		000		A10	
										MATERIAL NUMBER		CUSTOMER				SHEET NUMBER	
										SEE SHEET 3-4		GENERAL MARKET				2 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2022/04/14	06:15:29
-----------------	----	--------------	------------	----------

10				9				8				7				6				5				4				3				2				1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
PART LIST																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
1				1200060001				803000E03M020				2m				36				1200060458				804000P03M0501				5m				71				1200063673				803000P03M1001				10m				106				1200658008				804000H09M050H				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2				1200060002				803000E03M050				5m				37				1200060461				804000P03M200				20m				72				1200063779				805000E03M300				30m				107				1200658009				804000H09M100H				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
3				1200060003				803000E03M100				10m				38				1200060634				805000E03M020				2m				73				1200063940				804000P03M0051				0.5m				108				1200658020				805000P03M040				4m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
4				1200060004				803000P03M020				2m				39				1200060638				805000E03M100				10m				74				1200064033				804000P03M120				12m				109				1200658021				808000P02M150				15m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
5				1200060005				803000P03M050				5m				40				1200060646				805000P03M003				0.3m				75				1200064093				803000P03M032				3.2m				110				1200658022				808000P02M030				3m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
6				1200060006				803000P03M100				10m				41				1200060647				805000P03M020				2m				76				1200064292				805000P03M200				20m				111				1200658064				804000P03M010				1m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
7				1200060014				804000E03M020				2m				42				1200060649				805000P03M100				10m				79				1200064422				804000E03M120				12m				112				1200658081				805000E03M200				20m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
8				1200060015				804000E03M050				5m				43				1200061337				804000E03M0205				2m				80				1200064434				804000H09M050G				5m				113				1200658165				805000E03M030				3m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
9				1200060016				804000E03M100				10m				44				1200061431				805000P03M150				15m				81				1200065004				805000P03M0201				2m				114				1200658172				805000H09M020				2m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
10				1200060018				804000P03M020				2m				45				1200061528				804000E03M250				25m				82				1200065006				804000H09M250G				25m				115				1200658173				805000H09M050				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
11				1200060019				804000P03M050				5m				46				1200061765				803000P03M002				0.2m				83				1200065012				803000P03M030G				3m				116				1200658174				805000H09M100				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
12				1200060027				803000E03M006				0.6m				47				1200061785				804000P03M006				0.6m				84				1200650951				808000P02M020				2m				117				1200658175				803000H09M020				2m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
13				1200060032				804000E03M005				0.5m				48				1200061913				804000E03M300				30m				85				1200650952				808000P02M040				4m				118				1200658176				803000H09M050				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
14				1200060034				804000P03M025				2.5m				49				1200061958				803000E03M021				2.1m				86				1200650953				808000P02M050				5m				119				1200658177				803000H09M100				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
15				1200060107				803000E03M003				0.3m				50				1200062071				803000E03M060				6m				87				1200650954				808000P02M060				6m				120				1200658178				804000H09M020				2m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
16				1200060113				803000E03M030				3m				51				1200062098				803000P03M006				0.6m				88				1200650955				808000P02M080				8m				121				1200658179				804000H09M050				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
17				1200060116				803000E03M0505				5m				52				1200062130				804000E03M050H				5m				89				1200650956				808000P02M0801				8m				122				1200658190				804000H09M100				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
18				1200060117				803000E03M1005				10m				53				1200062167				804000P03M100H				10m				90				1200650957				808000P02M100				10m				124				1200658197				805000P03M010				1m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
19				1200060119				803000E03M150				15m				54				1200062264				804000E03M1505				15m				91				1200651769				803000P03M050G				5m				125				1200658208				805000E03M0061				✱ 0.6m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
20				1200060121				803000E03M200				20m				55				1200062347				804000P03M050H				5m				92				1200651780				804000P03M050G				5m				126				1200658210				805000E03M0501				✱ 5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
21				1200060124				803000E03M2505				25m				56				1200062521				805000P03M030				3m				93				1200651782				804000P03M100				10m				127				1200658219				803000E03M0201				✱ 2m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
22				1200060152				803000P03M010				1m				57				1200062772				803000P03M250				25m				94				1200651792				805000P03M050				5m				128				1200658224				808000E02M050				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
23				1200060153				803000P03M030				3m				58				1200062811				803000P03M100H				10m				95				1200651794				808000P02M010				1m				129				1200658228				804000E03M3001				✱ 30m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
24				1200060157				803000P03M150				15m				59				1200062853				804000P03M150				15m				96				1200651795				808000P02M070				7m				130				1200658244				808000H08M050				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
25				1200060158				803000P03M200				20m				60				1200062866				804000E03M020H				2m				97				1200651817				808000P02M200				20m				131				1200658264				808000H08M100				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
26				1200060426				804000E03M010				1m				61				1200062992				804000E03M200H				20m				98				1200651818				808000P02M250				25m				133				1200658277				808000E02M020				2m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
27				1200060427				804000E03M0201				✱✱ 2m				62				1200063121				804000P03M0053				0.5m				99				1200651820				808000P02M300				30m				134				1200658278				808000E02M100				10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
28				1200060428				804000E03M030				3m				63				1200063224				804000E03M003				0.3m				100				1200651978				805000E03M050				5m				135				1200658288				804000E03M050G				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
29				1200060429				804000E03M0501				✱ 5m				65				1200063314				805000E03M010				1m				101				1200652143				804000P03M040				4m				136				1200658309				808000E02M0501				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
30				1200060430				804000E03M0505				5m				66				1200063402				804000P03M003				0.3m				102				1200652144				804000P03M060				6m				137				1200658321				804000P03M005				0.5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
31				1200060431				804000E03M150				15m				67				1200063407				804000E03M1001				✱ 10m				103				1200652154				805000P03M060				6m				138				1200658331				805000E03M050H				5m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
32				1200060432				804000E03M200				20m				68				1200063415				803000P03M0707				7m				104				1200655073				808000P02M003				0.3m				139				1200658350				803000E03M1001				✱ 10m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
33				1200060432				804000E03M200				20m				69				1200063443				804000E03M030H				3m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

FEMALE PLUG M12 STRAIGHT

NOTES:
RATED VOLTAGE: 3, 4 contacts 250V
5 contacts 60V
8 contacts 30V
RATED CURRENT: 3, 4, 5 contacts 4A
8 contacts 2A
PROTECTION CLASS: IP 67
TEMPERATURE: -25°C / +85°C



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK OR YELLOW/GREEN	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY OR YELLOW/GREEN	5	GREY
						6	PINK
						7	BLUE
						8	RED


CODING REQUIRED TO IEC 61076-2-101

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

7	1	LABEL YELLOW	VINYL	---
	-	PRINTING FOR CABLES lxx	---	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING BLACK	TPU	---
4	1	COUPLING NUT FEMALE	BRASS	NICKEL
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5 / 8	CONTACT M12 FEMALE	BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
DIMENSION UNITS		CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#506884		
mm		molex CSE M12 XP AC FE STR XM SE UNSH		
GENERAL TOLERANCES (UNLESS SPECIFIED)				
ANGULAR TOL ± 1.0 °				
4 PLACES ±				
3 PLACES ±		EC NO: 662770 DRWN: SUGEEB 2021/02/22 CHK'D: GGA 2021/06/02 APPR: GGA 2021/06/02		
2 PLACES ± 0.05		INITIAL REVISION:		
1 PLACE ± 0.3		DRWN: JMARSZALEK 2016/01/12 APPR: RSILLER 2016/04/08		
0 PLACES ± 0.5		DOCUMENT NUMBER 1200658605 DOC TYPE PSD DOC PART 000 REVISION A5		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES
			A3-SIZE	120065
		MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
		SEE SHEETS 3,4	GENERAL MARKET	1 OF 4


ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS



H= 2 pcs. of I/D Carrier
PVC Transparent
(Cables lxx & P82 always
with 2 pcs. of I/D Carrier
even if no H in
Engineering No.)

COUPLING NUTS



80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
000=Plug Female Straight

Cable type: See Table


Units:
M=Meter
C=Centimeter

Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

Overmold color:
Blank (Standard)=Black TPU
Blank=Yellow TPU for cables A09,S19,S20,S26
Blank=Yellow TPE-E for cables K03,K05
A=Grey / G=Black / Y=Yellow
Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
Blank=7 for cables I20, I26, K03, K05, P82, S26
9=Knurled / Hexagonal Brass Ni Plated SW13

CABLE INFORMATION (for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
E13	3	18AWG	PVC YELLOW	UL 2661/1731	I/II A/B 80°C/300V	-	-	-	-
E52	3 / 4 / 8	0.34mm²	PVC GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
E63	5	0.34mm²	PVC GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
H12	4	0.50mm²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-50°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000, Temp max 60°C	-
H69	4	0.20mm²	PUR GREY LS0H	-	-	-	-	-	-
I02	3 / 4 / 8	0.25mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I03	3 / 4 / 5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
I04	4	0.50mm²	PVC CEI GREY	-	-	-25°C to +70°C	-5°C to +70°C	-	-
I20	3 / 4	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	YES
I26	5	0.34mm²	PVC CEI GREY	-	-	-30°C to +70°C	-5°C to +70°C	-	-
K03	4 / 5	0.34mm²	TPE YELLOW	UL JEC 60332-1 or PLCT	I/II 90°C/300V	-	-	-	-
K05	3 / 4 / 5	0.34mm²	TPE YELLOW	UL ITC E195601 or PLC	I/II A/B 90°C/300V	-	-	-	-
P04	4	0.50mm²	PUR BLACK	-	-	-40°C to +90°C, 7.5xO.D.	-15°C to +90°C, 12.5xO.D.	-	-
P12	3 / 5	0.50mm²	PUR BLACK	-	-	-30°C to +90°C	-5°C to +90°C	-	-
P19	8	0.25mm²	PUR BLACK	-	-	-40°C to +90°C, 7.5xO.D.	-15°C to +90°C, 12.5xO.D.	2 000 000 cycles, 15xO.D.	YES
P20	3 / 4 / 5	0.34mm²	PUR BLACK LS0H	-	-	-30°C to +80°C	-	-	YES
P82	3 / 4 / 5	0.34mm²	PUR IRR ORANGE	-	-	-50°C to +105°C, 5xO.D.	-40°C to +105°C, 7.5xO.D.	-	-
S19	8	0.25mm²	PVC YELLOW	UL 2661/1569	C22.2 II A 105°C/300V	-30°C to +105°C, 10xO.D.	-15°C to +105°C, 15xO.D.	-	YES
S20	3 / 4 / 5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES
S26	5	0.34mm²	PVC YELLOW	UL 2661/1731	C22.2 II A 105°C/300V	-30°C to +105°C	-	-	YES



SCALE 1:1

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NUMBERS AS PER PCN#506884
mm	1:1	
GENERAL TOLERANCES (UNLESS SPECIFIED)		
ANGULAR TOL	±	1.0 °
4 PLACES	±	
3 PLACES	±	
2 PLACES	±	0.05
1 PLACE	±	0.3
0 PLACES	±	0.5
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

EC NO: 662770		2021/02/22
DRWN: SUGEEB		
CHK'D: GGA		
APPR: GGA		2021/06/02
INITIAL REVISION:		
DRWN: JMARSZALEK		2016/01/12
APPR: RSILLER		2016/04/08
THIRD ANGLE PROJECTION	DRAWING	SERIES
	A3-SIZE	120065

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
1200658605		PSD	000	A5
MATERIAL NUMBER		CUSTOMER		
SEE SHEETS 3, 4		GENERAL MARKET		
SHEET NUMBER		2 OF 4		

10	9	8	7	6	5	4	3	2	1		
PART LIST											
No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length
1	1200060017	804000I03M050	5m	36	1200061955	804000I03M200A	20m	71	1200063684	804000S20M2001	✱ 20m
2	1200060030	803000I03M050	5m	37	1200061956	804000I03M300A	30m	72	1200063819	804000E52K0011A	100m
3	1200060033	804000I03M100	10m	38	1200061957	804000I03M400A	40m	73	1200063824	805000I03M050G	5m
4	1200060035	804000P82M0507	5m	39	1200061970	804000I03M100A	10m	74	1200063859	804000S20M0501	✱ 5m
5	1200060036	804000P82M1007	10m	40	1200062003	805000I03M050	5m	75	1200063913	805000P20M003	0.3m
6	1200060145	803000I03M020	2m	41	1200062037	804000S20M050H	5m	76	1200063993	804000S20M200	20m
7	1200060148	803000I03M100	10m	42	1200062040	804000S20M030H	3m	77	1200064044	804000P82M020	2m
8	1200060166	803000S20M010	1m	43	1200062049	808000E52M050	5m	78	1200064072	804000P82M006	0.6m
9	1200060167	803000S20M020	2m	44	1200062094	803000H69M050	5m	79	1200064073	803000P82M0107	1m
10	1200060168	803000S20M030	3m	45	1200062254	804000P82M0207	2m	80	1200064161	804000I20M100	10m
11	1200060170	803000S20M050	5m	46	1200062268	804000S20M020H	2m	81	1200064164	804000I20M020	2m
12	1200060171	803000S20M100	10m	47	1200062363	804000S20M100H	10m	82	1200064230	804000I03M080	8m
13	1200060173	803000S20M150	15m	48	1200062364	804000P04M020G	2m	83	1200064254	804000E52M010A	1m
14	1200060436	804000E52M200A	20m	49	1200062454	803000P82M0067	0.6m	84	1200064256	803000P82M0207	2m
15	1200060452	804000I03M020	2m	50	1200062496	804000S20M010H	1m	85	1200064445	805000P12M023	2.3m
16	1200060454	804000I03M030	3m	51	1200062604	804000P20M100	10m	86	1200064490	804000P20M020	2m
17	1200060466	804000P82M030	3m	52	1200062656	804000P20M030	3m	87	1200065005	805000P82M0207	2m
18	1200060467	804000P82M050	5m	53	1200062657	804000P20M050	5m	88	1200651108	803000K05M020	2m
19	1200060468	804000P82M100	10m	54	1200062675	808000P19M030	3m	89	1200651110	803000K05M050	5m
20	1200060469	804000S20M010	1m	55	1200062676	808000P19M050	5m	90	1200651121	804000K05M020	2m
21	1200060470	804000S20M020	2m	56	1200062754	803000P82M0047	0.4m	91	1200651124	804000K05M050	5m
22	1200060471	804000S20M0201	✱ 2m	57	1200062765	808000P19M020	2m	92	1200651126	804000K05M100	10m
23	1200060472	804000S20M030	3m	58	1200062858	805000P12M100	10m	93	1200651767	803000E52M050A	5m
24	1200060474	804000S20M050	5m	59	1200062869	804000P20M150	15m	94	1200651778	804000E52M050A	5m
25	1200060476	804000S20M100	10m	60	1200062969	805000I26M100	10m	95	1200651857	804000E52M100A	10m
26	1200060478	804000S20M150	15m	61	1200063017	804000P04M0083	0.8m	96	1200652019	808000P19M100	10m
27	1200060644	805000I03M030	3m	62	1200063035	805000P20M100	10m	97	1200655003	805000S26M050	5m
28	1200060645	805000I03M100	10m	63	1200063041	805000P12M0033	0.3m	98	1200655009	805000S26M100	10m
29	1200060715	805000P82M050	5m	64	1200063114	804000P04M0163	1.6m	99	1200655010	804000S20M150H	15m
30	1200061240	803000P82M0507	5m	65	1200063141	803000P12M0033	0.3m	100	1200655025	805000I03M100G	10m
31	1200061559	803000I20M100	10m	66	1200063182	804000S20M0501H	5m	101	1200655074	808000P19M060	6m
32	1200061620	804000E52M3001A	30m	67	1200063205	804000I03M060	6m	102	1200656198	808000S19M010	1m
33	1200061680	804000H69M050	5m	68	1200063409	804000S20M1001	✱ 10m	103	1200656199	808000S19M020	2m
34	1200061727	805000I26M050	5m	69	1200063562	804000I04M030	3m	104	1200656200	808000S19M030	3m
35	1200061936	805000E63M050A	5m	70	1200063569	803000S20M003	0.3m	105	1200656201	808000S19M050	5m
NOTES:											
✱ - Part No. with Yellow PVC overmolding											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV		DESC: OBSOLETED PART NUMBERS		molex CSE M12 XP AC FE STR XM SE UNSH PRODUCT CUSTOMER DRAWING			
mm		1:1				AS PER PCN#506884					
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL		± 1.0 °									
4 PLACES		±				EC NO: 662770					
3 PLACES		±				DRWN: SUGEEB					
2 PLACES		± 0.05				2021/02/22					
1 PLACE		± 0.3				CHK'D: GGA					
0 PLACES		± 0.5				2021/06/02					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES					
				A3-SIZE		120065					
						INITIAL REVISION:					
						DRWN: JMARSZALEK					
						2016/01/12					
						APPR: RSILLER					
						2016/04/08					
						DOCUMENT NUMBER					
						1200658605					
						DOC TYPE					
						PSD					
						DOC PART					
						000					
						REVISION					
						A5					
						MATERIAL NUMBER					
						SEE PART LIST					
						CUSTOMER					
						GENERAL MARKET					
						SHEET NUMBER					
						3 OF 4					
DOCUMENT STATUS	P1	RELEASE DATE	2021/06/02	05:45:21							
FORMAT: master-b-prod-A3											
REVISION: J											
DATE: 2020/01/14											
10	9	8	7	6	5	4	3	2	1		

F

E

D

C

B

A

10

9

8

7

6

5

4

3

2

1

PART LIST

No.	Part No.	Engineering No.	Cable Length
141	1200658972	808000S19M100	10m
142	1200659026	805000P82M1007	10m
143	1200659049	805000P20M050	5m
144	1200659060	804000I03M050Y	5m
145	1200659064	803000I03M050Y	5m
146	1200659065	804000I03M100Y	10m
147	1200659066	804000P82M0507Y	5m
148	1200659067	804000P82M1007Y	10m
149	1200659075	804000I03M020Y	2m
150	1200659085	805000I03M050Y	5m
151	1200659087	804000P82M0207Y	2m
152	1200659090	805000I26M100Y	10m
153	1200659113	804000H12M050	5m
154	1200659116	805000I26M050Y	5m
155	1200659119	803000I03M020Y	2m
156	1200659175	808000S19M200H	20m
157	1200659177	804000I03M030Y	3m
158	1200659183	808000S19M150H	15m
159	1200659271	804000H12M100	10m
160	1200659371	805000I03M100Y	10m
161	1200659376	804000S20M350	35m
162	1200659390	803000S20M070	7m
163	1200659393	805000P12M050	5m
164	1200659558	803000I20M100Y	10m
165	1200659593	804000H12M020	2m
166	1200659621	804000I04M050	5m
167	1200659635	805000P20M300	30m
168	1200659694	804000P82M1507Y	15m
169	1200659767	804000H12M0209	2m
170	1200659768	804000H12M0309	3m
171	1200659769	804000H12M0509	5m
172	1200659770	804000H12M1009	10m
173	1200659989	805000S26M200	20m
174	1200659997	808000E52M100	10m
175	1200868439	808000S19M150	15m

No.	Part No.	Engineering No.	Cable Length
176	1200651122	804000K05M030	3m
177	1200651367	805000K03M020	2m
178	1200651370	805000K03M050	5m
179	1200651373	805000K03M100	10m
180			
181			
182			
183			
184			
185			
186			
187			
188			
189			
190			
191			
192			
193			
194			
195			
196			
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			

No.	Part No.	Engineering No.	Cable Length
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			

Pos.	Part No.	Engineering No.	Cable Length
246			
247			
248			
249			
250			
251			
252			
253			