



CONNECTORS

BOARD-TO-BOARD JUMPERS & SHUNTS



✓ Active

TE CONNECTIVITY (TE)

2P, AMPMODU I SHUNT, GREEN

AMPMODU

826853-2

TE Internal Number: 826853-2

EU RoHS Compliant

EU ELV Compliant

Shunt Style Open Top

Number of Positions 2

Centerline (Pitch) 3.96 mm [.156 in]

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

SHUNT ASSEMBLY, MODU I, RASTER 3.96mm SHUNT KOMPLETT, MODU I, RASTER 3.96mm

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

3D PDF

PDF

English

Agency Approvals

Agency Approval Document

AMPMODU CONNECTOR REPORT (GERMANY)

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Shunt

Configuration Features

Number of Positions 2

Body Features

Handle Without

Contact Features

Shunt Style Open Top

Contact Mating Area Plating Thickness 2 μm [78.74 μin]

Shunt Type AMPMODU MOD I

Contact Base Material Cu Sn4

Contact Mating Area Plating Material Pre-Tin

Housing Features

Centerline (Pitch) 3.96 mm [.156 in]

Housing Material Polyamide 6.6 GF

Housing Color Green

Dimensions

Height 8 mm [.315 in]

Industry Standards

UL Rating Recognized

UL Flammability Rating UL 94-HB

CSA Certified Yes

Packaging Features

Packaging Method Bag

Packaging Quantity 500

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
