# **Detailed Specifications & Technical Data**



ENGLISH MEASUREMENT VERSION

### 83008 Hook-up/Lead - UL AWM Style 1213

For more Information please call

1-800-Belden1



| General Description:   |                         |  |  |  |  |  |
|--|-------------------------|--|--|--|--|--|
| Stranded silver-coated copper conductor insulation with extruded TFE Teflon.                     |                         |  |  |  |  |  |
| Physical Characteristics (Overall)   |                         |  |  |  |  |  |
| Conductor<br>AWG:  |                         |  |  |  |  |  |
| # Conductors AWG Stranding Conductor Material  |                         |  |  |  |  |  |
| 1 20 7x28 SPC - Silver Plated Copper   |                         |  |  |  |  |  |
| Total Number of Conductors:  | 1                       |  |  |  |  |  |
| Insulation<br>Insulation Material:   |                         |  |  |  |  |  |
| Insulation Material Wall Thickness (in.)   |                         |  |  |  |  |  |
| TFE - Tetrafluoroethylene .010   |                         |  |  |  |  |  |
| Overall Insulation   |                         |  |  |  |  |  |
| Overall Cable  |                         |  |  |  |  |  |
| Overall Nominal Diameter:  | 0.058 in.               |  |  |  |  |  |
| Mechanical Characteristics (Overall)   |                         |  |  |  |  |  |
| Bulk Cable Weight:   | 5.200 lbs/1000 ft.      |  |  |  |  |  |
| Applicable Specifications and Agency Compliance  | (Querall)               |  |  |  |  |  |
| Applicable Specifications and Agency compliance<br>Applicable Standards & Environmental Programs |                         |  |  |  |  |  |
| UL Rating:   | 105°C                   |  |  |  |  |  |
| EU Directive 2011/65/EU (ROHS II):   | Yes                     |  |  |  |  |  |
| EU CE Mark:  | Yes                     |  |  |  |  |  |
| EU Directive 2000/53/EC (ELV):   | Yes                     |  |  |  |  |  |
| EU Directive 2002/95/EC (RoHS):  | Yes                     |  |  |  |  |  |
| EU RoHS Compliance Date (mm/dd/yyyy):  | 04/01/2005              |  |  |  |  |  |
| EU Directive 2002/96/EC (WEEE):  | Yes                     |  |  |  |  |  |
| EU Directive 2003/11/EC (BFR):   | Yes                     |  |  |  |  |  |
| CA Prop 65 (CJ for Wire & Cable):  | Yes                     |  |  |  |  |  |
| MII Order #39 (China RoHS):  | Yes                     |  |  |  |  |  |
| Military Specification:  | NEMA HP3, MIL-W-16878/4 |  |  |  |  |  |
| MIL Spec Rating:   | 600 V, 200°C            |  |  |  |  |  |
| Flame Test   |                         |  |  |  |  |  |
| UL Flame Test:   | VW-1                    |  |  |  |  |  |
|  |                         |  |  |  |  |  |
| Plenum/Non-Plenum  |                         |  |  |  |  |  |

### Put Ups and Colors:

| Item #        | Putup    | Ship Weight | Color       | Notes | Item Desc         |
|---------------|----------|-------------|-------------|-------|-------------------|
| 83008 001100  | 100 FT   | 0.400 LB    | BROWN       |       | #20 STR TFE BRN   |
| 83008 002100  | 100 FT   | 0.400 LB    | RED         |       | #20 STR TFE RED   |
| 83008 0021000 | 1,000 FT | 6.000 LB    | RED         | SW    | #20 STR TFE RED   |
| 83008 003100  | 100 FT   | 0.400 LB    | ORANGE      |       | #20 STR TFE ORG   |
| 83008 0031000 | 1,000 FT | 6.000 LB    | ORANGE      | SW    | #20 STR TFE ORG   |
| 83008 004100  | 100 FT   | 0.400 LB    | YELLOW      |       | #20 STR TFE YEL   |
| 83008 0041000 | 1,000 FT | 6.000 LB    | YELLOW      | SW    | #20 STR TFE YEL   |
| 83008 005100  | 100 FT   | 0.400 LB    | GREEN, DARK |       | #20 STR TFE GRNDK |

## **Detailed Specifications & Technical Data**



### ENGLISH MEASUREMENT VERSION

### 83008 Hook-up/Lead - UL AWM Style 1213

| 83008 0051000 | 1,000 FT | 6.000 LB | GREEN, DARK | SW | #20 STR TFE GRNDK |
|---------------|----------|----------|-------------|----|-------------------|
| 83008 006100  | 100 FT   | 0.400 LB | BLUE, LIGHT |    | #20 STR TFE BLULT |
| 83008 0061000 | 1,000 FT | 6.000 LB | BLUE, LIGHT | SW | #20 STR TFE BLULT |
| 83008 009100  | 100 FT   | 0.400 LB | WHITE       |    | #20 STR TFE WHT   |
| 83008 0091000 | 1,000 FT | 6.000 LB | WHITE       | SW | #20 STR TFE WHT   |
| 83008 010100  | 100 FT   | 0.400 LB | BLACK       |    | #20 STR TFE BLK   |
| 83008 0101000 | 1,000 FT | 6.000 LB | BLACK       | SW | #20 STR TFE BLK   |

#### Notes:

S = STRIPING ADDERS FOR TYPES E AND EE: 123 STRIPES. MINIMUM ORDER10

W = MAY CONTAIN MORE THAN 1 PIECE. MINIMUM LENGTH OF ANY ONE PIECE IS 75'

Revision Number: 2 Revision Date: 10-03-2016

© 2016 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information and belief at the date of its publication. The information provided in this Product Disclosure, is denied on the product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product tiself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

product. Belden declares this product to be in compliance with EU LVD (Low Voltage Directive 2014/35/EU).