Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



83025 Hook-up/Lead - UL AWM Style 1180

For more Information please call

1-800-Belden1



General Description:

Stranded silver-coated copper conductor insulation with extruded TFE Teflon.

Physical Characteristics (Overall)

AWG:

# Conductors	AWG	Stranding	Conductor Material
1	22	7x30	SPC - Silver Plated Copper

Total Number of Conductors:

Insulation

Insulation Material:

Insulation Material	Wall Thickness (in.)				
TFE - Tetrafluoroethylene	.015				

Overall Insulation

Overall Cable

Overall Nominal Diameter: 0.060 in.

Mechanical Characteristics (Overall)

Bulk Cable Weight: 4.300 lbs/1000 ft.

Applicable Specifications and Agency Compliance (Overall)

Applicable Standards & Environmental Programs

UL Rating:	300 V RMS, 200°C		
EU Directive 2011/65/EU (ROHS II):	Yes		
EU CE Mark:	Yes		
EU Directive 2000/53/EC (ELV):	Yes		
EU Directive 2002/95/EC (RoHS):	Yes		
EU RoHS Compliance Date (mm/dd/yyyy):	04/01/2005		
EU Directive 2002/96/EC (WEEE):	Yes		
EU Directive 2003/11/EC (BFR):	Yes		
CA Prop 65 (CJ for Wire & Cable):	Yes		
MII Order #39 (China RoHS):	Yes		
Military Specification:	NEMA HP3, MIL-W-16878/5		
MIL Spec Rating:	1000 V, 200°C		
Flame Test			
UL Flame Test:	VW-1		
Plenum/Non-Plenum			
Planum (V/N):	No		

FI

Plenum (Y/N): No

Electrical Characteristics (Overall)

Max. Recommended Current:

Description	Current
Mil-Std-975M Table 3.16 (Single wire)	4.5 amps

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
83025 001100	100 FT	0.500 LB	BROWN	E	#22 STR TFE BRN
83025 0011000	1,000 FT	5.000 LB	BROWN	ES	#22 STR TFE BRN
83025 002100	100 FT	0.500 LB	RED	E	#22 STR TFE RED

Page 1 of 2 10-17-2016

Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



83025 Hook-up/Lead - UL AWM Style 1180

1.000 FT	5.000 LB	RED	ES	#22 STR TFE RED
100 FT	0.500 LB	ORANGE	E	#22 STR TFE ORG
1,000 FT	5.000 LB	ORANGE	ES	#22 STR TFE ORG
100 FT	0.500 LB	YELLOW	E	#22 STR TFE YEL
1,000 FT	5.000 LB	YELLOW	ES	#22 STR TFE YEL
100 FT	0.500 LB	GREEN, DARK	E	#22 STR TFE GRNDK
1,000 FT	5.000 LB	GREEN, DARK	ES	#22 STR TFE GRNDK
100 FT	0.500 LB	BLUE, LIGHT	E	#22 STR TFE BLULT
1,000 FT	5.000 LB	BLUE, LIGHT	ES	#22 STR TFE BLULT
1,000 FT	5.000 LB	VIOLET	ES	#22 STR TFE VIO
100 FT	0.500 LB	WHITE	E	#22 STR TFE WHT
1,000 FT	5.000 LB	WHITE	ES	#22 STR TFE WHT
100 FT	0.500 LB	BLACK	E	#22 STR TFE BLK
1,000 FT	5.000 LB	BLACK	ES	#22 STR TFE BLK
	100 FT 1,000 FT 100 FT 1,000 FT 100 FT 1,000 FT 1,000 FT 1,000 FT 1,000 FT 1,000 FT 1,000 FT 1,000 FT	100 FT	100 FT	100 FT

S = STRIPING ADDERS FOR TYPES E AND EE: 123 STRIPES. MINIMUM ORDER10

Revision Number: 2 Revision Date: 10-03-2016

© 2016 Belden, Inc All Rights Reserved

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its bublication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Belden belden's knowledge information, and belief at the date of its product belief in this Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purpo

Page 2 of 2