



Product: <u>83352E</u> ☑

Electronic, 4 C #16 Str SPC, TFE Ins, OA SPC Brd, TFE Tape Jkt, MIL-W-16878/4 (Type E)

😭 Request Sample

Product Description

High Temperature Electronic, 4 Conductor 16AWG (19x29) Silver Plated Copper, TFE Insulation, Overall Silver Plated Copper Braid(85%) Shield, TFE Tape Outer Jacket, MIL-W-16878/4 (Type E)

Technical Specifications

Product Overview

	cations:	MIL-W-16878/4 (Type E) Spec; Extreme High/Low Temperature Environments; up to 600V analog signals & voltage control						
onstructi	on Details							
onductor								
Element	Number of Elemen	t Size	Stranding	Material				
Conductor(s)	4	16 AWG	19x29 S	SC - Silvered Copp	er			
nsulation								
Element	Material		Nom. Thickn	ness Nom. Insu	ation Diameter	Color Code		
Conductor(s)	PTFE - Polytetrafluo	oroethylene	0.011 in (0.28 mm) 0.077		n (2.0 mm) White, Black, Red, Green			
Outer Shield								
Shield Type	Material	Coverag	e					
Braid	Silvered Copper (SC							
Outer Jacket								
	terial N	om. Thickn	ess Nom. [Diameter				
Ма	terial N trafluoroethylene 0.0							
PTFE - Polyte		011 in (0.28	mm) 0.229 in					
Ma PTFE - Polyte Overall Cable	trafluoroethylene 0.0	011 in (0.28	mm) 0.229 in					
Ma PTFE - Polyte Overall Cable	trafluoroethylene 0.0	011 in (0.28	mm) 0.229 in					
Ma PTFE - Polyte Overall Cable	trafluoroethylene 0.0	011 in (0.28	mm) 0.229 in					
Ma PTFE - Polyte Overall Cable Electrical (trafluoroethylene 0.0	011 in (0.28 0.229 in (5	mm) 0.229 in	(5.82 mm)	om. Capacitance	9 Cond-to-Other (Conds + Sh	ield) Max. Current	

600 V

Mechanical Characteristics

Temperature

UL Temperature	Operating
200°C	-65°C to +200°C

Bend Radius

 Stationary Min.
 Installation Min.

 2.29 in (58.2 mm)
 2.29 in (58.2 mm)

Max. Pull Tension:	166.2 lbs (75.39 kg)	
Bulk Cable Weight:	57 lbs/1000ft	

Standards and Compliance

Sustainability:	CA Prop 65
CPR Compliance:	CPR Euroclass: Eca
NEMA Compliance:	NEMA HP3
Military Compliance:	MIL-W-16878/4 (Type E except stranding), (insulated conductors)
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
APAC Compliance:	China RoHS II (GB/T 26572-2011)

Product Notes

Notes:

Teflon® is a registered trademark of E. I. duPont de Nemours and Co. used under license by Belden, Inc.

History

Update and Revision: Revision Number: 0.482 Revision Date: 06-30-2022

Part Numbers

Variants

ltem #	Color	Putup Type	Length	UPC
83352E 009500	White			612825204503
83352E 009100	White	Reel	100 ft	612825204480
83352E 0091000	White	Reel	1,000 ft	612825204497

© 2022 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.