

**Industrial Ethernet
IE-XM-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



SnapIn plug-in connectors according to IEC 61076-3-106
ver.6 in plastic, with RJ45 insert

General ordering data

Type	IE-XM-RJ45/RJ45-IP67
Order No.	8808450000
Version	Mounting flange, Coupling flange, straight, Cat. 6A, IP67
GTIN (EAN)	4032248506033
Qty.	1 pc(s).

Creation date April 13, 2020 6:46:04 PM CEST

Catalogue status 03.04.2020 / We reserve the right to make technical changes.

**Industrial Ethernet
IE-XM-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Net weight 42 g

Temperatures

Operating temperature, max. 70 °C Operating temperature, min. -40 °C
 Operating temperature -40 °C...70 °C

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General data

Connection 1	RJ45	Connection 2	RJ45
Description of article	Coupling flange, straight	Configuration	and RJ45 module, socket-socket captive lid
Colour	Light Grey	Housing main material	PA 66, UL 94: V-0
Category	Cat. 6A	Contact surface	Gold over nickel
Type of mounting	Cabinet, Distribution box	Shielding	360° shield contact
Protection degree	IP67	Plugging cycles	750

General standards

Certificate No. (GERMILLOYD) 33451-06 Connector standard IEC 61076-3-106 Var. 6, IEC 60603-7-5

Classifications

ETIM 6.0	EC001121	ETIM 7.0	EC001121
eClass 9.0	27-44-03-90	eClass 9.1	27-44-03-90
eClass 10.0	27-44-03-90	UNSPSC	43-17-27-10

Approvals

Approvals



ROHS Conform

Downloads

Approval/Certificate/Document of Conformity	GOST Approval Germanischer Lloyd
Brochure/Catalogue	CAT 9 IETH 18/19 EN FL FIELDWIRING EN PI PROFINET CABLING EN
Engineering Data	EPLAN, WSCAD, Zuken E3.S
User Documentation	MAN IE GUIDE DE MAN IE GUIDE EN

Data sheet**Industrial Ethernet
IE-XM-RJ45/RJ45-IP67**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings**Dimensioned drawing**