

# 6

## Accessories for 8WA and 8WH

### 8WA accessories

6/2  
6/3  
6/5  
6/5

### 8WA labeling accessories

- Blank labeling plates
- Inscribed labeling plates
- Other labeling plate accessories
- Other labeling accessories

### 8WA mounting accessories

- End retainers
- Standard mounting rails
- Test plugs
- Test sockets
- Reduction plugs
- Spacer brackets
- Spacers
- Fastening accessories
- Mounting brackets
- Insulation carriers
- Labeling plates
- Screwdrivers

### 8WH accessories

6/8  
6/9

### 8WH labeling accessories

- Blank labeling plates **NEW**
- Inscribed labeling plates **NEW**

### 8WH mounting accessories

- Quick-fit end retainers **NEW**
- Terminal strip markers **NEW**
- Test adapters **NEW**
- Lateral mounting test plugs **NEW**
- Spacer plates **NEW**
- Connecting combs **NEW**
- Reducing combs **NEW**
- Through-type connectors **NEW**
- Component connectors **NEW**
- Fused connectors **NEW**
- Isolating plugs **NEW**
- Screwdrivers **NEW**





# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WA labeling accessories



#### Selection and ordering data

Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
<b>Blank labeling plates</b>				
<b>Labeling plates, for manual inscription</b> Not suitable for plotting				
<b>Versions</b>				
<ul style="list-style-type: none"> <li>Label size 5 mm x 7 mm</li> <li>Label size 5 mm x 10 mm</li> </ul>	<b>8WA8 848-2AY</b> <b>8WA8 800-2AY</b>		041 041	100 100
<b>Labeling plates, for plotter inscription</b>				
<b>Versions</b>				
<ul style="list-style-type: none"> <li>For 8WA1 and 8WA2, individually removable                             <ul style="list-style-type: none"> <li>5 x 7, white</li> <li>5 x 10, white</li> </ul>                             Not for two-tier terminals (bottom level); flat-type terminals: 8WA1 010-1PQ00, 8WA1 808                         </li> <li>Use individually for 8WA1, or together in grid for 8WA2, terminal size 2.5 mm<sup>2</sup> <ul style="list-style-type: none"> <li>5 x 7</li> <li>5 x 10</li> </ul> </li> <li>For 8WA2 from terminal size 4 mm<sup>2</sup> <ul style="list-style-type: none"> <li>6 x 7</li> <li>6 x 10</li> </ul> </li> </ul>	<b>8WA8 850-2AY</b> <b>8WA8 851-2AY</b>  <b>8WA8 852-2AY</b> <b>8WA8 854-2AY</b>  <b>8WA8 853-2AY</b> <b>8WA8 855-2AY</b>		041 041  041 041  041 041	1020 1020  1260 1260  1080 1080
 <p>N5H00037</p> <p>Labeling plates for terminal blocks, 1 frame = 68 labeling plates</p>				
<b>Labeling plates, for individual wires</b>				
<b>Versions</b>				
<ul style="list-style-type: none"> <li>4 x 12, white</li> <li>4 x 18, white</li> </ul>	Obtainable from: <b>murrplastik Systemtechnik GmbH</b> Fabrikstraße 10 71570 Oppenweiler Telephone +49 (0) 7191 / 4 82 - 0 Fax +49 (0) 07191 / 4 82 - 2 80 E-mail gl@murrplastik.de			
 <p>N5H00038</p> <p>Device labeling plates, 1 frame = 20 labeling plates</p>				
<b>Device labeling plates</b>				
<ul style="list-style-type: none"> <li>20 x 9, white</li> </ul>	<b>3TX4 210-0R</b>		101	380
<b>Computer labeling system</b>				
for individual inscription of:				
<ul style="list-style-type: none"> <li>Labeling plates for terminal blocks</li> <li>Device labeling plates</li> <li>Labeling plates for individual wires</li> </ul>				
Obtainable from: <b>murrplastik Systemtechnik GmbH</b> Fabrikstraße 10 71570 Oppenweiler Telephone +49 (0) 7191 / 4 82 - 0 Fax +49 (0) 07191 / 4 82 - 2 80 E-mail gl@murrplastik.de				

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WA labeling accessories

Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
<b>Inscribed labeling plates</b>				
 <p>Vertical inscription (8WA8 860-0AA)</p>	<b>Labeling plates, type 860/861</b> <ul style="list-style-type: none"> <li>Label size 5 mm x 7 mm</li> <li>Character height 2 mm</li> <li>Grid size: 6.2 mm</li> </ul>			
	<b>Versions</b> <ul style="list-style-type: none"> <li>Vertical inscription</li> <li>Horizontal inscription</li> </ul>		<b>8WA8 860-□□□</b> <b>8WA8 861-□□□</b>	041
 <p>Horizontal inscription (8WA8 861-0AA)</p>	<b>Inscriptions</b> <ul style="list-style-type: none"> <li>1...5 (40x)</li> <li>6...10 (40x)</li> <li>11...15 (40x)</li> <li>16...20 (40x)</li> <li>21...25 (40x)</li> </ul>		<b>0BA</b> <b>0BB</b> <b>0BC</b> <b>0BD</b> <b>0BE</b>	
	<ul style="list-style-type: none"> <li>26...30 (40x)</li> <li>31...35 (40x)</li> <li>36...40 (40x)</li> <li>41...45 (40x)</li> <li>46...50 (40x)</li> </ul>		<b>0BF</b> <b>0BG</b> <b>0BH</b> <b>0BJ</b> <b>0BK</b>	
<ul style="list-style-type: none"> <li>51...55 (40x)</li> <li>56...60 (40x)</li> <li>61...65 (40x)</li> <li>66...70 (40x)</li> <li>71...75 (40x)</li> </ul>		<b>0BL</b> <b>0BM</b> <b>0BN</b> <b>0BP</b> <b>0BQ</b>		
<ul style="list-style-type: none"> <li>76...80 (40x)</li> <li>81...85 (40x)</li> <li>86...90 (40x)</li> <li>91...95 (40x)</li> <li>96...100 (40x)</li> </ul>		<b>0BR</b> <b>0BS</b> <b>0BT</b> <b>0BU</b> <b>0BV</b>		
<ul style="list-style-type: none"> <li>1...20 (10x)</li> <li>1...40 (5x)</li> <li>41...100 (3x)</li> <li>101...200 (2x)</li> <li>201...300 (2x)</li> </ul>		<b>0AB</b> <b>0AC</b> <b>0AD</b> <b>0AF</b> <b>0AG</b>		
<ul style="list-style-type: none"> <li>1...9, blank (20x)</li> <li>1...100 (2x)</li> <li>A, B...T (10x)</li> <li>U, V, W, X, Y, Z (30x) +, - (10x)</li> <li>L1, L2, L3, N, PE (40x)</li> </ul>		<b>0AA</b> <b>0AE</b> <b>1AA</b> <b>1AB</b> <b>1AC</b>		
<ul style="list-style-type: none"> <li>U1, V1, W1, U2, V2, W2, (30x); blank (20x)</li> <li>T1, T2, T3 (60x); blank (20x)</li> <li>T4, T5, T6 (60x); blank (20x)</li> <li>1, 3, 5 ... 39 and 2, 4, 6 ... 40</li> <li>+</li> </ul>		<b>1AD</b> <b>1AE</b> <b>1AF</b> <b>0DA</b> <b>1AG</b>		
<ul style="list-style-type: none"> <li>-</li> <li>1a ... 1h to 5a ... 5h (only vertical inscription)</li> <li>6a ... 6h to 10a ... 10h (only vertical inscription)</li> <li>10, 20, 30, ...200 (10x yellow)</li> <li>210, 220, ...400 (10x yellow)</li> <li>410, 420, ...600 (10x yellow)</li> </ul>		<b>1AH</b> <b>1AJ</b> <b>1AK</b> <b>0CA</b> <b>0CB</b> <b>0CC</b>		
<ul style="list-style-type: none"> <li>610, 620, ...800 (10x yellow)</li> <li>810, 820, ...990 (10x yellow)</li> <li>Black warning arrows on yellow label</li> <li>1, 2, 3, 4, ...200 (1x)</li> <li>201, 202, ...400 (1x)</li> </ul>		<b>0CD</b> <b>0CE</b> <b>0CF</b> <b>0AQ</b> <b>0AR</b>		
<ul style="list-style-type: none"> <li>301, 302, ...400 (2x)</li> <li>401, 402, ...600 (1x)</li> <li>401, 402, ...500 (2x)</li> </ul>		<b>0AH</b> <b>0AS</b> <b>0AJ</b>		







\* You can order this quantity or a multiple thereof.



# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WA labeling accessories

Version	Order No.	Price 1 unit	PG	PS* P. unit Unit(s)
<b>Labeling plates, customized inscriptions</b> <ul style="list-style-type: none"> <li>Label size 5 mm x 7 mm</li> <li>Character height 2 mm</li> <li>Grid size: 6.2 mm</li> <li>Specify required inscription in plain text</li> </ul>				
<b>Versions</b> <ul style="list-style-type: none"> <li>Vertical inscription</li> <li>Horizontal inscription</li> </ul>	<b>8WA8 847-0XA</b> <b>8WA8 848-0XA</b>		041	100 100
<b>Other labeling plate accessories</b>				
 <b>End labeling plates</b> <ul style="list-style-type: none"> <li>21 x 42 mm</li> <li>Paper label, inscription possible, with transparent cover</li> <li>Suitable for 8WA1 805, 8WA1 808 and 8WA2 808 end retainers</li> </ul>	<b>8WA1 806</b>		041	50
 <b>Group labels</b> <ul style="list-style-type: none"> <li>White</li> <li>For 8WA2 terminals for plugging onto retaining plates or insulation plates</li> <li>L = 100 mm</li> </ul>	<b>8WA2 838</b>		041	50
 <b>Labeling plates, for wires</b> <ul style="list-style-type: none"> <li>Wires from Ø 2 mm to Ø 10 mm</li> <li>Blank labeling plate for inscription with water-proof pen</li> <li>Inscription area 9 mm x 30 mm</li> </ul>	<b>8WA8 846-2AY</b>		041	1000
 <b>Terminal strip labels</b> Suitable for 8WA1 808 and 8WA2 808 end retainers				
<b>Versions</b> <ul style="list-style-type: none"> <li>Printed with "X1"</li> <li>Printed with "X2"</li> <li>Printed with "X3"</li> <li>Blank</li> </ul>	<b>8WA8 826-0AA</b> <b>8WA8 826-0AB</b> <b>8WA8 826-0AC</b> <b>3TX4 210-0H</b>		041	100 100 100 100
 <b>Label holders</b>				
<b>Versions</b> <ul style="list-style-type: none"> <li>For 8WA2 terminals for insertion into test opening</li> <li>For identification of wires with 8WA8 818-... labeling strips               <ul style="list-style-type: none"> <li>Wires from Ø 2 mm to Ø 10 mm</li> <li>With max. 8 labeling plates from the 8WA8 818-... labeling strip</li> <li>Mounting width 5 mm</li> </ul> </li> </ul>	<b>8WA2 850</b> <b>8WA1 881</b>		041 101	50 100
				










6

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WA mounting accessories





#### Selection and ordering data

	Version	Order No.	Price 1 unit	PG	PS* P. unit Unit(s)
	<b>End retainers</b> <ul style="list-style-type: none"> <li>• Light gray</li> <li>• Mounting width 9 mm</li> <li>• Terminal height 31 mm</li> <li>• Terminal length 67 mm</li> <li>• Suitable for <ul style="list-style-type: none"> <li>- 8WA1 806 end labeling plate or</li> <li>- 8WA8 826-0A terminal strip labeling plate or</li> <li>- -0H device labeling plate or</li> <li>- 4 8WA8 ... labeling plates</li> </ul> </li> <li>• Can also be used for neutral busbar 10 x 3 mm as retainer with the corresponding 8WA2 837 part</li> </ul>	<b>8WA2 808</b>		041	50
	<b>End retainers, with screw fixing</b> <ul style="list-style-type: none"> <li>• Mounting width 10 mm</li> <li>• Suitable for 8WA1 806 end labeling plate or 8WA8 826-0A terminal strip labeling plate or 3TX4 210-0H device labeling plate or four 8WA8 labeling plates.</li> </ul>	<b>8WA1 808</b>		041	50
	<b>End retainers, steel</b> <ul style="list-style-type: none"> <li>• Mounting width 10.3 mm</li> <li>• Suitable for 8WA1 806 end labeling plate</li> </ul>	<b>8WA1 805</b>		041	50
	<b>Note</b> In the case of an end retainer against the 8WA1 89. link rail (size 2.5) a 8WA1 820 barrier must be inserted.				
	<b>Standard mounting rails</b> <ul style="list-style-type: none"> <li>• Perforated <ul style="list-style-type: none"> <li>- EN 50022-35 x 7.5</li> <li>- 2 m long, 1 mm thick,</li> <li>- Steel, Sendzimir galvanized</li> </ul> </li> <li>• Without apertures</li> <li>• Non-perforated, copper <ul style="list-style-type: none"> <li>- EN 50022-35 x 15</li> <li>- 2 m long, 2.3 mm thick,</li> </ul> </li> <li>• Non-perforated, steel, galvanized, chromized <ul style="list-style-type: none"> <li>- Similar to EN 50022-35 x 15</li> <li>- 2 m long, 1.5 mm thick,</li> </ul> </li> </ul>	<b>5ST1 145</b>  <b>5ST1 141</b> <b>8WA7 551</b>  <b>5ST1 142</b>		027	20 041 20 1 027 10
	<b>Test plugs</b> <ul style="list-style-type: none"> <li>• For 8WA1 and 8WA2 terminals with 2.3 mm ø hole or 8WA1 854, 8WA1 884 test sockets</li> <li>• Uninterrupted current 10 A</li> </ul>				
	<b>Versions</b> <ul style="list-style-type: none"> <li>• Red</li> <li>• Blue</li> </ul>	<b>8WA1 868</b> <b>8WA1 870</b>		041 041	10 10
	<b>Test sockets</b> <ul style="list-style-type: none"> <li>• ø 2, 3 mm</li> <li>• With associated spacer sleeve for link rails, terminal sizes 2.5 and 4 mm<sup>2</sup>, two-tier terminals, rear level, terminal size 6 mm<sup>2</sup></li> <li>• Uninterrupted current 10 A</li> </ul>				
	<b>Versions</b> <ul style="list-style-type: none"> <li>• Test socket</li> <li>• Space sleeve</li> </ul>	<b>8WA1 884</b> <b>8WA1 822-7VH11</b>		041 041	100 100
	<b>Note</b> The test socket must be used with a distance sleeve.				
	<b>Reduction plugs</b> <ul style="list-style-type: none"> <li>• For 8WA1 and 8WA2 terminals with 2.3 mm ø hole or 8WA1 854, 8WA1 884 test sockets</li> <li>• Uninterrupted current 10 A</li> <li>• With 4 mm ø hole</li> </ul>	<b>8WA1 871</b>		041	10
	<b>Spacer brackets</b> <ul style="list-style-type: none"> <li>• For raised mounting of terminal strips</li> </ul>	<b>8WA7 53</b>		041	50
	<b>Spacers</b> <ul style="list-style-type: none"> <li>• With 5.5 mm hole</li> <li>• For raised mounting of terminal strips</li> </ul>	<b>8WA7 52</b>		041	100

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WA mounting accessories

Version	Order No.	Price	PG	PS* P. unit
 <p><b>Fastening accessory</b> for screw fixing of 8WA1 304, 8WA1 011-3DF21, 8WA1 011-3DG21, 8WA1 011-ODG22, 8WA1 011-3DH21 terminal blocks and single terminals (no end retainer required)</p> <p>8WA1 815</p>	<b>8WA1 815</b>	1 unit	041	1
 <p><b>Mounting brackets</b> for standard mounting rails</p> <p>8WA7 46</p>	<b>8WA7 46</b>		041	10
 <p><b>Insulation carriers</b> for insulated mounting of mounting rails onto plates, frame profiles and standard mounting rails EN 50022-35</p> <p>8WA1 857</p>	<b>8WA1 857</b>		041	20
<p><b>Labeling plates, for identical of insulation carrier</b></p> <p><b>8WA1 864</b></p>	<b>8WA1 864</b>		041	100
 <p>8WA2 803</p> <p><b>Screwdrivers</b></p> <ul style="list-style-type: none"> <li>• Green</li> <li>• Approx. 175 mm long</li> </ul> <p><b>Versions</b></p> <ul style="list-style-type: none"> <li>• Up to terminal size 6 mm<sup>2</sup> <ul style="list-style-type: none"> <li>- 3.5 mm × 0.5 mm</li> <li>- 3.5 mm × 0.5 mm, partially insulated</li> </ul> </li> <li>• Up to terminal size 16 mm<sup>2</sup> <ul style="list-style-type: none"> <li>- 5.5 mm × 0.8 mm</li> </ul> </li> </ul>	<b>8WA2 803</b>		041	1
	<b>8WA2 880</b>		041	1
	<b>8WA2 806</b>		041	1


# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

8WH labeling accessories  
Blank labeling plates

NEW

### Design



Adapter for inscription of 8WA8 front labeling plates

Using the 8WH9 060-4AA00 adapter, all 8WA8 labeling plates can be snapped onto the 8WH terminal blocks (front).

### Selection and ordering data

Version	Order No.	Price 1 unit	PG	PS* P. unit Unit(s)
<b>Adapters, for individual inscription of 8WA labeling plates</b>	<b>8WH9 060-4AA00</b>		044	100
<b>Blank labels</b>				
• Front				
- For terminal width 4.2 mm	<b>8WH8 112-1AA05</b>		044	100
- For terminal width 5.2 and 6.2 mm	<b>8WH8 112-2AA05</b>		044	100
- For terminal width 8.2, 10 and 15 mm	<b>8WH8 112-3AA05</b>		044	100
• Flat				
- For terminal width 4.2, 5.2, 6.2, 8.2 and 10 mm	<b>8WH8 113-1AA05</b>		044	100
- For terminal width 15	<b>8WH8 113-6AA05</b>		044	100









# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH



8WH labeling accessories  
Inscribed labeling plates

### Selection and ordering data

Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
<b>Terminal width 4.2 mm</b>				
 8WH8 120-1AB05	<b>Labeling plates, front, for terminal width 4.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 120-1AB05 8WH8 120-1AB15 8WH8 120-1AB25 8WH8 120-1AB35 8WH8 120-1AB45 8WH8 120-1AB55 8WH8 120-1AB65 8WH8 120-1AB75 8WH8 120-1AB85 8WH8 120-1AC05 8WH8 120-1XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 140-1AB05	<b>Labeling plates, front, for terminal width 4.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 140-1AB05 8WH8 140-1AB15 8WH8 140-1AB25 8WH8 140-1AB35 8WH8 140-1AB45 8WH8 140-1AB55 8WH8 140-1AB65 8WH8 140-1AB75 8WH8 140-1AB85 8WH8 140-1AC05 8WH8 140-1XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 110-1AA05	<b>Labeling plates, front, for terminal width 4.2 mm, blank</b>	8WH8 110-1AA05	044	100
 8WH8 121-1AB05	<b>Labeling plates, flat, for terminal width 4.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 121-1AB05 8WH8 121-1AB15 8WH8 121-1AB25 8WH8 121-1AB35 8WH8 121-1AB45 8WH8 121-1AB55 8WH8 121-1AB65 8WH8 121-1AB75 8WH8 121-1AB85 8WH8 121-1AC05 8WH8 121-1XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 141-1AB05	<b>Labeling plates, flat, for terminal width 4.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 141-1AB05 8WH8 141-1AB15 8WH8 141-1AB25 8WH8 141-1AB35 8WH8 141-1AB45 8WH8 141-1AB55 8WH8 141-1AB65 8WH8 141-1AB75 8WH8 141-1AB85 8WH8 141-1AC05 8WH8 141-1XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 111-1AA05	<b>Labeling plates, flat, for terminal width 4.2 mm, blank</b>	8WH8 111-1AA05	044	100







\* You can order this quantity or a multiple thereof.

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

8WH labeling accessories  
Inscribed labeling plates



Version	Order No.	Price 1 unit	PG	PS* P. unit Unit(s)
<b>Terminal width 5.2 mm</b>				
 8WH8 120-2AB05   8WH8 120-2AA15	<b>Labeling plates, front, for terminal width 5.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>L1/L2/L3/N/PE</li> <li>Custom inscription</li> </ul>	8WH8 120-2AB05 8WH8 120-2AB15 8WH8 120-2AB25 8WH8 120-2AB35 8WH8 120-2AB45 8WH8 120-2AB55 8WH8 120-2AB65 8WH8 120-2AB75 8WH8 120-2AB85 8WH8 120-2AC05 8WH8 120-2AA15 8WH8 120-2XA05	044 044 044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100 100 100
 8WH8 140-2AB05	<b>Labeling plates, front, for terminal width 5.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 140-2AB05 8WH8 140-2AB15 8WH8 140-2AB25 8WH8 140-2AB35 8WH8 140-2AB45 8WH8 140-2AB55 8WH8 140-2AB65 8WH8 140-2AB75 8WH8 140-2AB85 8WH8 140-2AC05 8WH8 140-2XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 110-2AA05	<b>Labeling plates, front, for terminal width 5.2 mm, blank</b>	8WH8 110-2AA05	044	100
 8WH8 121-2AB15	<b>Labeling plates, flat, for terminal width 5.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 121-2AB05 8WH8 121-2AB15 8WH8 121-2AB25 8WH8 121-2AB35 8WH8 121-2AB45 8WH8 121-2AB55 8WH8 121-2AB65 8WH8 121-2AB75 8WH8 121-2AB85 8WH8 121-2AC05 8WH8 121-2XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 141-2AB15	<b>Labeling plates, flat, for terminal width 5.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 141-2AB05 8WH8 141-2AB15 8WH8 141-2AB25 8WH8 141-2AB35 8WH8 141-2AB45 8WH8 141-2AB55 8WH8 141-2AB65 8WH8 141-2AB75 8WH8 141-2AB85 8WH8 141-2AC05 8WH8 141-2XA05	044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100
 8WH8 111-2AA05	<b>Labeling plates, flat, for terminal width 5.2 mm, blank</b>	8WH8 111-2AA05	044	100










# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

8WH labeling accessories  
Inscribed labeling plates













Version	Order No.	Price 1 unit	PG	PS* P. unit Unit(s)
<b>Terminal width 8.2 mm</b>				
 8WH8 120-4AB05   8WH8 120-4AA15	<b>Labeling plates, front, for terminal width 8.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>L1/L2/L3/N/PE</li> <li>Custom inscription</li> </ul>	8WH8 120-4AB05 8WH8 120-4AB15 8WH8 120-4AB25 8WH8 120-4AB35 8WH8 120-4AB45 8WH8 120-4AB55 8WH8 120-4AB65 8WH8 120-4AB75 8WH8 120-4AB85 8WH8 120-4AC05 8WH8 120-4AA15 8WH8 120-4XA05	044 044 044 044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100 100 100 100
 8WH8 140-4AB05	<b>Labeling plates, front, for terminal width 8.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 140-4AB05 8WH8 140-4AB15 8WH8 140-4AB25 8WH8 140-4AB35 8WH8 140-4AB45 8WH8 140-4AB55 8WH8 140-4AB65 8WH8 140-4AB75 8WH8 140-4AB85 8WH8 140-4AC05 8WH8 140-4XA05	044 044 044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100 100 100
 8WH8 110-4AA05	<b>Labeling plates, front, for terminal width 8.2 mm, blank</b>	8WH8 110-4AA05	044	100
 8WH8 121-4AB05	<b>Labeling plates, flat, for terminal width 8.2 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 121-4AB05 8WH8 121-4AB15 8WH8 121-4AB25 8WH8 121-4AB35 8WH8 121-4AB45 8WH8 121-4AB55 8WH8 121-4AB65 8WH8 121-4AB75 8WH8 121-4AB85 8WH8 121-4AC05 8WH8 121-4XA05	044 044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100 100
 8WH8 141-4AB05	<b>Labeling plates, flat, for terminal width 8.2 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> <li>- 41 to 50 (10x)</li> <li>- 51 to 60 (10x)</li> <li>- 61 to 70 (10x)</li> <li>- 71 to 80 (10x)</li> <li>- 81 to 90 (10x)</li> <li>- 91 to 100 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	8WH8 141-4AB05 8WH8 141-4AB15 8WH8 141-4AB25 8WH8 141-4AB35 8WH8 141-4AB45 8WH8 141-4AB55 8WH8 141-4AB65 8WH8 141-4AB75 8WH8 141-4AB85 8WH8 141-4AC05 8WH8 141-4XA05	044 044 044 044 044 044 044 044 044 044 044 044	100 100 100 100 100 100 100 100 100 100 100 100
 8WH8 111-3AA05	<b>Labeling plates, flat, for terminal width 8.2 mm, blank</b>	8WH8 111-4AA05	044	100

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

NEW

8WH labeling accessories  
Inscribed labeling plates

Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
<b>Terminal width 10 mm</b>				
 8WH8 120-5AB05  8WH8 120-5AA15  8WH8 120-5AA25	<b>Labeling plates, front, for terminal width 10 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> </ul> </li> <li>L1/L2/L3/N/PE</li> <li>Custom inscription</li> <li>U/N/W/N/grounding</li> </ul>	<b>8WH8 120-5AB05</b> <b>8WH8 120-5AB15</b> <b>8WH8 120-5AB25</b> <b>8WH8 120-5AB35</b> <b>8WH8 120-5AA15</b> <b>8WH8 120-5XA05</b> <b>8WH8 120-5AA25</b>	044 044 044 044 044 044 044	100 100 100 100 100 100 100
 8WH8 140-5AB05	<b>Labeling plates, front, for terminal width 10 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	<b>8WH8 140-5AB05</b> <b>8WH8 140-5AB15</b> <b>8WH8 140-5AB25</b> <b>8WH8 140-5AB35</b> <b>8WH8 140-5XA05</b>	044 044 044 044 044	100 100 100 100 100
 8WH8 110-5AA05	<b>Labeling plates, front, for terminal width 10 mm, blank</b>	<b>8WH8 110-5AA05</b>	044	100
 8WH8 121-5AB05	<b>Labeling plates, flat, for terminal width 10 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	<b>8WH8 141-5AB05</b> <b>8WH8 121-5AB15</b> <b>8WH8 121-5AB25</b> <b>8WH8 121-5AB35</b> <b>8WH8 121-5XA05</b>	044 044 044 044 044	100 100 100 100 100
 8WH8 141-5AB05	<b>Labeling plates, flat, for terminal width 10 mm, vertical inscription</b> <ul style="list-style-type: none"> <li>Incremental numbering               <ul style="list-style-type: none"> <li>- 1 to 10 (10x)</li> <li>- 11 to 20 (10x)</li> <li>- 21 to 30 (10x)</li> <li>- 31 to 40 (10x)</li> </ul> </li> <li>Custom inscription</li> </ul>	<b>8WH8 121-5AB05</b> <b>8WH8 141-5AB15</b> <b>8WH8 141-5AB25</b> <b>8WH8 141-5AB35</b> <b>8WH8 141-5XA05</b>	044 044 044 044 044	100 100 100 100 100
 8WH8 111-5AA05	<b>Labeling plates, flat, for terminal width 10 mm, blank</b>	<b>8WH8 111-5AA05</b>	044	100
<b>Terminal width 15 mm</b>				
 8WH8 120-7AA15	<b>Labeling plates, front, for terminal width 15 mm, horizontal inscription</b> <ul style="list-style-type: none"> <li>L1/L2/L3/N/PE</li> <li>Custom inscription</li> </ul>	<b>8WH8 120-7AA15</b> <b>8WH8 120-7XA05</b>	044 044	100 100
	<b>Labeling plates, front, for terminal width 15 mm, vertical custom inscription</b>	<b>8WH8 140-7XA05</b>	044	100
 8WH8 110-7AA05	<b>Labeling plates, front, for terminal width 15 mm, blank</b>	<b>8WH8 110-7AA05</b>	044	100
	<b>Labeling plates, flat, for terminal width 15 mm, blank</b>	<b>8WH8 111-7AA05</b>	044	100

6






# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WH mounting accessories



#### Selection and ordering data




Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
 8WH9 150-0CA00	<b>Quick-fit end retainers</b> • For labeling with front labeling plates, for terminal width 5.2 mm and terminal strip markers	<b>8WH9 150-0CA00</b>	044	50
 8WH9 150-1CA00	<b>Terminal strip markers, for end retainers</b> • Height-adjustable • For quick-fit end retainers • Inscription possible with terminal strip marker or two labeling plates, front, for terminal width 10.2 mm • Labeling field size: 20 x 8 mm	<b>8WH9 150-1CA00</b>	044	100
 8WH9 010-0JB00	<b>Test adapters</b> • For 4 mm Ø PS test plugs and 4 mm Ø safety test plugs • Makes contact in the bridge slot	<b>8WH9 010-0JB00</b>	044	10
 8WH9 010-0DB02	<b>Lateral mounting test plugs</b> for individual assembly of test plug strips <b>Versions</b> • For terminal width 4.2 mm • For terminal width 5.2 mm • For terminal width 6.2 mm • For terminal width 8.2 mm	<b>8WH9 010-0DB02</b> <b>8WH9 010-0EB02</b> <b>8WH9 010-0FB02</b> <b>8WH9 010-0GB02</b>	044 044 044 044	10 10 10 10
 8WH9 010-2AA02	<b>Spacer plates</b> for skipping single terminals for individual test adapter assembly <b>Versions</b> • For terminal width 4.2 mm • For terminal width 5.2 mm • For terminal width 6.2 mm • For terminal width 8.2 mm	<b>8WH9 010-2AA02</b> <b>8WH9 010-2BA02</b> <b>8WH9 010-2CA02</b> <b>8WH9 010-2DA02</b>	044 044 044 044	10 10 10 10

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

NEW

### 8WH mounting accessories

Version	Order No.	Price	PG	PS* P. unit		
		1 unit		Unit(s)		
 8WH9 020-6AC10	<b>Connecting combs</b>					
	<ul style="list-style-type: none"> <li>For terminal width 4.2 mm               <ul style="list-style-type: none"> <li>- 2-pole</li> <li>- 3-pole</li> <li>- 4-pole</li> <li>- 5-pole</li> <li>- 10-pole</li> <li>- 20-pole</li> </ul> </li> </ul>	<b>8WH9 020-6AC10</b> <b>8WH9 020-6AD10</b> <b>8WH9 020-6AE10</b> <b>8WH9 020-6AF10</b> <b>8WH9 020-6AL10</b> <b>8WH9 020-6AS10</b>		044	50	
	<ul style="list-style-type: none"> <li>For terminal width 5.2 mm               <ul style="list-style-type: none"> <li>- 2-pole</li> <li>- 3-pole</li> <li>- 4-pole</li> <li>- 5-pole</li> <li>- 10-pole</li> <li>- 20-pole</li> <li>- 50-pole</li> </ul> </li> </ul>	<b>8WH9 020-6BC10</b> <b>8WH9 020-6BD10</b> <b>8WH9 020-6BE10</b> <b>8WH9 020-6BF10</b> <b>8WH9 020-6BL10</b> <b>8WH9 020-6BS10</b> <b>8WH9 020-6BT10</b>		044	50	
	<ul style="list-style-type: none"> <li>For terminal width 6.2 mm               <ul style="list-style-type: none"> <li>- 2-pole</li> <li>- 3-pole</li> <li>- 4-pole</li> <li>- 5-pole</li> <li>- 10-pole</li> <li>- 20-pole</li> <li>- 50-pole</li> </ul> </li> </ul>	<b>8WH9 020-6CC10</b> <b>8WH9 020-6CD10</b> <b>8WH9 020-6CE10</b> <b>8WH9 020-6CF10</b> <b>8WH9 020-6CL10</b> <b>8WH9 020-6CS10</b> <b>8WH9 020-6CT10</b>		044	50	
	<ul style="list-style-type: none"> <li>For terminal width 8.2 mm               <ul style="list-style-type: none"> <li>- 2-pole</li> <li>- 3-pole</li> <li>- 4-pole</li> <li>- 5-pole</li> <li>- 10-pole</li> </ul> </li> </ul>	<b>8WH9 020-6DC10</b> <b>8WH9 020-6DD10</b> <b>8WH9 020-6DE10</b> <b>8WH9 020-6DF10</b> <b>8WH9 020-6DL10</b>		044	10	
	<ul style="list-style-type: none"> <li>For terminal width 10 mm, 2-pole</li> <li>For terminal width 12 mm, 2-pole</li> <li>For terminal width 16 mm, 2-pole</li> </ul>	<b>8WH9 020-6EC10</b> <b>8WH9 020-6FC10</b> <b>8WH9 020-6GC10</b>		044	10	
	 8WH9 020-0FC10	<b>Reducing combs</b>				
		<ul style="list-style-type: none"> <li>For connecting to a through-type terminal, terminal size 2.5 or 4 mm<sup>2</sup> <ul style="list-style-type: none"> <li>- To a through-type terminal, terminal size 6 mm<sup>2</sup>, <math>I_{max}</math>: 48 A</li> <li>- To a through-type terminal, terminal size 10 mm<sup>2</sup>, <math>I_{max}</math>: 55 A</li> <li>- To a through-type terminal, terminal size 16 mm<sup>2</sup>, <math>I_{max}</math>: 64 A</li> <li>- To a through-type terminal, terminal size 35 mm<sup>2</sup>, <math>I_{max}</math>: 64 A</li> </ul> </li> </ul>	<b>8WH9 020-0FC10</b> <b>8WH9 020-0AC10</b> <b>8WH9 020-0BC10</b> <b>8WH9 020-0EC10</b>		044	10
		<ul style="list-style-type: none"> <li>For connecting to a through-type terminal, terminal size 16 mm<sup>2</sup> <ul style="list-style-type: none"> <li>- To a through-type terminal, terminal size 35 mm<sup>2</sup>, <math>I_{max}</math>: 90 A</li> </ul> </li> </ul>	<b>8WH9 020-0DC10</b>		044	10
		<b>Through-type connectors</b>				
		<ul style="list-style-type: none"> <li>Gray</li> <li><math>I_{max}</math>: 16 A</li> </ul>	<b>8WH9 020-8AB00</b>		044	50
	 8WH9 040-0BB00	<b>Component connectors</b>				
		<ul style="list-style-type: none"> <li><math>I_{max}</math>: 6 A, depending on the power loss of the components, max. 1 W with single arrangement</li> <li>Inscription possible with labeling plates, flat, for terminal width 5.2 mm</li> </ul>	<b>8WH9 040-0BB00</b>		044	10

6





\* You can order this quantity or a multiple thereof.

# ALPHA FIX Terminal Blocks

## Accessories for 8WA and 8WH

### 8WH mounting accessories



Version	Order No.	Price	PG	PS* P. unit
		1 unit		Unit(s)
 <p>8WH9 040-3AB08</p>	<p><b>Fused connectors</b></p> <ul style="list-style-type: none"> <li>• Black</li> <li>• <math>I_{max}</math>: 6,3 A</li> <li>• Inscription possible with labeling plates, flat, for terminal width 5.2 mm</li> </ul> <p><b>Versions</b></p> <ul style="list-style-type: none"> <li>• With LED display for 12 to 30 V    1 ... 2.5 mA</li> <li>• With LED display for 30 to 60 V    0.8 ... 2.0 mA</li> <li>• With LED display for 110 to 250 V   0.5 ... 2.5 mA</li> <li>• Without LED display</li> </ul> <p><b>Note</b></p> <p>Select G fuse holders according to the max. power loss (heat dissipation) of the G fuse links. Test the heating conditions in enclosed fuse holders, which depend on application and installation method.</p> <p>Higher ambient temperatures present an additional burden for the fuse links. In this case, take the offset of the rated current into account.</p>	<p><b>8WH9 040-3AB08</b></p> <p><b>8WH9 040-3BB08</b></p> <p><b>8WH9 040-3CB08</b></p> <p><b>8WH9 040-3DB08</b></p>	<p>044</p> <p>044</p> <p>044</p> <p>044</p>	<p>10</p> <p>10</p> <p>10</p> <p>10</p>
 <p>8WH9 040-3DB08</p>				
 <p>8WH9 040-0DB04</p>	<p><b>Isolating plugs</b></p> <ul style="list-style-type: none"> <li>• Orange</li> </ul>	<p><b>8WH9 040-0DB04</b></p>	<p>044</p>	<p>50</p>
 <p>8WH9 200-0AA00</p>	<p><b>Screwdrivers</b> for actuating the tension springs</p> <p><b>Versions</b></p> <ul style="list-style-type: none"> <li>• 0.4 x 2.5 mm</li> <li>• 0.4 x 3.5 mm</li> <li>• 0.8 x 4.0 mm</li> <li>• 1.0 x 5.5 mm</li> </ul>	<p><b>8WH9 200-0AA00</b></p> <p><b>8WH9 200-0AB00</b></p> <p><b>8WH9 200-0AC00</b></p> <p><b>8WH9 200-0AD00</b></p>	<p>044</p> <p>044</p> <p>044</p> <p>044</p>	<p>10</p> <p>10</p> <p>10</p> <p>10</p>