

**Pressing tool  
PZ 16**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

|            |   |
|------------|---|
| Type       | PZ 16   |
| Order No.  | <a href="#">9012600000</a>  |
| Version    | Pressing tool, Crimping tool for wire-end ferrules, 6mm <sup>2</sup> , 16mm <sup>2</sup> , Indent crimp |
| GTIN (EAN) | 4008 190035440  |
| Qty.       | 1 pc(s).  |

Creation date April 21, 2020 12:56:07 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**Data sheet**

**Pressing tool  
PZ 16**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

|        |        |                |            |
|--------|--------|----------------|------------|
| Width  | 200 mm | Width (inches) | 7.874 inch |
| Weight | 418 g  | Net weight     | 429.8 g    |

**Environmental Product Compliance**

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

**Technical data**

|         |   |
|---------|---|
| Version | Mechanical, without interchangeable inserts |
|---------|---|

**Description of contact**

|                                   |  |                                   |                   |
|-----------------------------------|--|-----------------------------------|-------------------|
| Type of contact                   | Wire-end ferrules with/without plastic collars | Crimping range, min.              | 6 mm <sup>2</sup> |
| Crimping range, max.              | 16 mm <sup>2</sup>                             | Conductor cross-section, max. AWG | AWG 6             |
| Conductor cross-section, min. AWG | AWG 10   |                                   |                   |

**tool data crimping**

|                                       |                    |                                       |                    |
|---------------------------------------|--------------------|---------------------------------------|--------------------|
| Crimping profile 1, min.              | 6 mm <sup>2</sup>  | Crimping type/profile                 | Indent crimp       |
| Wire end ferrules cross-section, min. | 6 mm <sup>2</sup>  | Wire end ferrules cross-section, max. | 16 mm <sup>2</sup> |
| Crimping profile 2, min.              | 10 mm <sup>2</sup> | Crimping profile 3, min.              | 16 mm <sup>2</sup> |

**Classifications**

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0   | EC000168    |
| eClass 9.0  | 21-04-38-11 | eClass 9.1 | 21-04-38-11 |
| eClass 10.0 | 21-04-38-11 | UNSPSC     | 31-16-31-02 |

**Approvals**

Approvals



**Downloads**

|                    |                                      |
|--------------------|--------------------------------------|
| Brochure/Catalogue | <a href="#">CAT 6 TOOLS 15/16 EN</a> |
| Engineering Data   | <a href="#">WSCAD</a>                |
| Engineering Data   | <a href="#">STEP</a>                 |

**Data sheet**

**Pressing tool  
PZ 16**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

