

CRIMPERS


















CRIMPER?

All parts of **Pro'sKit** crimping tools are made of special steel, oil-hardened and tempered. They come with ergonomically designed handles and lever action features the optimum transmission of force for fatigue-reduced operation, and high crimping quality due to precision dies and integral ratcheting mechanism.

Pro'sKit crimping tools use interchangeable die sets to crimp a wide variety of different connectors for twisted pair & flat phone cable, fiber optic cable, coaxial cable, electrical and Industrial wire...etc.

Symbols for Crimp die profiles

The **Pro'sKit** crimping dies are made from high precision lost-wax casting technology, providing the high accuracy and long service life!

-  4 pin(RJ22) telephone handset plugs
-  6 pin(RJ11/RJ12) telephone plugs
-  8 pin(RJ45) modular plugs
-  10 pin(RJ50) modular plugs
-  Telecom splice connectors
-  Pin terminal, insulated & non-insulated ferrules
-  Insulated & non-insulated wire ferrules
-  Non-insulated terminals & lugs
-  Open barrel, non-insulated terminals & lugs
-  D-Sub terminal & Non-Insulated Open Barrel Connectors
-  Insulated terminals, Insulated & Uninsulated Flag
-  Insulated terminals
-  RS-232 D-sub round barrel contact pins or sockets
-  Insulated & non-insulated wire ferrules
-  Hex type coaxial connectors & fiber optics connectors
-  Oval type coaxial connectors & fiber optics connectors
-  Square type coaxial connectors center contact pins

Symbols for ratcheting mechanism

Pro'sKit ratcheting crimping tools usually combine crimping pressure adjustment and ratcheting release trigger. The different models have different ratcheting mechanism designs.






Crimping pressure adjustment

Ratcheting release knob

Symbols for cutting and stripping

Most of **Pro'sKit** modular crimping tools usually feature cutting and stripping functions

-  Cutting wires
-  Stripping flat telephone cables
-  Stripping twisted pair round cables





Ratcheting release trigger



Symbols for force-saving design

Pro'sKit new design of crimping tools designed with lever action, features optimum transmission of force for fatigue-reduced operation and comes with the ratcheting mechanism which helps to ensure the crimping quality. This design requires less force than general hand tools.

-  Force-saving design
-  Ratcheting force-saving design

CP-3005F Quick Interchange Ratcheting Crimper Frame



Quick die change without tools

Material: AISI 4140
HRC43 \pm 2 $^{\circ}$
(Die not included)




Interchangeable die with quick release trigger

Material: S50C
HRC: 45 \pm 3 $^{\circ}$

Crimping pressure adjustment

Elastomeric resin, double TPR structure.

Ratcheting release trigger



Special quick release trigger design for easy die changes without extra tools

Material		HRC	OAL (mm/inch)	Individual packing
Body	Handle	Body		
S50C	TPR	45 \pm 3 $^{\circ}$	226/9.3	Blister card

902-085 CrimPro Crimp Frame



Crimping force saving up to 30%

Change Dies with thumbscrews.

Elastomeric resin, double structure. non-slip.

Crimping pressure adjustment wheel

Ratcheting release trigger



Replacement Die Screw 300-056

- Right angled head design prevents awkward wrist bending during operation
- Interchangeable die with thumbscrew


Material		HRC	Replacement Die Screw	OAL (mm/inch)	Individual packing
Body	Handle	Body			
S45C	TPR	45 \pm 3 $^{\circ}$	300-056	236/9.3	Blister card

We provide a variety of optional dies to meet the most applications, please contact our sales department to discuss custom needs. All dies on pages 50-52 fit these frame

▶ 300-096 Ergo-Lunar Crimp Frame



Crimping force saving up to 50%



- 40%~50% lower crimping force
- Interchangeable die with thumbscrew

Material		HRC	Replacement Die Screw	OAL (mm/inch)	Individual packing
Body	Handle	Body			
S45C	PP	45°±3°	300-056	260/10.2	Blister card



Replacement Die Screw 300-056

▶ 300-054 Lunar Crimp Frame



Compact size for easy operation



(8.5" 220mm)
Individual packing: Blister card

Material		HRC	Replacement Die Screw	OAL (mm/inch)	Individual packing
Body	Handle	Body			
S45C	PP+TPR	45°±3°	300-056	220/8.6	Blister card



Replacement Die Screw 300-056

We provide a variety of optional dies to meet the most applications, please contact our sales department to discuss custom needs. All dies on pages 50-52 fit these frame

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES, SCISSORS & SAWS

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS

SOLDERING / ASSEMBLY

SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

SOCKET WRENCHES

TWEEZERS



300-096
Ergo-Lunar
Crimp Frame



300-054
Lunar
Crimp Frame



902-085
CrimPro Crimp
Frame



CP-3005F
Quick Interchange
Ratcheting Crimper
Frame

Note: CP-3005F sold as
frame only, but all dies
on this page fit it

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Coaxial Connectors						
		RG174, mini RG59 BNC/ TNC connectors	HEX.068", .128", .178" HEX 1.73, 3.25, 4.52mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-190 300-191 300-192 1PK-3003D7
		Amphenol and General RG58, RG59, RG62, BNC/TNC, F-Type, LMR-240	SQ.052", HEX.068", .100", .213", .255" SQ1.32, HEX1.73, 2.54, 5.41, 6.48mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	902-277 902-278 902-279 902-201
		HDTV, SMA, True 75-ohm BNC/TNC & mini-UHF, RG174, RG59/62, mini-coaxial & Belden 1855A	SQ .042", HEX.068, .178", .197, .255" SQ 1.07mm, HEX1.73, 4.52, 5.00, 6.48mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-187 300-188 300-189 1PK-3003D34
		RG58, 59 and 62 AU, BNC and TNC 3-piece connectors	HEX.068", .213", .256" HEX1.73, 5.41, 6.5mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-019 300-109 902-143 300-045
		HDTV BNC/TNC 3-piece coaxial connectors	SQ .042", HEX.178", .275" SQ 1.07mm, HEX4.52, 6.99mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-184 300-185 300-186 1PK-3003D33
		HDTV true 75-ohm BNC/TNC coaxial connectors: Belden 1855A, 1865A, 1505A, 1505F, 1694A, 1694F	HEX .041", .068", .178", .255", .278" SQ1.04, HEX1.73, 4.52, 6.48, 7.06mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-158 300-159 902-171 300-157
		HDTV BNC/TNC 3-piece coaxial connectors	SQ .042", Hex. 197", .278" SQ1.07mm, HEX 5.00, 7.06mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-193 300-194 300-195 1PK-3003D30
		HDTV BNC/TNC true 75-ohm coaxial connectors, RG6, Belden 1694 & 1694A	SQ.042", HEX.068", .275", .278" SQ1.07mm, HEX1.73, 6.99, 7.06mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-178 300-179 300-180 1PK-3003D31
		BNC, TNC, Mini-UHF, RG58, 141, 142, 303, 400, 59, 62, 210 Belden 8279, 8281, 9231, 9141 RG-6, 212, 222, 304	HEX.068", .098", .213", .255", .321" HEX1.73, 2.49, 5.41, 6.48, 8.15mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-003 300-119 902-137 300-038
		RG59 and Belden 8281/1694A cable groups for both 50 & 75 ohm center pins	HEX.042", .068", .255", .324" HEX1.07, 1.73, 6.48, 8.23mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-022 300-116 902-146 300-048
		HDTV true 75 ohm BNC/TNC & CATV "F" coaxial connectors, RG59, RG6, Belden 8281, 1694A & 1505A	SQ .042", .052", HEX .068", .255", .324" SQ 1.07, 1.32mm, HEX1.73, 6.48, 8.23mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-181 300-182 300-183 1PK-3003D32
		CATV "F" connectors RG-59, RG-6 and RG-6 Quad	HEX.255", .320", .350" HEX6.48, 8.13, 8.89mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-007 300-112 902-139 300-041
		RG8, RG11, RG213, RG216 BNC, TNC and N Series Connectors LMR400	HEX.80", .100", .429" HEX2.03, 2.54, 10.90mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-023 300-117 902-147 300-049
		Crimps Amphenol connectors. Coaxial - Belden 7810A, 9913, 9914, LMR 400.	HEX .429", .118" HEX10.89, 3.00mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-163 300-168 300-173 9PK-3003D29
		Combi-Die for RJ45 WE/SS Modular plugs and RG6/6Q(CATV F-Type)	RJ45 plug HEX.324", .360" HEX 8.23, 9.14mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-161 300-162 902-172 902-054



300-096
Ergo-Lunar
Crimp Frame



300-054
Lunar
Crimp Frame



902-085
CrimPro Crimp
Frame



CP-3005F
Quick Interchange
Ratcheting Crimper
Frame

Note: CP-3005F sold as frame only, but all dies on this page fit it

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Fiber Optic Connectors						
		RG174, RG179 Belden 8218, fiber optics.	SQ.042", HEX.068", .078", .128", .151", .178" SQ1.07, HEX1.73, 1.98, 3.25, 3.84, 4.52mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-024 300-118 902-148 300-050
		For FC, SC, ST, LC, SMA & MT-RJ fiber optics.	HEX .139", .151", .178", RD.134", .190" HEX3.53, 3.84, 4.52mm, RD3.40, 4.83mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-167 300-172 300-177 9CP-336DF4
		SMA, SMB, FC Biconic and SC & ST fiber optic connectors, RG58, RG174, Belden 8218	SQ.042", HEX.068", .151", .178", .213" SQ1.07, HEX1.73, 3.84, 4.52, 5.41mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-021 300-115 902-145 300-047
		Fiber Optic and Coaxial SMA/SMB/ SFR Connectors SC/ST/FC	HEX.151", .178", .213" HEX3.84, 4.52, 5.41mm		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-106 300-143 902-167 300-102
Electrical and Industrial Terminals						
		Miniature Insulated Terminals Nylon and Vinyl	AWG26-16 DIN 0.2-1.5mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-146 300-147 902-169 300-104
		Red, Yellow, Blue Insulated terminals AWG 10-12, 14-16, 18-22 Nylon and Vinyl	AWG22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-002 300-108 902-152 300-058
		Thin Style Insulated Terminals (red/yellow/blue) Nylon and Vinyl	AWG22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-141 300-142 902-166 300-101
		Insulated Terminals	AWG22-18/16-14/12-10/8 DIN 0.5-1.0/1.5-2.5/4.0- 6.0/10.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	CP-336FD27 1PK-3003FD27 CP-372FD27 9PK-3003D27
		Uninsulated Terminals	AWG20-18/16-14/12-10/8 DIN 0.5-1.0/1.5-2.5/4.0- 6.0/10.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-132 300-133 902-161 300-095
		Open Barrel Contacts Molex/Tyco D-Sub, Molex, AMP Style Pin	AWG30-24/22-18 DIN 0.05-0.25/0.5-1.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-164 300-169 300-174 9PK-3003D36
		Open barrel contacts D-sub, Molex, AMP style pin	AWG20-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-005 300-120 902-138 300-039
		For Red and Blue Insulated Flag Terminals AWG 22-18, 16-14	AWG22-18/16-14 DIN 0.5-1.0/1.5-2.5mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-072 300-130 902-158 300-070
		For Yellow and Blue insulated Flag Terminals	AWG16-14/12-10 DIN 1.5-2.5/4.0-6.0mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	902-332 902-331 902-330 9PK-3003D42
		Uninsulated Flag Terminals	AWG22-18/16-14 DIN 0.5-1.0/1.5-2.5mm ²		Lunar frame w/die Ergo-Lunar frame w/die CrimPro frame w/die Die only	300-073 300-131 902-159 300-071

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES, SCISSORS
& SAWS

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS



















SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

SOCKET
WRENCHES





TWEEZERS

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Electrical and Industrial Terminals						
		Wire ferrules (Insulated and Non-Insulated)	AWG22/20/18/16/14/12 DIN 0.5/0.75/1.0/1.5/2.5/ 4.0mm ²		Lunar frame w/die	300-001
					Ergo-Lunar frame w/die	300-134
					CrimPro frame w/die	902-162
					Die only	300-097
		Wire Ferrules (Insulated and Non-Insulated)	AWG10/8/6 DIN 6/10/16mm ²		Lunar frame w/die	300-144
					Ergo-Lunar frame w/die	300-145
					CrimPro frame w/die	902-168
					Die only	300-103
		Wire Ferrules (Insulated and Non-Insulated)	AWG6/4/2 DIN 16/25/35mm ²		Lunar frame w/die	300-077
					Ergo-Lunar frame w/die	300-160
					CrimPro frame w/die	902-160
					Die only	300-077D
		Spark Plug Cable-Cut, Strip, Crimp	8-8.5mm Spark plug wires		Ergo-Lunar frame w/die	902-275
					CrimPro frame w/die	902-276
					Die only	9PK-3003D26
Solar Terminals						
		Multi-Contact (MC3)Ø3mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm ²		Lunar frame w/die	300-165
					Ergo-Lunar frame w/die	300-170
					CrimPro frame w/die	300-175
					Die only	CP-5S1D
		Multi-Contact (MC4)Ø4mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm ²		Lunar frame w/die	300-166
					Ergo-Lunar frame w/die	300-171
					CrimPro frame w/die	300-176
					Die only	CP-5S2D

Solar Series Crimpers



Material	OAL (mm/inch)	Individual packing
S45C	203/8.12	Blister card

DIE Set	Crimp die profile	Application	Description	Model No.
		D-Subminiature contacts, RS232 pins & sockets AWG 30-18 Open Barrel contacts (Molex/AMP style)	Completed set with die	300-009
			Die only	300-086
			Frame only	300-087
		Wire Ferrules AWG 22-10	Completed set with die	300-010
			Die only	300-105
			Frame only	300-087

902-337 PowerPole® Crimper



Phillips long screw that holds the locator in place



PowerPole® is a registered trademark of Anderson Power products


Material	Application	OAL (mm/inch)	Individual packing
S45C	PowerPole® modular connector #15(20~16 AWG/0.5~1.0mm ²) #30(16~12 AWG/1.0~2.5mm ²) #45(14~10 AWG/1.5~4.0mm ²)	260/10.2	Blister card

▶ CP-3006F Parallel Action Crimping Tool



Features:

- **Reliable:** Parallel action crimping performance is consistent and accurate
- **Practical:** Safety crimp release helps eliminate rejected terminations due to incorrect positioning.
- **Comfortable:** Ergonomically shaped non-slip TPR handle for comfortable use in all conditions
- **Versatile:** Interchangeable die sets for wide range of applications.



Material		HRC	OAL. (mm/inch)	Individual packing
Body	Handle			
S50C	TPR	45 ±3°	254/10	Blister card

Model No.	Replacement Die model no.	DIE Set	Crimp die profile	Application	Terminals
CP-3006F				Frame only	
CP-3006FD2	300-039			Non insulated open barrel connectors, commercial type AWG 22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0-6.0 mm ² JIS 0.35-0.9/1.25-2.0/3.5-5.5 mm ²	
CP-3006FD36	9PK-3003D36			Non-insulated open barrel connectors & D-SUB V.35 contact pins AWG 30-24/22-18 DIN 0.05-0.25/0.50-1.0 mm ² JIS 0.05-0.25/0.35-0.9 mm ²	
CP-3006FS1	CP-5S1D			For MC 3 solar connector (Multi-Contact) & 2.5/4.0/6.0 mm ² (AWG 14/12/10) solar cable AWG 14/12/10 DIN 2.5/4.0/6.0 mm ²	
CP-3006FS2	CP-5S2D			For MC 4 solar connector (Multi-Contact) & 2.5/4.0/6.0 mm ² (AWG 14/12/10) solar cable AWG 14/12/10 DIN 2.5/4.0/6.0 mm ²	

▶ PK-2061 Solar MC3 & MC4 Crimping Tool Kit



This is a complete tool kit to install MC3 & MC4 solar connectors easily and accurately.



Includes 2 pcs MC4 and MC4 PLUS open-end spanner and unlocking tool help you opening the locking device, securing and tightening the cable gland.

Universal solar cable stripper comes with adjustable length stop for reliable stripping of the double layer insulated cables (2.5 - 6.0 mm²)




Contents:

Parallel Action Crimper frame
Die set for MC 3 solar connector (Multi-Contact) & 2.5/4/6mm ² (AWG 14/12/10) solar cable.
Die set for MC 4 solar connector (Multi-Contact) & 2.5/4/6mm ² (AWG 14/12/10) solar cable.
Universal solar cable stripper, for 2.5/4/6mm ² (AWG 14/12/10) solar cable
Forging cable cutter (160mm), for copper cable: 25mm ² flexible
2 Pcs Open-end spanner and unlocking tool (MC4 and MC4 PLUS)
Pro-soft screwdriver 5x75mm
Pro-soft screwdriver #2 x100mm
Zippered carrying bag-280x197x70(mm)/11"x7.8"x2.8"

TESTERS
PRECISION PLIERS & CUTTERS
ELECTRICAL PLIERS & CUTTERS
KNIVES, SCISSORS & SAWS
CRIMPERS
STRIPPERS
PUNCHDOWN TOOLS
SOLDERING / ASSEMBLY
SCREWDRIVERS/ BITS
HEX KEY/ WRENCHES
SOCKET WRENCHES
TWEEZERS

Professional Modular Crimps Strips & Cuts Tool



For AMP style connectors only

- For crimping modular plugs in parallel action.
- Cuts, strips, and crimps modular plugs without changing modular (DIE) set.

300-064



10P 10C, AMP
8P8C/RJ-45 only



Stripping twisted
pair round cable

New

CP-376K



300-004 4P/6P/8P Telecom Crimping Tool



4/6/8P Crimping



Strips twisted pair wire



Strips flat telephone wire



300-004B
(6pcs/pack)



Ratchet Type

Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L (mm/inch)	Individual packing
300-064	S45C	Black:T.P.R Green:PP	45±3°	10P10C, AMP 8P8C/RJ45, 6P6C/RJ12, 6P4C/RJ11, 4P4C & 4P2C/RJ22 plugs, and DEC/Offset 6P6C plugs	-	205/8.1	Blister card
CP-376K				8P8C/RJ-45, 6P6C/RJ11, 4P4C & 4P2C/RJ22 plugs, and RJ11/6P6C DEC-Offset plugs	5PK-376K-BLADE(6pcs/pack)	205/8.1	
300-004				8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	300-004B (6Pcs/pack)	190/7.5	

Modular Crimping Tool



CP-376M



Stripping



Cutting



Crimping



900-078
(2pcs/pack)

300-063




902-086 Pro-Crimper Modular Tool



Best Value




300-004B
(6pcs/pack)



Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L (mm/inch)	Individual packing
CP-376M	S45C	Black:T.P.R Green:PP	HV 555~650°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	900-078 (2pcs/pack)	225/8.9	Blister card
300-063	S45C	Black:T.P.R Green:PP	HV 555~650°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs	900-078 (2pcs/pack)	216/8.5	Blister card
902-086	ABS + carbon steel	-	-	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	300-004B (6Pcs/pack)	160/6.3	Blister card

▶ 300-018 Modular Crimping Tool



Lock for easy storage




5CP-376E-B
(2pcs/pack)

▶ 300-028/300-078 Economy All-In-One Modular Plug Crimper




300-028



200-053
(2pcs/pack)





300-078



200-053
(2pcs/pack)

Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L.(mm/inch)	Individual packing
300-018	Low carbon steel	PP	45 \pm 3 $^\circ$	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs	5CP-376E-B (2pcs/pack)	200/7.9	Blister card
300-028	S45C	PP	45 \pm 3 $^\circ$	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11, DEC/MMJ modular plugs	200-053 (2pcs/pack)	200/7.9	Blister card
300-078	S45C	PP	45 \pm 3 $^\circ$	6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	200-053 (2pcs/pack)	200/7.9	Blister card

▶ 300-037 Pro-Crimper Modular Tool



200-053
(2pcs/pack)



Crimping




Cutting




Stripping

▶ 300-088/300-089/300-090 Modular Crimping Tool



300-004B
(6pcs/pack)



▶ 100-008 Telecom Splice Crimp Tool



- Designed for UG, UR and UY connectors.
- A special stop behind cutout prevents connectors from damage.



▶ 900-055 Double End Socket Can Wrench



- Used to place fuses in cable terminals and connect wires to fuses and binding posts.
- 3/8" & 7/16" hex double end. Plastic handle.




Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L. (mm/inch)	Individual packing
300-037	Nylon+Fiber	-	-	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	200-053 (2pcs/pack)	166/6.5	Blister card
300-088	Low carbon steel	PVC	HR30N 55-65	RJ-22 4P2C/4P4C handset modular plugs	900-117 (6pcs/pack)	190/7.5	Blister card
300-089	Low carbon steel	PVC	HR30N 55-65	6P2C/6P4C/6P6C RJ11 modular plugs	900-117 (6pcs/pack)	190/7.5	Blister card
300-090	Low carbon steel	PVC	HR30N 55-65	8P8C/RJ45 modular plugs	300-004B (6Pcs/pack)	200/8	Blister card
100-008	-	-	-	UR,UY,UG connectors Solid copper wire UR 19 to 26AWG UY 22 to 26 AWG UG 19 to 26 AWG	-	150/5.9	Blister card
900-055	S45C	Plastic	45 \pm 3 $^\circ$	-	-	180/7.1	Blister card

TESTERS
PRECISION PLIERS & CUTTERS
ELECTRICAL PLIERS & CUTTERS
KNIVES, SCISSORS & SAWS
CRIMPERS
STRIPPERS
PUNCHDOWN TOOLS
SOLDERING / ASSEMBLY
SCREWDRIVERS/ BITS
HEX KEY/ WRENCHES
SOCKET WRENCHES
TWEEZERS

▶ 902-087 Fiber Optic Crimping Tool




This is a rugged, easy to use, well made Crimp Tool, crimps broad range of fiber optic connectors or coaxial cable applications.



Adjustable Disc



▶ 902-270 Heavy Duty Coaxial Crimping Tool



Adjustable Disc



▶ 300-074 "F" Type Crimper



Model No.	Material	Handle	HRC	Application	O.A.L.(mm/inch)	Individual packing
902-087	S45C DIE: AISI 4140	PP	45 \pm 3°	SC & ST fiber optic connectors HEX .122", .133", .151", .188" HEX 3.10, 3.38, 3.84, 4.78mm	240/9.4	Blister card
902-270	S45C DIE: AISI 4140	PP	45 \pm 3°	RG58, RG59, 6, 11 & UHF-58, 8 Cables and BNC, TNC Connectors HEX: .100", .359", .406	225/9	Blister card
300-074	S45C DIE: AISI 4140	PP	46 \pm 3°	RG59, 6, 62 Cables and CATV Connectors HEX: .322", .255"	225/9	Blister card

▶ 300-092 Plier Style Economy Crimper

- For RG59/62/6 F-connectors



▶ CP-808/300-091 Compression Connector Crimping Tool



- Compression tool for waterproof connectors such as RG-58, RG-59 and RG-6 (F,BNC,RCA) connectors.
- Advanced ratchet mechanism.
- Anti-slip handle for easy operation.



RCA waterproof connectors




BNC waterproof connectors



F waterproof connectors



CP-808



Before crimping

After crimping



300-091

Model No.	Material	Handle	HRC	Application	O.A.L.(mm/inch)	Individual packing
300-092	Carbon steel	PVC	45 \pm 3°	RG59/62, 6 hex type, F connector	200/8	Blister card
CP-808	Middle carbon steel	TPR+PP	45 \pm 3°	RG-58, 59, 6 (3C, 4C, 5C), F / BNC / RCA Connectors	195/7.7	Blister card
300-091	S45C	PVC	45 \pm 3°	RG-58, 59, 6 (3C, 4C, 5C), F Connectors	215/8.5	Blister card

▶ 902-265 Compression Connector Crimping Tool

- Crimps RG58/59/6/6 Quad F-Compression Connectors.
- Crimps RG7/8/11 Riser F-Compression Connectors.
- Fully adjustable to fit common connector sizes.



▶ 300-156 Compression Connector Crimping Tool

- Universal tool for all F, BNC, and RCA connectors.
- Works on RG58/59/6/6Q and large RG7/11 Riser Cable Connectors.



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
902-265	Carbon steel + ABS	PP	40 \pm 5 $^{\circ}$	RG-58, 59, 6, 8,11 / F Connector	174/6.8	Blister card
300-156	Aluminum	PVC	45 \pm 3 $^{\circ}$	RG-58, 59, 6, 8,11 / F, BNC, RCA Connectors	170/6.7	Blister card

▶ CP-315 Adjustable Compression Tool



▶ CP-313 Adjustable Compression Crimping Tool



▶ 902-245 Compression Connector Crimping Tool



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
CP-315	Carbon steel	Nylon	40 \pm 5 $^{\circ}$	Connecting waterproof connectors F, BNC, RCA on RG-58, RG-59 and RG-6 coaxial cables	120/4.7	Blister card
902-245	Carbon Steel + ABS	PVC	40 \pm 5 $^{\circ}$	RG-58, 59,6 / F Connector	143/5.6	Blister card
CP-313	Carbon steel	PVC	40 \pm 5 $^{\circ}$	RG-58, 59,6 (3C, 4C, 5C), F / BNC / RCA Connectors	152/6.0	Blister card

▶ MS-3207 Advanced 3 in 1 Connector Tool



- Comes with 3 different positions: RG-59, RG-6 and F connectors.
- Users can use one end to enlarge space between shield and insulation for RG59, another end for RG6, the other end locks F connector into tool socket and twist it onto a stripped cable end.




▶ 800-072/800-079 CATV Install/Extract Tool

- Installs and removes F-Type connectors in hard to reach places
- Handle contains male F-Type holder



▶ 800-049/800-050 BNC Connector Insertion/Removal Tool

- Provides easy access to difficult to reach, high density connectors



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
MS-3207	PP	-	-	RG59, RG6, F connectors	100/3.9	Blister card
800-072	Cr-V	PVC	45 \pm 3 $^{\circ}$	-	300/12	Polybag+header card
800-079	Cr-V	PVC	45 \pm 3 $^{\circ}$	-	150/6	Polybag+header card
800-049	Cr-V	PVC	45 \pm 3 $^{\circ}$	-	200/8	Polybag+header card
800-050	Cr-V	PVC	45 \pm 3 $^{\circ}$	-	300/12	Polybag+header card

▶ Crimper Insulated and Non-Insulated Wire Ferrules



300-149



▶ 300-075 D-Sub, 2-Stage, Open Barrel Crimper



▶ 300-035 Multi-Purpose Crimper



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
300-149	S45C	PP	45°±3°	For Insulated and Non-Insulated Wire Ferrules and AWG20-12 wire	205/8.1	Blister card
300-075	Carbon steel	Cushion	45°±3°	For crimping D-Sub AWG.20/24/28	175/6.9	Blister card
300-035	Carbon steel	Cushion	45°±3°	For computer pins & sockets, D-Sub 26-28 AWG wire, For butt-Insulated connectors, 22-26 AWG wire, For telephone piercing spade lugs, 22-26 AWG wire, For open barrel connectors, 20-22 AWG wire, For open barrel connectors, 14-18 AWG wire, For non-insulated terminals, 10-14, 16-18 and 20-22 AWG wire	185/7.3	Blister card

▶ 500-037 Insulated Terminal Crimp Kit




- Ratcheted Crimper
- Ring insulated Terminal (22-16 AWG & Stud size: #6) X 50 pcs
- Ring insulated Terminal (16-14 AWG & Stud size: #8) X 40 pcs
- Ring insulated Terminal (12-10 AWG & Stud size: #10) X 20 pcs
- Butt Splice insulated (22-16 AWG) x 30 pcs
- Butt Splice insulated (16-14 AWG) x 20 pcs
- Butt Splice insulated (12-10 AWG) x 15 pcs

▶ 300-011 IDC Crimp Tool



- For crimping IDC-type of connectors onto flat cables



Crimping Distance
6~27.5mm

Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
Low carbon DIE:ABS Handle:PP	PVC	45°±3°	IDC-type connectors Height: 6mm~27.5mm Width(Max): 55mm	240/9.4	Blister card

300-016 Precision Crimping Tool With Wire Ferrules



Terminal crimper

- Including wire ferrules
- 0.5 x 6mm: 40pcs
 - 0.75 x 6mm: 40pcs
 - 1.0 x 6mm: 30pcs
 - 1.5 x 7mm: 20pcs
 - 2.5 x 7mm: 20pcs



Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
S45C	PVC	45°±3°	Non-insulated wire ferrules AWG 23/22/20/18/17/15/13, 0.25/ 0.34/0.5/ 0.75/1.0/1.5/2.5mm ²	160/6.3	Blister card

CP-416 Cutter/Stripper & Crimper Insulated and Non-Insulated Wire Ferrules




Features:

- All in one combination for crimping, stripping and cutting.
- Made of high quality carbon steel with black oxide finished for anti-rust.
- PVC cushion grip handle provides user comfort.
- The stripper is processed by CNC lathe to ensure the accuracy.



wire ferrules crimper



Wire cutter



Wire stripper



Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
DIE: 4140 Frame: S45C	PVC	DIE: 42°±2° Frame: 44°±2°	Crimping, Wire Ferrules 0.25-2.5 mm ² , Stripping wire AWG 26-14	200/8	Blister card

CP-463 D-Sub Contact Crimping Tool



Features

- Ergonomic handle design provides low-effort operation
- Superior pull strength results
- High quality crimping standard ensures repetitive, reliable crimping action
- Adjustable pin height locator



4 Way Crimping

For Larger Wire Size

300-015 4 Way Indent Crimping Tool




Features

- Used to crimp closed barrel, screw machine pin and socket style contacts.
- Performs a simultaneous 4 indent crimp for superior contact retention.



4 Way to Crimping



Model No.	Material	Handle	Application	O.A.L (mm/inch)	Individual packing
CP-463	Carbon steel	PVC	RS-232 D-sub round barrel contacts AWG 12-20(0.50-4.0 mm ²)	165/6.5	Blister card
300-015	S50C	PVC	RS-232 D-sub round barrel contacts, pins or sockets AWG 26-20, DIN 0.2-0.5mm ² , JIS 0.2-0.5mm ²	162/6.4	Blister card

900-065 Insertion/Extraction Tool



Features

- RS232 insertion & extraction use
- Red: insertion PIN
- White: extraction PIN



Body	Handle	O.A.L (mm/inch)	Individual packing
Metal	PP	102/4	Pouch

▶ CP-251B/CP-351B Modular Ratchet Crimping Tool



- New generation of energy saving crimper designed for Non-Insulated Spade/Ring Terminals.
- Equipped with outstanding ratcheting cycle and quick safety release.
- Anti-rust, blackened surface finish.
- All stressed parts are made of high quality steel, oil-hardened and tempered.
- High leverage handles, compound action mechanism provide superior mechanical advantage.

CP-251B



(For Non-Insulated Terminal)



Energy saving ratcheting design

CP-351B




Model No.	Material	HRC	Handle	Application	OAL (mm/inch)	Individual packing
CP-251B	Frame:S50C Die: AISI 4140	45±3°	TPR	Non-insulated spade/ring terminals,AWG 22-16/16-14/12-10/8/6,DIN 1.5/2.5/6.0/10/16 mm ² JIS 1.25/2.0/5.5/8.0/14 mm ²	245/9.6	Blister card
CP-351B	Frame:S50C Die: 4340	45±3°	TPR	For crimping AWG 8, 6, 4, 2, JIS 8, 14, 22, 38 mm ² , DIN 10, 16, 25, 35mm ²	350/13.8	Inner box + color label

▶ 300-055 Non-Insulated Terminal Crimper



- Energy saving ratcheting crimper designed for non-insulated spade/ring terminals
- High leverage handles, compound action mechanism provide superior mechanical advantage.



(For Non-Insulated Terminal)



Material	HRC	Application	O.A.L (mm/inch)	Individual packing
Frame:S45C Die:SK-5	39±2°	For Solderless, Non-Insulated terminals and AWG.22-16/16-14/12-10/8/6	185/7.3	Blister card

▶ 300-107 Heavy Duty Crimping Tool



- The best crimping solution for heavy duty tinned terminals
- Adjustable crimp nests with clearly marked gauges
- Lightweight and easy for operation
- Rugged cast steel construction for durability
- For terminating insulated and non-insulated cable lugs from AWG 8 to 250MCM copper and AWG 8 to 4/0 Aluminum



Material	HRC	Application	O.A.L (mm/inch)	Individual packing
Body: FCD45 Die: SK5	40±2°	AWG 8, 6, 4, 2, 1/0, 2/0, 3/0, 4/0,DIN 10, 16, 25, 35, 50, 70, 95, 120mm ² ,JIS 8, 14, 22, 38,60 70, 80, 100 mm ²	570/22.4	Inner box+ color label