

HELP ▼ 888-250-3082

® ENGLISH SIGN IN ▼ 🚬 0

SEARCH

Labels / Safety Labels / CEMA Safety Labels /

RISK OF ELECTRICAL SHOCK MORE THAN ONE DISCONNECT Labels





RISK OF ELECTRICAL SHOCK MORE THAN ONE DISCONNECT Labels

Part Number:

96175

Dimensions:

6 in H x 3 in W x 0.006 in D

Material:

Polyester

Color:

Black/Yellow on White

ADD TO CART

1

OVERVIEW

with a polyester overlaminate.

- B-302 is particularly suited for outdoor applications, and in harsh environments where excellent abrasion and chemical resistance is required
- Weathers up to 8 years outdoors, even longer indoors, and withstands wide temperature variations (up to 230°F)
- Flexible material conforms to most surfaces while protected graphics hold up to harsh environments, abrasion, and repeated spills and cleanings
- Permanent, pressure sensitive adhesive forms a long-lasting bond to even the most difficult surfaces and shapes

SPECIFICATIONS

Anti-Skid Surface?	Not Anti-Skid
Brady Material Number	B-302
Dimensions	6 in H x 3 in W x 0.006 in D
Display UoM	Pack of 5 Labels
Finish	Gloss
Illumination	Not Illuminated
Indoor or Outdoor Use	Indoor/Outdoor Use
Laminated	Laminated
Maximum Service Temperature °F	230 °F
Minimum Service Temperature °F	-40 °F
PSPA Photoluminescence Class	Not Illuminated
Product Number	96175
UPC	754473961756
Reverse Legend	No Reverse Text
Adhesive Type	Permanent Acrylic
Color	Black/Yellow on White
Header	CAUTION
Language	English
Material	Polyester
Material Properties	Excellent Cold-Weather Performance
Mounting Type	Self-Adhesive
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant

Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	RISK OF ELECTRICAL SHOCK MORE THAN ONE DISCONNECT

Solutions

Floor Marking Guide **GHS Label Complaince**

Lockout Tagout Compliance

Arc Flash Labeling Requirements

Cable and Wire Label **Options**

Product and Barcode Labeling

Services

Lockout Tagout Services Arc Flash Services Confined Space Services Visual Workplace Services Hazcom GHS Services Software Programming &

Integration Label Template & File Conversion

Printer Use & Training Printer Preventative

Maintenance

Toll and Custom Coating

Help

Contact Us **Knowledge Center** Printer Drivers & Firmware **Brady Software Updates** Safety Data Sheets **Technical Data Sheets** WEEE RoHS Compliance **Product Certification Printer Registration**

Resources

Find a Distributor **Printer Selection Tool Label Selection Tool** Digital Catalog Request a Catalog



Brady **Contact About** (NYSE:BRC) 6555 W. **Privacy** manufacturer Good **Policy** Hope of complete Terms solutions and Milwaukee, Conditions Sites that WI identify and **Terms** 53223 protect of Use Phone: people, 888products 250and places. 3082 Brady's Hours: products 7amhelp 6pm customers CST increase Monday safety, security, Friday productivity and performance and include highperformance labels, signs, safety devices, printing systems

and software. Other

Corporation Brady Sites Distribu







2017 Brady Worldwide, Inc.

Software Smart ID Brand **Protection**

Safety

&

Services

