AKUA047NN0086051A000 - ACTIVE

TE Internal #: AKA047N0086051A000 Standard Circular Connectors, Cable-to-Cable, 12 Position, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Number of Positions: 12

Sealable: No

Circuit Application: Signal

Connector Mounting Type: Cable Mount (Free-Hanging)

Features

Product Type Features



Product Type	Connector				
Connector System	Cable-to-Cable				
Sealable	No				
Shell Type	Metal				
Configuration Features					
Number of Positions	12				
Number of Signal Positions	12				
Electrical Characteristics					
Operating Voltage	32 VAC				
Body Features					
Environmental Protection	IP67				
Shell Plating Material	Electrodeposited Nickel				
Shell Base Material	Zinc Alloy				
Circular Connector Insulation Material Type	PBT GF				

AKUA047NN0086051A000

Standard Circular Connectors, Cable-to-Cable, 12 Position, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF



Mechanical Attachment

Mating Retention Type	Speedtec (Triple Start Threaded)
Panel Mount Feature Type	Screw Mount
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Circular Connector Shell Size	17
Dimensions	
Cable Diameter Range	9.5 – 12 mm[.37 – .47 in]
Usage Conditions	
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]
Operation/Application	
Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	Yes
Industry Standards	
UL Flammability Rating	UL 94V-0
Approved Standards	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU			
EU ELV Directive 2000/53/EC			
China RoHS 2 Directive MIIT Order No 32, 2016			
EU REACH Regulation (EC) No. 1907/2006			
Halogen Content			
Solder Process Capability			

Compliant with Exemptions

Compliant with Exemptions

Restricted Materials Above Threshold

Current ECHA Candidate List: JUN 2020 (209)

Candidate List Declared Against: JUN 2020

(209)

SVHC > Threshold:

Pb (3.5% in Component)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

Product Compliance Disclaimer

AKUA047NN0086051A000

Standard Circular Connectors, Cable-to-Cable, 12 Position, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



TE Part #661269-000	TE Part #ZPF0000000001261	TE Part #1617147-5	TE Part #358279-000
TXR21AB00-1605AI	097-0267-16 A1267	JMGAP-26P = M39016/17-030P	382C312-50-01-0
TE Part #ZPF000000000007174	TE Part #YAFD56-14-15SWC019	TE Part #CX1369-000	TE Part #CS8624-000
983-0RS 08-98 PN	PLUG ASSY	BSTS-13X4FR/NM	BSTS-15X4FR/NM

AKUA047NN0086051A000

Standard Circular Connectors, Cable-to-Cable, 12 Position, Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_AKA047N0086051A000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_AKA047N0086051A000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_AKA047N0086051A000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages AKA047N0086051A000

English