



Flexible Conduits & Fittings

T&B Catalog Number:

ALAD-M406

UPC Number:

78620994292

Status:

Active

Description:

Smart Line 45 degree black one-piece elbow with integral cone seal. Material-polyamide 6, thread size - M40 x 1.5.

Application

Machine building, installation and construction industries

Characteristics

Economical

Easy push-in installation

Easy re-opening with screwdriver

Space savings due to compact design

Self-extinguishing, free of halogens and cadmium

Excellent impact strength

Fits both conduit profiles - fine (T) and coarse (G)

General

Material Polyamide 6

Color Black

Thread Type Metric

Suitable for Use With PMA Smart Line Conduit, PMAFLEX

Dimension Information

Fits to Conduit Size (NW) 36

Fits to Conduit Size (metric) 40

Fits to Conduit Size (inches) 1 1/4

Thread Length (mm) 19.0

Thread Size (Metric) M40 x 1.5

Technical Information

Temperature Range-Continuous (Celsius) -40° C to +105° C

Temperature-Short-Term (Celsius) +150° C

Technical Data Sheet Available on Website

Chemical Resistance Chart Available on Website

Specifications

3dmodel Available on Website

IP Ratings

IP Rating IP66 stat. / IP54 dyn.

Packaging

T&B Order Multiple 1080

T&B Inner Pack 20

Package in Units 180

T&B Sold in UOM Each

T&B Weight Per UOM 0.11 lbs. Each

Application Support

PMA Reference Guide Available on Website

Conduit Guide-Smart Line Available on Website

Product Overview-Smart Line Conduits Available on Website

Product Overview-Smart Line Connectors Available on Website

Product Overview-System Supports Available on Website

Product Overview-PMAFIX Connectors Available on Website

Certifications

RoHS Compliance Yes

Certifications



For further technical assistance, please contact us...

Thomas & Betts - USA
8155 T&B Blvd.
Memphis, TN 38125
www.tnb.com

T&B Technical Support
MS 3B-50
8155 T&B Blvd.
Memphis, TN 38125

Hours: 7AM - 6PM CDT
Monday-Friday
Phone: (888) 862-3289
Fax: (901) 252-1321
Email: techsupport@tnb.com